

hw 4

2022-10-20

```
library(tidyverse)
```

```
## -- Attaching packages ----- tidyverse 1.3.2 --
## v ggplot2 3.3.6      v purrr  0.3.5
## v tibble  3.1.8      v dplyr  1.0.10
## v tidyr   1.2.1      v stringr 1.4.1
## v readr   2.1.3      v forcats 0.5.2
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()    masks stats::lag()
```

```
library(ggplot2)
library(scales)
```

```
##
## Attaching package: 'scales'
##
## The following object is masked from 'package:purrr':
##
##   discard
##
## The following object is masked from 'package:readr':
##
##   col_factor
```

```
library(RColorBrewer)
library(stats)
```

Column 1: height: The height of the student. Column 2: hsGPA: The high school GPA of the student.
Column 3: pulse: The pulse rate of the student when measured in class.

```
students <- read.csv("student.csv")
students
```

```
##      height hsGPA pulse
## 1    70.00 3.200   27
## 2    62.00 3.930   64
## 3    72.00 3.840   60
## 4    68.50 3.800   72
## 5    68.00 3.850   60
## 6    70.00 3.480   80
## 7    70.00 3.300   60
```

## 8	60.00	3.800	71
## 9	74.00	3.300	76
## 10	68.00	3.840	80
## 11	73.00	3.300	92
## 12	71.00	3.300	56
## 13	69.00	3.200	70
## 14	66.00	3.750	75
## 15	68.00	3.200	76
## 16	66.00	3.900	80
## 17	66.00	3.600	80
## 18	73.00	2.800	50
## 19	63.00	3.600	60
## 20	71.00	3.980	77
## 21	66.00	3.800	100
## 22	69.00	3.800	60
## 23	68.00	3.500	60
## 24	75.00	3.200	64
## 25	66.00	4.000	64
## 26	68.00	3.250	160
## 27	70.50	4.100	58
## 28	68.00	3.240	64
## 29	62.00	3.800	54
## 30	70.00	3.980	80
## 31	68.00	3.630	78
## 32	62.00	3.600	78
## 33	72.00	3.300	80
## 34	66.00	3.500	72
## 35	66.50	3.980	100
## 36	62.00	3.900	80
## 37	70.00	3.800	68
## 38	72.00	4.000	80
## 39	70.00	3.980	70
## 40	67.00	2.900	68
## 41	69.00	3.300	80
## 42	65.00	4.000	80
## 43	58.50	3.830	78
## 44	63.00	4.040	63
## 45	68.00	3.750	90
## 46	72.00	3.600	55
## 47	64.00	3.967	74
## 48	69.00	3.500	75
## 49	71.00	3.500	100
## 50	63.00	3.860	64
## 51	71.00	3.500	70
## 52	72.00	3.690	72
## 53	80.00	3.200	60
## 54	66.00	4.000	64
## 55	66.00	3.780	70
## 56	67.00	3.700	78
## 57	68.00	3.890	65
## 58	60.00	3.900	72
## 59	68.75	3.980	90
## 60	73.00	3.500	65
## 61	66.00	3.560	60

## 62	74.00	3.300	72
## 63	69.00	3.900	66
## 64	72.00	2.700	87
## 65	73.00	3.700	84
## 66	68.00	4.000	85
## 67	69.00	3.600	72
## 68	64.00	3.800	48
## 69	72.00	2.750	96
## 70	62.00	3.780	45
## 71	64.00	3.900	48
## 72	65.50	3.300	70
## 73	56.00	4.200	50
## 74	63.00	3.980	68
## 75	71.00	3.330	92
## 76	65.00	3.200	72
## 77	73.00	3.300	80
## 78	67.00	3.600	70
## 79	72.00	3.400	78
## 80	64.00	3.990	70
## 81	72.00	3.400	70
## 82	69.00	3.300	68
## 83	67.00	3.000	80
## 84	71.00	3.500	88
## 85	65.00	3.000	70
## 86	64.00	3.800	76
## 87	75.00	3.300	70
## 88	61.00	3.985	104
## 89	66.00	4.000	95
## 90	76.00	3.900	60
## 91	67.00	3.800	100
## 92	74.00	4.000	72
## 93	66.00	3.800	76
## 94	70.00	3.720	70
## 95	73.00	3.350	80
## 96	61.00	3.800	72
## 97	66.00	3.800	90
## 98	65.00	3.750	60
## 99	75.00	3.970	65
## 100	63.00	3.400	70
## 101	65.00	3.860	80
## 102	73.00	3.900	55
## 103	67.00	3.900	96
## 104	64.00	3.800	52
## 105	72.00	3.780	60
## 106	64.00	4.000	65
## 107	65.00	3.500	29
## 108	69.50	3.300	60
## 109	66.00	3.800	85
## 110	68.00	3.400	64
## 111	72.00	3.850	68
## 112	70.00	3.780	58
## 113	65.00	3.750	69
## 114	62.00	4.000	126
## 115	55.00	3.800	85

## 116	70.00	3.500	75
## 117	68.00	3.750	76
## 118	66.00	3.670	72
## 119	72.00	2.980	84
## 120	66.00	4.000	160
## 121	65.00	3.650	72
## 122	75.00	3.500	90
## 123	74.00	3.300	80
## 124	74.00	3.000	60
## 125	71.00	2.600	70
## 126	72.00	3.850	68
## 127	72.00	3.800	72
## 128	69.00	3.750	79
## 129	72.00	3.500	60
## 130	62.00	4.200	68
## 131	64.00	3.840	80
## 132	64.00	3.760	82
## 133	70.00	4.000	64
## 134	66.00	3.820	90
## 135	64.00	3.800	80
## 136	65.00	3.980	100
## 137	67.00	3.750	50
## 138	64.00	3.900	76
## 139	65.00	3.890	120
## 140	68.00	3.700	60
## 141	60.00	3.700	72
## 142	68.00	3.600	132
## 143	67.00	3.000	69
## 144	70.00	3.870	42
## 145	67.00	4.500	56
## 146	63.00	3.800	96
## 147	70.00	3.490	120
## 148	74.00	3.900	60
## 149	73.00	3.500	60
## 150	71.00	3.900	50
## 151	70.00	3.400	70
## 152	66.50	3.500	100
## 153	66.00	4.000	55
## 154	60.00	3.090	77
## 155	65.00	3.650	100
## 156	74.00	3.000	82
## 157	66.00	3.900	110
## 158	70.50	3.200	78
## 159	68.00	3.800	100
## 160	67.00	3.700	65
## 161	67.00	3.700	88
## 162	68.00	3.870	72
## 163	63.00	3.800	90
## 164	68.00	3.500	60
## 165	64.00	3.830	67
## 166	72.00	3.720	76
## 167	73.00	3.670	76
## 168	73.00	3.500	84
## 169	69.00	3.890	60

```
## 170 68.00 4.000 70
## 171 65.00 3.700 100
## 172 70.00 3.900 66
## 173 65.00 3.700 96
## 174 65.00 3.800 80
## 175 64.00 3.600 88
## 176 68.00 3.780 72
## 177 63.00 3.942 60
## 178 70.00 4.210 84
## 179 69.00 3.500 72
## 180 70.00 3.460 55
## 181 67.00 3.800 78
## 182 64.50 3.400 98
## 183 72.00 3.400 68
## 184 65.00 3.900 65
## 185 74.00 2.700 60
## 186 73.00 3.500 76
## 187 71.50 3.500 70
## 188 69.00 3.980 78
## 189 68.50 3.600 96
## 190 69.00 3.900 70
## 191 60.00 3.500 72
## 192 78.00 3.830 80
## 193 72.00 3.500 68
## 194 69.00 3.900 74
## 195 74.00 3.800 60
## 196 66.00 3.870 62
## 197 74.00 3.800 90
## 198 68.00 3.600 80
## 199 64.00 3.550 83
## 200 71.00 3.500 70
```

- (a) Using R, find the 95% confidence interval for the average students height. Confidence interval for a mean
- (b) What is the highest average height you expect a student to have, based on the confidence interval from (a)?
- (c) Using R, find the 99% confidence interval for the average students pulse.
- (d) What is the lowest average pulse you expect a student to have, based on the confidence interval from (c)?