

Vivliostyle Themes Documentation

Table of Contents

1. [Vivliostyle Themes | Vivliostyle Documentation](#)
2. [Adoption of the Official Theme | Vivliostyle Documentation](#)
3. [Vivliostyle Themes Gallery | Vivliostyle Documentation](#)
4. [Spec of Vivliostyle Theme | Vivliostyle Documentation](#)

Vivliostyle Themes



Vivliostyle Themes logo

Vivliostyle Theme is a style theme used for creating publications with Vivliostyle. With Vivliostyle Themes, you can effortlessly change the style of your publications.

- [Using Themes](#)
- [Developing Themes](#)
- [Spec of Vivliostyle Theme](#)
- **Operational Guidelines**
 - [Adoption of the Official Theme](#)
 - [Vivliostyle Themes Gallery](#)

Adoption of the Official Theme

A generic theme that is likely to be used by many users will be adopted as the official theme. Official themes are managed in the [vivliostyle/themes repository](https://github.com/vivliostyle/themes) (<https://github.com/vivliostyle/themes>) and published as npm packages with the name `@vivliostyle/theme-*`.

Conditions for Adoption

The conditions for adoption as an official theme are as follows:

- The design and primary purpose of the theme must be different from the existing official themes.
- The theme must meet the [theme specifications](#).
- Sign the Contributor License Agreement.
- Comply with the [Code of Conduct](#).

How to Adopt

Please send a pull request to the [vivliostyle/themes repository](https://github.com/vivliostyle/themes) (<https://github.com/vivliostyle/themes>).

- The theme name should be `@vivliostyle/theme-*`.
- Include the source code in `packages/@vivliostyle/theme-*`.

If your theme is accepted as an official theme, you will be given the following privileges as a maintainer of the [vivliostyle/themes repository](https://github.com/vivliostyle/themes) (<https://github.com/vivliostyle/themes>):

- Push to the repository
- Triage issues
- Review and merge pull requests

Vivliostyle Themes Gallery

This is a gallery of Vivliostyle Themes released as npm packages. Newly released themes are added here as soon as we find them, but if you find something that is not listed, please send an [issue](https://github.com/vivliostyle/themes/issues) (<https://github.com/vivliostyle/themes/issues>) or pull request.

Official Vivliostyle Themes

Currently, there are six official themes.

@vivliostyle/theme-bunko (<https://www.npmjs.com/package/@vivliostyle/theme-bunko>)

It is suitable for Japanese vertical novels. It also supports ruby and horizontal-in-vertical composition (in Japanese, "縦中横"). CSS variables allow customization of lines/characters per page, page headers, and more.

- [README \(CSS variables list\)](https://github.com/vivliostyle/themes/tree/main/packages/@vivliostyle/theme-bunko#readme) (<https://github.com/vivliostyle/themes/tree/main/packages/@vivliostyle/theme-bunko#readme>)



Theme-bunko sample image. The manuscript is 'Night on the Galactic Railroad'.

@viviostyle/theme-slide (<https://www.npmjs.com/package/@viviostyle/theme-slide>)

This is good for slide presentations. The style changes between the cover page and the general page. CSS variables allow customization of colors, layout, and cover page styles.

- [README \(CSS variables list\)](https://github.com/viviostyle/themes/tree/main/packages/@viviostyle/theme-slide#readme) (<https://github.com/viviostyle/themes/tree/main/packages/@viviostyle/theme-slide#readme>)




Theme-slide sample image. On the left is the cover page with a blue background, and on the right is the general page with a white background.

@vivliostyle/theme-techbook (<https://www.npmjs.com/package/@vivliostyle/theme-techbook>)

A technical book designed with printing in mind (e.g., margins adjustment at the inside/outside margin). Source code and table of contents are also supported. CSS variables allow customization of colors, page headers/footers, and image resolution.

- README (CSS variables list) (<https://github.com/vivliostyle/themes/tree/main/packages/@vivliostyle/theme-techbook#readme>)





Sample images from theme-techbook. In addition to text, it has a table and source code.

@vivliostyle/theme-academic (<https://www.npmjs.com/package/@vivliostyle/theme-academic>)

This is suitable for reports written by students. Chapter and section numbers are automatically added. CSS variables allow customization of figure sizes and frame element styles.

- **README (CSS variables list)** (<https://github.com/vivliostyle/themes/tree/main/packages/@vivliostyle/theme-e-academic#readme>)

vfinv01he theme academic のサンプル FET の特性 2020/08/10 ぶよりお 伸たか 1 目的 FET の特性を調査するとともに、FET を用いた回路の動作を理解することを目的とする。 2 原理 2.1 半導体 物質には電気が流れる導体と電気が流れない絶縁体。ある条件によって電気が流れる半導体に分類できる。これはバンドギャップの異なる領域で区別する。バンドギャップが大きいのが半導体で半導体が電気が流れない。半導体は絶縁体に比べバンドギャップが小さく、半導体に不純物を混ぜるとことで電子や空孔の流れを誘発させる。 半導体にはシリコンやゲルマニウムがよく使われるが、それらの結晶の性質は絶対温度に依り、電圧をかけても抵抗値に変化しない。しかしそこに電子を注入したシリコンなどの半導体を少しの不純物を入れるだけで、導体のような性質に変わってくる。この電子を余計なもたらった半導体がある半導体を p (positive) n 型半導体、逆に電子の少ない方と多き方の不純物がある半導体を p (negative) n 型半導体とし、p 型半導体では、正孔と呼ばれる電子が見えない穴(電子の代りの働きをし、+の電子が動き回るように振舞う。この n 型と p 型を混合させるといふが、電界の向きによって電気が流れたり流れなかったりする整流作用が現れる。 2.2 電界効果トランジスタの動作原理 p 型半導体と n 型半導体をつなぎ合わせることを pn 接合とする。pn 接合すると、p 型半導体と n 型半導体の接触面付近で電子と正孔の結合により、両側部から n 型側に、電荷を集め引き寄せられる。この 2 つの領域は変遷層と呼ばれ、電気が流れない領域である。しかし、p 側から n 側に電圧をかけると、変遷層で結合でなかった電子と正孔が接近し、一時的に変遷層が小さくなる。変遷層の厚さが十分に小さくなつた時、電子と正孔がそれぞれ変遷層を越えらるようになるとなる。拡散電流が流れ出る。この間から n 側に電圧が印加される方向を右向きと見たい。逆方向に電圧をかけると変遷層は大きくなり、拡散電流は流れない。このように、pn 接合によって電流が行く電子がダイオードと等価。 FET に使う 3 本の端子の役目であり、それぞれグート (G)、ドレイン (D)、ソース (S) と名称がつけられている。FET は n 型半導体と p 型半導体の組み合わせでつくられ、チャネル名の物理的性質によつて n チャネル型 FET と p チャネル型 FET に分類できる。n チャネル型 FET はドレインとソースの間電場印加が n 型半導体で、その間が p 型半導体である。p チャネル型 FET はドレインとソースの間電場印加が p 型半導体で、その間は n 型半導体である。図1に n チャネル型 FET、図2に p チャネル型 FET の構造を略称化して示した。	vfinv01he theme academic のサンプル  図3 静特性実験の回路 3.3.1 $V_{GS} - I_{DS}$ 特性 V_{DS} を 0 V から 4.5 V まで変化させたときの I_{DS} の順を測定した。V_{GS} が 3 V、10 V の場合のみぞれづれについて行なった。 3.3.2 $V_{DS} - I_{DS}$ 特性 V_{GS} を 0 V から 18 V まで変化させたときの I_{DS} の順を測定した。V_{GS} が 0.2 V、0.4 V、0.6 V、0.8 V の場合のみぞれづれについて行なった。 3.4 動特性実験 図4に示す回路を作製した。  図4 動特性実験の回路	vfinv01he theme academic のサンプル 3.4.3 30 V を印加したときとグート電圧 V_{GS} 回路に人力電圧として 30 V 加えた時のソースに対するグートの電圧 V_{GS} を調べた。 3.4.4 入力階数 f に対する出力 v_o の変化 人力階数に $f = 1 \text{ kHz}$ の微小な正弦波を入力し、v_o (出力) が v_i (入力) に同じような変化をみせた。ただし、v_o は 50 mV から 3000 mV まで変化した。 また、出力階数を固定した時の v_o を調べた。 3.4.5 電圧増幅率 μ の測定可能性 人力電圧を 1 V とし、増幅率 μ を 0.004 kV から 3000 kV まで変化した。電圧増幅率 μ の測定可能性を調べた。動特性・動特性の実験で使用した器具の一覧を一覧にする。 <table border="1"> <thead> <tr> <th colspan="4">表 1 実験器具</th> </tr> <tr> <th>名称</th><th>製造会社</th><th>型式</th><th>製造番号</th><th>規格</th></tr> </thead> <tbody> <tr> <td>FET</td><td>-</td><td>K30AGRED</td><td>-</td><td>-</td></tr> <tr> <td>コンピュータ</td><td>-</td><td>8084, 7414</td><td>-</td><td>10V, 50, 5mm F</td></tr> <tr> <td>高度電圧</td><td>METRONIX</td><td>S61A</td><td>176541</td><td>40V, 0.5A</td></tr> <tr> <td>デジタルマルチメータ</td><td>TEXCO</td><td>DL-2040</td><td>13010369</td><td>10VA, 50/60Hz</td></tr> <tr> <td>オシロスコープ</td><td>EZ</td><td>EN-5020</td><td>8077246</td><td>20MHz</td></tr> <tr> <td>フアンクションジェネレータ</td><td>IVATSIU</td><td>SC-4105</td><td>32274K3</td><td>15MHz</td></tr> <tr> <td>電圧源</td><td>KINWOOD</td><td>AG-294D</td><td>11700316</td><td>50/60Hz(4), 10, 10V</td></tr> <tr> <td>オシメタ</td><td>YOKOGAWA</td><td>T32-01</td><td>9861132</td><td>-</td></tr> </tbody> </table> 4 実験結果 4.5 静特性実験 4.5.1 $V_{GS} - I_{DS}$ 増幅率を一定にして、V_{GS} が 2 V 以上で I_{DS} は V_{GS} が大きくなるにつれて減少し、V_{GS} が 2 V 以下では I_{DS} は 0 A となった。また、V_{GS} の値が大きいはど I_{DS} も増加はなくなった。 4.5.2 $V_{DS} - I_{DS}$ 特性 増幅率を図1に示す。 V_{GS} が 0 V から 2 V までの間で I_{DS} の値は急激に増加し、2 V 以降は増加減少を繰り返しながら全体的に増加した。 V_{GS} の値が大きいはど I_{DS} の値は小さくなった。 4.6 動特性実験 4.6.1 30 V を印加した時のグート電圧 V_{GS} V_{GS} の値は 1.42 V であった。	表 1 実験器具				名称	製造会社	型式	製造番号	規格	FET	-	K30AGRED	-	-	コンピュータ	-	8084, 7414	-	10V, 50, 5mm F	高度電圧	METRONIX	S61A	176541	40V, 0.5A	デジタルマルチメータ	TEXCO	DL-2040	13010369	10VA, 50/60Hz	オシロスコープ	EZ	EN-5020	8077246	20MHz	フアンクションジェネレータ	IVATSIU	SC-4105	32274K3	15MHz	電圧源	KINWOOD	AG-294D	11700316	50/60Hz(4), 10, 10V	オシメタ	YOKOGAWA	T32-01	9861132	-
表 1 実験器具																																																			
名称	製造会社	型式	製造番号	規格																																															
FET	-	K30AGRED	-	-																																															
コンピュータ	-	8084, 7414	-	10V, 50, 5mm F																																															
高度電圧	METRONIX	S61A	176541	40V, 0.5A																																															
デジタルマルチメータ	TEXCO	DL-2040	13010369	10VA, 50/60Hz																																															
オシロスコープ	EZ	EN-5020	8077246	20MHz																																															
フアンクションジェネレータ	IVATSIU	SC-4105	32274K3	15MHz																																															
電圧源	KINWOOD	AG-294D	11700316	50/60Hz(4), 10, 10V																																															
オシメタ	YOKOGAWA	T32-01	9861132	-																																															


Sample images from theme-academic. In addition to text, it contains diagrams and tables.

@vivliostyle/theme-gutenberg (<https://www.npmjs.com/package/@vivliostyle/theme-gutenberg>)

This is suitable for horizontal novels in English. In addition to the default `theme.css` , three CSS variations (`alice.css` , `fang.css` , `sherlock.css`) are available.


- **README** (<https://github.com/vivliostyle/themes/tree/main/packages/@vivliostyle/theme-gutenberg#readme>)

alice.css




Sample image from theme-gutenberg. The manuscript is 'Alice's Adventures in Wonderland'.

fang.css



Sample image from theme-gutenberg. The manuscript is 'White Fang'.

sherlock.css



Sample image from theme-gutenberg. The manuscript is 'The Adventures of Sherlock Holmes'.

@vivliostyle/theme-epub3j (<https://www.npmjs.com/package/@vivliostyle/theme-epub3j>)

This is a theme for creating EPUB compatible with the EBPAJ EPUB 3 File Creation Guide (<http://ebpaj.jp/counsel/guide>). Suitable for Japanese vertical text EPUB publications.

- README (<https://github.com/vivliostyle/themes/tree/main/packages/@vivliostyle/theme-epub3j#readme>)



Screenshot of theme-epub3j example.

Unofficial Vivliostyle Themes

vivliostyle-theme dnd-5e-phb (<https://www.npmjs.com/package/vivliostyle-theme-dnd-5e-phb>)

Author: oldgeese

D&D 5e PHB theme for Vivliostyle

VIVLIOSTYLE THEME D&D 5E PHB



orem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

HEADER2 ヘッダー2

Lorem ipsum dolor sit amet, consectetur adipiscing elit,

HEADER3 ヘッダー3

Lorem ipsum dolor sit amet, consectetur adipiscing elit,

HEADER4 ヘッダー4

Lorem ipsum dolor sit amet, consectetur adipiscing elit,

HEADER5 ヘッダー5

Lorem ipsum dolor sit amet, consectetur adipiscing elit,

Header6 ヘッダー6

strong, 太文字,

italic, イタリック,

親譲りの無鉄砲で小供の時から損ばかりしている。小学校に居る時分学校の二階から飛び降りて一週間ほど腰を抜かした事がある。なぜそんな無闇をしたと聞く人があるかも知れぬ。別段深い理由でもない。新築の二階から首を出していたら、同級生の一人が冗談に、いくら威張っても、そこから飛び降りる事は出来まい。弱虫やーい。と囃したからである。小使に負ぶさって帰って来た時、おやじが大きな眼をして二階ぐらいから飛び降りて腰を抜かす奴があるかと云ったから、この次は抜かさずに飛んで見せますと答えた。(青空文庫より)

UNORDERED LIST

- **a horizontal rule before a ul** will give it the style of unordered list without a bullet.

a horizontal rule before a ul will give it the style of unordered list without a bullet.

IMAGES



placeholder

CLASS A FEATURES

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

TIME TO DROP KNOWLEDGE

Use notes to point out some interesting information.

Tables and lists both work within a note.

TIME TO DROP KNOWLEDGE

Use notes to point out some interesting information.

Tables and lists both work within a note.

THE NOTARY

Level	Proficiency Bonus	Features	Sixgun Poisoner
1st	+2	Gunpowder Torturer	+1
2nd	+2	Pharmaceutical Gunslinger	+2
3rd	+2	Gunslinger Corruptor	+2
4th	+2	Ability Score Improvement, Demonic Anthropology	+3
5th	+3	Torque Interfacer	+4
6th	+3	Ability Score Improvement, Mathematical Pharmacist	+4
7th	+3	Sixgun Poisoner	+4
8th	+3	Ability Score Improvement, Spiritual Biochemistry	+4
9th	+4	—	+4
10th	+4	Consecrated Biochemistry	+4
11th	+4	Torque Interfacer	+4
12th	+4	Ability Score Improvement, Ritual Astronomy	+4
13th	+5	Plasma Outlaw	+4
14th	+5	Ability Score Improvement, Plasma Outlaw	+5
15th	+5	Civil Alchemy	+6
16th	+5	Ability Score Improvement, Spell Analyst	+6
17th	+6	—	+6
18th	+6	Exo Interfacer	+6
19th	+6	Ability Score Improvement, Police Cultist	+6
20th	+6	Nuclear Illusionism	+6

HIT POINTS

Hit Dice: 1d12 per level

vivliostyle-theme-thesis (<https://www.npmjs.com/package/vivliostyle-theme-thesis>)

Author: yamasy1549

Academic theme (thesis)

vivliostyle-akashi-kosen-bulletin (<https://www.npmjs.com/package/vivliostyle-akashi-kosen-bulletin>)

Created by: yamasy1549

A style for annual report of National Institute of Technology, Akashi College (unofficial)

Spec of Vivliostyle Theme

If you want to publish your theme as an npm package, please follow the specification below. You can use `create-vivliostyle-theme` (<https://github.com/vivliostyle/themes/tree/master/packages/create-vivliostyle-theme>) to quickly create a theme that follows this specification.

Theme Name

The name of the theme can be free. However, it is recommended to follow some points:

- If the purpose is clear, include a concise term that represents it.
- Avoid terms related to modifiable styles.
 - For example, publication size and layout direction are expected to be easily changeable by users in the future with tools like Vivliostyle Pub. Therefore, avoid using terms related to these modifiable styles.
 - Examples of names to avoid: `vivliostyle-theme-a4book`, `vivliostyle-theme-tategaki`, etc.

Styles to Include in the Theme

A theme should encompass styles for the entire publication, rather than focusing on specific elements (e.g., only figures or footnotes).

Below are the typical styles that should be included in a theme. The theme template generated with `create-vivliostyle-theme` (<https://github.com/vivliostyle/themes/tree/master/packages/create-vivliostyle-theme>) includes these styles.

- Page (margin, running header/footer, etc.)
- Heading
- Paragraph
- Math expression
- Figure and caption
- Table and caption
- Source code
- Footnote

- Ruby

Directory Structure

```
vivliostyle-theme-mybook/
├─ LICENSE
├─ README.md
├─ package.json
├─ example/
│   └─ ...
│       └─ default.md
├─ theme.css
└─ vivliostyle.config.js
```

When you create a theme template using `create-vivliostyle-theme` (<https://github.com/vivliostyle/themes/tree/master/packages/create-vivliostyle-theme>), the essential files mentioned above will be generated automatically. The details of some typical files are described in the following sections.

package.json

```
{
  "name": "vivliostyle-theme-mybook",
  "author": "John Doe <john@example.com>",
  "main": "theme.css",
  "keywords": [
    // described below
    "vivliostyle",
    "vivliostyle-theme"
  ],
  "vivliostyle": {
    // described below
    "theme": {
      "style": "./theme.css",
      "name": "Mybook",
      "author": "John Doe",
      "category": "novel",
      "topics": ["paperback"]
    }
  }
}
```

You can use `vivliostyle-theme-scripts` (<https://github.com/vivliostyle/themes/tree/master/packages/vivliostyle-theme-scripts>) to check that the `package.json` of your theme conforms to the specification.

```
$ vivliostyle-theme validate
```

keywords Property

Optional.

Including `"vivliostyle-theme"` in this property's value will list your theme among the available options when creating a publication using `Create Book` (<https://github.com/vivliostyle/create-book>). Ensure your theme is published as an npm package for it to appear.

Since a theme is an npm package related to Vivliostyle, it is advisable to include `"vivliostyle"`.

vivliostyle.theme Property

style Property

Required. This property specifies the main CSS file in the theme.

You can also use the `style` or `main` properties at the top level of `package.json`. These properties serve the same purpose as `vivliostyle.theme.style`, but the priority order is `vivliostyle.theme.style > style > main`.

```
{
  "main": "theme.css",
  "style": "theme.css"
}
```

author Property

Required.

category Property

Optional. This property provides a hint to users about the primary use of your theme when they use it for the first time.

Choose the category that best fits your theme from the following list:

- "novel"
- "magazine"
- "journal"
- "report"
- "misc"

Note that this list may be updated in the future.

topics Property

Optional. If you want more specific descriptions of the theme's use than the `category` property, you can list and describe them here.

example/

The example directory should contain at least one Markdown file, a straightforward example of a theme. The name of the file is arbitrary.

In Markdown files, you can use VFM (Vivliostyle Flavored Markdown) (<https://vivliostyle.github.io/vfm/#/vfm>).

theme.css

Include the stylesheet that defines the theme's styles. Using CSS custom properties (CSS variables) is recommended so that users can flexibly customize the theme's styles.

A theme can include multiple stylesheets. For example, besides the default `theme.css`, you can provide stylesheets for specific purposes as shown below:

- `theme_print.css` : Defines styles for outputting as PDF or viewing with Vivliostyle Viewer.
- `theme_screen.css` : Defines styles for outputting in webpub format such as HTML.

To specify a stylesheet other than the default with Vivliostyle CLI, set the `specifier` and `import` properties as follows:


```
theme: {
  specifier: 'vivliostyle-theme-mybook',
  import: 'theme_print.css',
},
```

vivliostyle.config.js

```
/** @type {import('@vivliostyle/cli').VivliostyleConfigSchema} */
module.exports = {
  language: 'en',
  theme: ['node_modules/@vivliostyle/theme-base', '.'],
  entry: ['example/default.md'],
  workspaceDir: '.vivliostyle',
  output: [
    'book.pdf',
    {
      path: './book',
      format: 'webpub',
    },
  ],
};
```

This is a configuration file for generating publications from Markdown files in example. It is used by developers to develop themes and by theme's users to generate sample publications.