Raja Rammohan Roy Road,
Prarthana Samaj, Girgaon,
Mumbai - 400004
Call Centre : 1800221166
Website : www.rfhospital.org

Sir H. N. Reliance Foundation Hospital And Research Centre

Name	: **Saroj Agarwal**	Age/Gender	: 63 y / F
Patient ID	: **0010663186**	Visit Type	: IP
Referred By	: Dr. Darshit Shah	DOB	: 27/08/1962
Accession	: 2600050369	Location	: 1T05S`1TR0509`1TB0509`1ONCOMED
Collected	: 05/03/2026 04:22		
Received	: 05/03/2026 06:31		
Reported	: 05/03/2026 10:20		

DEPARTMENT OF LABORATORY MEDICINE - BIOCHEMISTRY

	Test Name	Unit	Reference Range	Low	Normal	High
MC-7539	**Creatinine**					
	Creatinine (Serum,Jaffe - kinetic)	mg/dL	0.50-0.90		0.76	
	eGFR (Serum,Calculated)	mL/min/1.73 m^2	Normal or High: >= 90 Mild Decreased: 60-89 Mild to Moderately Decreased: 45-59 Moderately to Severely Decreased: 30-44 Severely Decreased: 15-29 Kidney Failure: < 15	**76.69**		

Creatinine:
Creatinine is synthesized endogenously from creatine and creatine phosphate and is removed from plasma by glomerular filtration into the urine. Creatinine levels in renal disease generally do not increase until renal function is substantially impaired.

Archi Chawla

DR. KSHAMA PIMPALGAONKAR
M D Biochemistry
Consultant Biochemist

DR. ARCHI CHAWLA
M.D Pathology
Clinical Assistant

DR. SRIKANT GHARPURE
M.D, DPB, DCP (London)
Consultant Pathologist

MC-7539

CAP ACCREDITED COLLEGE of AMERICAN PATHOLOGISTS

Name	: **Saroj Agarwal**	Age/Gender	: 63 y / F	Collected	: 05/03/2026 04:22
Patient ID	: **0010663186**	Visit Type	: IP	Received	: 05/03/2026 06:31
Referred By	: Dr. Darshit Shah	DOB	: 27/08/1962	Reported	: 05/03/2026 10:20
Accession	: 2600050369	Location	: 1T05S`1TR0509`1TB0509`1ONCOMED		

DEPARTMENT OF LABORATORY MEDICINE - BIOCHEMISTRY

Trend Analysis & Graph

Creatinine



∞ **End of Report** ∞

DR. KSHAMA PIMPALGAONKAR
M D Biochemistry
Consultant Biochemist

DR. ARCHI CHAWLA
M.D Pathology
Clinical Assistant

DR. SRIKANT GHARPURE
M.D, DPB, DCP (London)
Consultant Pathologist

MC-7539

CAP ACCREDITED
COLLEGE of AMERICAN PATHOLOGISTS

Disclaimer: Tests marked with NABL symbol are accredited by NABL vide certificate number MC-7539