



NOBEL

MICROPATH^H
LABORATORY^Y
■ QUICK ■ RELIABLE ■ ACCURATE

NABL Accredited Laboratory (ISO 15189:2022)



TEST REPORT

Registration No : 605100986

Name : Ms. SAROJ AGRAWAL

Sample Collection Time: 06-May-2026 10:05 AM

Sex/Age : Female / 63 Years

Sample Receiving Time: 06-May-2026 10:47 AM

Ref. By : Dr. Kaushal Patel MD, DM Oncology

Sample Report Time : 06-May-2026 11:38 AM

Client Name :

Sample Type : EDTA Whole Blood

Location :

Complete Blood Count

Test		Result	Unit	Biological Ref. Interval
Hemoglobin	SLS Method	L 8.4	g/dL	11.0 - 15.0
Hematocrit	Electrical Impedance	L 26.50	%	36.0-46.0
RBC Count	Electrical Impedance	L 2.79	million/cmm	3.8 - 4.8
MCV	Calculated	95.0	fL	83 - 101
MCH	Calculated	30.1	Pg	27 - 32
MCHC	Calculated	31.7	%	31.5-34.5
RDW	Calculated	H 21.4	%	11.6-14.0
WBC Count	Electrical Impedance	5410	/cmm	4000 - 10000

Differential WBC Count

		Result	Unit	Ref. Interval	Absolute Count	Ref. Interval
Neutrophils	Microscopy	53	%	40 - 80	2867	/cmm 1600 - 8000
Lymphocytes	Microscopy	34	%	20 - 40	1839	/cmm 800 - 4000
Eosinophils	Microscopy	1	%	1 - 6	54	/cmm 40 - 600
Monocytes	Microscopy	12	%	2 - 10	649	/cmm 80 - 1000
Basophils	Microscopy	0	%	0 - 2	0	/cmm 0 - 200

PLATELET COUNT

Platelet Count	Electrical Impedance	352000	/cmm	150000 - 450000
MPV	Calculated	9.3	fL	6.5 - 12.0

PERIPHERAL SMEAR STUDY

RBC Morphology	Anisocytosis (+)
WBC Morphology	Total WBCs within normal limit.
Platelets	Platelets are adequate on smear.
Parasites	Malarial parasites not detected.

Note: (L-Low, H-High)

Page 1 of 5

Krishna

Dr. Krishna Savaj

DCP Pathology
Reg.No.G-30538

Dr.Reena Savaj

M.D. Pathology
Reg.No.G-19829





NOBEL

MICROPATH
LABORATORY
■ QUICK ■ RELIABLE ■ ACCURATE



NABL Accredited Laboratory (ISO 15189:2022)

MC-7707



TEST REPORT

Registration No : 605100986

Name : Ms. SAROJ AGRAWAL

Sample Collection Time: 06-May-2026 10:05 AM

Sex/Age : Female / 63 Years

Sample Receiving Time: 06-May-2026 10:47 AM

Ref. By : Dr. Kaushal Patel MD, DM Oncology

Sample Report Time : 06-May-2026 11:37 AM

Client Name :

Sample Type : Serum

Location :

Parameter	Result	Unit	Biological Ref. Interval
Electrolytes			
Sodium <i>Direct Ion Selective Electrode</i>	139	mmol/L	137 - 145
Potassium <i>Direct Ion Selective Electrode</i>	4.3	mmol/L	3.5 - 5.1
Chloride <i>Direct Ion Selective Electrode</i>	103	mmol/L	98 - 107



Note: (L-Low, H-High)

Page 2 of 5

Krishna

Dr. Krishna Savaj

DCP Pathology
Reg.No.G-30538

Dr.Reena Savaj

M.D. Pathology
Reg.No.G-19829



6th Floor, Rhythm House,
Besides Venus Hospital, Lal Darwaja, Surat.

Email : info@nobelmicropath.com
Mob.: + 91-63529 34488 / 0261-2992528



Web : www.nobelmicropath.com

Owned by : Nobel Micropath Lab & Research Centre Pvt. Ltd.

A Superspeciality Reference Laboratory



NOBEL

MICROPATH
LABORATORY
■ QUICK ■ RELIABLE ■ ACCURATE



NABL Accredited Laboratory (ISO 15189:2022)

MC-7707



TEST REPORT

Registration No : 605100986

Name : Ms. SAROJ AGRAWAL

Sample Collection Time: 06-May-2026 10:05 AM

Sex/Age : Female / 63 Years

Sample Receiving Time: 06-May-2026 10:47 AM

Ref. By : Dr. Kaushal Patel MD, DM Oncology

Sample Report Time : 06-May-2026 11:37 AM

Client Name :

Sample Type : Serum

Location :

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

BIO - CHEMISTRY

Creatinine

Jaffe method

0.71

mg/dL

0.6 -1.1



Note: (L-Low, H-High)

Page 3 of 5

Krishna

Dr. Krishna Savaj

DCP Pathology
Reg.No.G-30538

Dr.Reena Savaj

M.D. Pathology
Reg.No.G-19829



6th Floor, Rhythm House,
Besides Venus Hospital, Lal Darwaja, Surat.

Email : info@nobelmicropath.com
Mob.: + 91-63529 34488 / 0261-2992528

24x7 FOR HEALTHY COMMUNITY

Web : www.nobelmicropath.com

Owned by : Nobel Micropath Lab & Research Centre Pvt. Ltd.

A Superspeciality Reference Laboratory



NOBEL

MICROPATH
LABORATORY
■ QUICK ■ RELIABLE ■ ACCURATE



NABL Accredited Laboratory (ISO 15189:2022)

MC-7707



TEST REPORT

Registration No : 605100986

Name : Ms. SAROJ AGRAWAL

Sample Collection Time: 06-May-2026 10:05 AM

Sex/Age : Female / 63 Years

Sample Receiving Time: 06-May-2026 10:47 AM

Ref. By : Dr. Kaushal Patel MD, DM Oncology

Sample Report Time : 06-May-2026 11:37 AM

Client Name :

Sample Type : Serum

Location :

Parameter	Result	Unit	Biological Ref. Interval
-----------	--------	------	--------------------------

BIO - CHEMISTRY

Liver Function Test

SGPT <i>IFCC without P5P</i>	6.7	U/L	0 - 34
SGOT <i>IFCC without P5P</i>	11.90	U/L	<31
*Alkaline Phosphatase <i>IFCC PnP AMP</i>	71.2	U/L	53-141
Total Bilirubin <i>Diazotized Sulfanilic Acid (DCA) Method</i>	0.2	mg/dL	0.1 - 1.2
Conjugated Bilirubin <i>Diazotized Sulfanilic Acid (DCA) Method</i>	0.1	mg/dL	0.0 - 0.4
Unconjugated Bilirubin <i>Calculated</i>	0.1	mg/dL	<0.8
Total Protein <i>Biuret Method</i>	L 4.62	g/dL	6.4 - 8.0
Albumin <i>Bromocresol Green</i>	L 2.65	gm/dL	3.2 - 4.6
Globulin <i>Calculated</i>	L 1.97	g/dL	2.3 - 3.5
A/G Ratio <i>Calculated</i>	1.35		0.8 - 2.0
*GGT <i>IFCC Kinetic Method</i>	16.2	U/L	7 - 32

*Not under NABL scope.

Note: (L-Low, H-High)

Page 4 of 5

Krishna

Dr. Krishna Savaj

DCP Pathology
Reg.No.G-30538

Dr.Reena Savaj

M.D. Pathology
Reg.No.G-19829



6th Floor, Rhythm House,
Besides Venus Hospital, Lal Darwaja, Surat.

Email : info@nobelmicropath.com
Mob.: + 91-63529 34488 / 0261-2992528

24x7 FOR HEALTHY COMMUNITY

Web : www.nobelmicropath.com

Owned by : Nobel Micropath Lab & Research Centre Pvt. Ltd.

A Superspeciality Reference Laboratory



NOBEL

MICROPATH
LABORATORY
■ QUICK ■ RELIABLE ■ ACCURATE



NABL Accredited Laboratory (ISO 15189:2022)

MC-7707



TEST REPORT

Registration No : 605100986

Name : Ms. SAROJ AGRAWAL

Sample Collection Time: 06-May-2026 10:05 AM

Sex/Age : Female / 63 Years

Sample Receiving Time: 06-May-2026 10:47 AM

Ref. By : Dr. Kaushal Patel MD, DM Oncology

Sample Report Time : 06-May-2026 11:37 AM

Client Name :

Sample Type : Serum

Location :

----- End Of Report -----



Note: (L-Low, H-High)

Page 5 of 5

Krishna

Dr. Krishna Savaj

DCP Pathology
Reg.No.G-30538

Dr.Reena Savaj

M.D. Pathology
Reg.No.G-19829



6th Floor, Rhythm House,
Besides Venus Hospital, Lal Darwaja, Surat.

Email : info@nobelmicropath.com
Mob.: + 91-63529 34488 / 0261-2992528



Web : www.nobelmicropath.com

Owned by : Nobel Micropath Lab & Research Centre Pvt. Ltd.

A Superspeciality Reference Laboratory