

Name : **Saroj Agarwal** Age/Gender : 63 y / F Collected : 25/03/2026 19:25
Patient ID : **0010663186** Visit Type : IP Received : 25/03/2026 21:41
Referred By : Dr. Darshit Shah DOB : 27/08/1962 Reported : 26/03/2026 10:00
Accession : 2600066581 Location : 1T13S`1TR1322`1TB1322`ICU

DEPARTMENT OF LABORATORY MEDICINE - MICROBIOLOGY

	Test Name	Unit	Reference Range	Low	Normal	High
	Hepatitis B Virus Surface Antigen [HBsAg] (Serum, CMIA)					
	HBS Ag (Test 1)	S/CO	Non-Reactive: < 1.0 Reactive: >= 1.0		Non- reactive, 0.2 4	

HBsAg:

This is the screening test for Hepatitis B virus infection.

HBsAG is the first serological marker after infection with HBV appearing 1 to 10 weeks after exposure and 2-8 weeks before the onset of clinical symptoms.

For diagnostic purpose result should be used in conjunction with patient history and other Hepatitis markers for diagnosis of acute or chronic infection.

∞ End of Report ∞

DR. NEETU BIYANI
MD Microbiology
Consultant Microbiologist

Shashikala

DR. SHASHIKALA
SHIVAPRAKASHA
MD Microbiology
Consultant Microbiologist



Disclaimer: Tests marked with NABL symbol are accredited by NABL vide certificate number MC-7539