

Name : **Saroj Agarwal** Age/Gender : 63 y / F Collected : 25/03/2026 19:25
Patient ID : **0010663186** Visit Type : IP Received : 25/03/2026 21:41
Referred By : Dr. Darshit Shah DOB : 27/08/1962 Reported : 26/03/2026 10:00
Accession : 2600066581 Location : 1T13S`1TR1322`1TB1322`ICU

DEPARTMENT OF LABORATORY MEDICINE - MICROBIOLOGY

	Test Name	Unit	Reference Range	Low	Normal	High
	Hepatitis C Antibodies [HCV Ab] (Serum, CMIA)					
	HCV Ab (Test 1)	S/CO	Non-Reactive: < 1.0 Reactive: >= 1.0		Non-reactive, 0.05	

HCV Ab:

This is the screening test for Hepatitis C virus infection

Reactive test should be confirmed by HCV RNA PCR.

For diagnostic purpose result should be used in conjunction with patient history and other Hepatitis markers for diagnosis of acute or chronic infection.

∞ End of Report ∞

DR. NEETU BIYANI
MD Microbiology
Consultant Microbiologist

Shashikala

DR. SHASHIKALA
SHIVAPRAKASHA
MD Microbiology
Consultant Microbiologist



Disclaimer: Tests marked with NABL symbol are accredited by NABL vide certificate number MC-7539