

Name : **Saroj Agarwal** Age/Gender : 63 y / F Collected : 25/03/2026 19:25
Patient ID : **0010663186** Visit Type : IP Received : 25/03/2026 19:25
Referred By : Dr. Darshit Shah DOB : 27/08/1962 Reported : 26/03/2026 10:00
Accession : 2600066581 Location : 1T13S`1TR1322`1TB1322`ICU

DEPARTMENT OF LABORATORY MEDICINE - MICROBIOLOGY


Test Name	Result	Units	Biological Reference Range
 Human Immunodeficiency Virus Ag/Ab (Serum,CMIA)			
HIV Ag/ Ab	Non-reactive,0.06	S/CO	Non-Reactive: < 1.0 Reactive: >= 1.0

Human Immunodeficiency Virus Ag/Ab:

- This is a screening test for Human immunodeficiency virus (HIV) infection.
- HIV Ag/Ab CMIA result does not distinguish between the detection of HIV p24 antigen, HIV-1 antibody, or HIV-2 antibody reactivity.
- Antibody detection will be negative during window period.
- Testing & reporting is as per NACO guidelines.
- False positive results are seen in autoimmune disease, alcoholic hepatitis, primary biliary cirrhosis, leprosy, multiple pregnancy.
- Antibody detection tests are not useful in children < 18 months as maternal antibodies may be present.
- All Positive/ Indeterminate tests should be confirmed by Western Blot/PCR assay.
- In case of Indeterminate results, patient should follow up for repeat testing after 3 months.
- The report should be handed over to patient / legally authorized representative (in case of Minor, unconscious, mentally ill person) only after post-test counselling.

∞ End of Report ∞

DR. NEETU BIYANI
MD Microbiology
Consultant Microbiologist


DR. SHASHIKALA SHIVAPRAKASHA
MD Microbiology
Consultant Microbiologist