

Name : Saroj Agarwal	Age/Gender : 63 y / F	Collected : 31/03/2026 11:42
Patient ID : 0010663186	Visit Type : IP	Received : 31/03/2026 16:28
Referred By : Dr. Darshit Shah	DOB : 27/08/1962	Reported : 02/04/2026 18:11
Accession : 2600070989	Location : 1T13S`1TR1322`1TB1322`1ONCOMED	

DEPARTMENT OF LABORATORY MEDICINE - MICROBIOLOGY

Test Name

Result



Sputum Culture

Sample

Sputum

Report status

Final Report

Gram Smear

Pus Cells

<10/LPF

Epithelial cells

10-25/LPF

Gram Positive cocci

Few

Gram Negative bacilli

Fair Number

Yeast

Occasional

Remarks

Gram Positive cocci: In pairs, chains and clusters.
Gram negative cocci: Few in pairs

AFB Smear

Acid fast bacilli

Not seen

Culture

No Classical Respiratory Pathogen Isolated

Nitu

DR. NEETU BIYANI

**MD Microbiology
Consultant Microbiologist**

DR. SHASHIKALA SHIVAPRAKASHA

**MD Microbiology
Consultant Microbiologist**



Name : **Saroj Agarwal** Age/Gender : 63 y / F Collected : 31/03/2026 11:42
Patient ID : **0010663186** Visit Type : IP Received : 31/03/2026 16:28
Referred By : Dr. Darshit Shah DOB : 27/08/1962 Reported : 02/04/2026 18:11
Accession : 2600070989 Location : 1T13S`1TR1322`1TB1322`1ONCOMED

DEPARTMENT OF LABORATORY MEDICINE - MICROBIOLOGY

Test Name Result

Sputum Culture:

Interpretation for Sputum specimen only:

Grading of AFB smear by Z-N- Stain on basis of NTEP/WHO (National Tuberculosis Elimination Programme/ World Health Organisation) recommendation.

Examination finding	No. of fields examined	Grading	Result
No AFB in 100 oil immersion fields	100	0	Negative
1-9 AFB per 100 oil immersion fields	100	Scanty*	Positive
10-99 AFB per 100 oil immersion fields	100	1+	Positive
1-10 AFB per oil immersion field	50	2+	Positive
More than 10 AFB per oil Immersion field	20	3+	Positive

*Record actual number of bacilli seen in 100 fields – e.g. "Scanty 4"

Method: Specimen processed on culture media. Identification by automated MALDITOF / Vitek2 & or conventional methods, sensitivity on Vitek 2 Certain antibiotics tested by Kirby Bauer's method and MIC value is not reported for antibiotics which are deduced by software as per CLSI Guidelines. Colistin MIC is tested by Microbroth Dilution method.

Remarks:

- Results of culture and antimicrobial susceptibility test needs to be correlate clinically.
- Previous history of antibiotic usage may influence the growth of microorganisms in vitro.
- Result is dependent on the quality of specimen submitted.
- Smear-positivity and grade indicates relative bacterial burden.
- Changes in smear status important for monitoring response to therapy.
- Kindly note AFB stain does not distinguish between viable and dead organisms nor differentiates species of Mycobacteria.
- Mycobacteria Genxpert and MTB automated culture recommended if clinically indicated.
- A negative AFB smear may mean that no infection is present, that symptoms are caused by some other microorganism, or that the mycobacteria were not present in sufficient numbers to be seen under the microscope.

Nitu

DR. NEETU BIYANI

**MD Microbiology
Consultant Microbiologist**

DR. SHASHIKALA SHIVAPRAKASHA

**MD Microbiology
Consultant Microbiologist**

Name	: Saroj Agarwal	Age/Gender	: 63 y / F	Collected	: 31/03/2026 11:42
Patient ID	: 0010663186	Visit Type	: IP	Received	: 31/03/2026 16:28
Referred By	: Dr. Darshit Shah	DOB	: 27/08/1962	Reported	: 02/04/2026 18:11
Accession	: 2600070989	Location	: 1T13S`1TR1322`1TB1322`1ONCOMED		

DEPARTMENT OF LABORATORY MEDICINE - MICROBIOLOGY

Test Name	Result
-----------	--------

∞ End of Report ∞



DR. NEETU BIYANI
MD Microbiology
Consultant Microbiologist

DR. SHASHIKALA SHIVAPRAKASHA
MD Microbiology
Consultant Microbiologist