







Title		
Size	Number	Revision
A4		
Date:	8-19-2026	Sheet of
File:	E:\GALVANIC DESIGN\T-886_A_v1.0.Dwg	By:



Title		
Size	Number	Revision
A4		
Date:	8-19-2026	Sheet of
File:	E:\GALVANIC_DESIGN\..MT-886_B_v1.06.sch	Drawn by:

Comment	Description	Designator	Footprint	LibRef	Quantity
HDR1X6	CONN, HEADER, Male, pitch: 2.54mm, 6POS	1	HDR_M_TH_01X6	HDR_M_1X6	1
100nF		C1, C4, C10, C11, C16	CAP_0805S_WG	CAP	5
8.2uF		C2	CAP_0805S_WG	CAP	1
100uF/16V		C3	CAP_EL_SMD_6.3x7.7_WE	CAP_POL	1
NM		C3A, C6	CAP_EL_6.3x11X2.5	CAP_POL	2
NM		C5	CAP_EL_SMD_8x10.5_WE	CAP_POL	1
1uF		C7, C8, C15	CAP_0805S_WG	CAP	3
CAP		C9, C13, C17, C18	CAP_0805S_WG	CAP	4
PAD		CN0, CN2	CONN_19705-4201_MOL	TP_PAD_1	2
HDR1X9	CONN, HEADER, Male, pitch: 2.54mm, 9POS	CN1	CONN_9PIN	HDR_M_1X9	1
NM		D1	DIODE_SOD80	DIODE_ZENER	1
		D2, D3, D7	DIODE_SOD80	DIODE_ZENER	3
M7		D4, D5, D9, D12	DIODE_SMA_DO-214AC	DIODE_1	4
1W_SMD		D6, D13	DIODE_DO213AB	DIODE_ZENER	2
NM		D14	DIODE_SMA_DO-214AC	DIODE_ZENER	1
E2	BZT52H-B22	D15	DIODE_SOD80	DIODE_ZENER	1
S516SURWA/S530-A3	S516SURWA/S530-A3 Common Anode	DISP1, DISP2	DISP_7SEG_X1_5611	DISP_7SEG_1DIGIT_	2
600Ω @100MHz		L1	IND_FB_0805S	INDUCTOR_2	1
		LD1, LD2, LD3, LD4, LD5, LD7, LD8, LD24, LD25	LED_0805_R	LED_RED	9
NM		LD6, LD7, LD9, LD10, LD11, LD12, LD13, LD14, LD15, LD16, LD17, LD18, LD19, LD20, LD21, LD22, LD23	LED_0805_R	LED_RED	17
TEST_PIONT	TEST_POINT	MH1, MH2, MH3, MH4, MH5	MH - 1	TP	5
MJD31C		Q1	DPAK_3_TO-252	NPN	1
6BW		Q2, Q3	SOT23_3	NPN	2
4K7	RES	R1, R5, R12, R41	RES_0805S_WG	RES_1	4
10K	RES	R2, R3, R7, R8, R16, R42	RES_0805S_WG	RES_1	6
1K5	RES	R4	RES_0805S_WG	RES_1	1
47K	RES	R6, R24, R28	RES_0805S_WG	RES_1	3
33ohm	RES	R9, R11	RES_0805S_WG	RES_1	2
NM/10K	RES	R10	RES_0805S_WG	RES_1	1
56K	RES	R13, R14	RES_0805S_WG	RES_1	2
3K3	RES	R15	RES_0805S_WG	RES_1	1
220R	RES	R17, R44, R48, R49	RES_0805S_WG	RES_1	4
2K7	RES	R18, R19, R20, R23, R29, R34, R35, R36, R38, R39, R40	RES_0805S_WG	RES_1	11
15K	RES	R21	RES_0805S_WG	RES_1	1
NM	RES	R25, R30, R31, R32, R33, R37, R43, R45, R46, R47	RES_0805S_WG	RES_1	10
78M05G	REG, Linear, Fixed, 5v, 1.5A, TO-220	RG2	DPAK_3_TO-252	REG_78xx	1
TACT_SPDT_1		S1, S2, S3, S5, S6, S7	SW_TACT_SMD	TACT_SPDT_1	6
NM		S4	SW_TACT_SMD	TACT_SPDT_1	1
1NV04DP-E		U2, U4	SOIC-8	1NV04DP-E	2
NM		U3	SOIC-8	IC-8	1
PIC32CM6408PL1003 2	ARM® Cortex®-M0+ PIC® 32CM PL Microcontroller IC 32-Bit 24MHz 64KB (64K x 8) FLASH 32-VQFN (5x5)	U5	LQFP-32 7X7MM	PIC32CM6408PL1003 2	1
10Mhz	Crystal 10Mhz HC49 PACKAGE	X1	XTAL_HC49/4HSMX	XTL_20_MHZ	1