

Vixxo Sign & Lighting Study Guide

Shop drawings, surveys, Smartsheet, dimensions,
color, and permitting

Work reference for Sign & Lighting PM and art support.

Authority: survey > shop drawing page 2 > Smartsheet standards > photo estimate.

Part 1 - Big Picture

What you are producing

Every sign job ends in a shop drawing package: a multi-page PDF from CorelDraw showing what gets fabricated and installed. It is the contract between PM, art, city, landlord, and fabricator.

Sources of truth (in order)

- Field survey - tape-measured site conditions
- Approved shop drawing - fab block on page 2 of latest VX number R# PDF
- Brand standards - CDR/PDF/xlsx on Smartsheet Design Standards Collection
- Photo scaling is research only - not fabrication proof

Pipeline

Design Standards (CDR/xlsx)

- > R0 shop drawing (EagleView if no survey)
- > Survey P0 -> Survey/ on L Drive
- > R1+ rescale / permit pages
- > PPR Approved as (manufacturing lock)
- > Fab -> Install -> Completion

Part 2 - Terminology

Term	Meaning
VX number	Auto ID VX1... base art (e.g. VX1109424)
R# / Rev #	Revision - R0 first release, R4 fifth
VX# + R#	Full design ID - VX1108945 R4
Shop drawing / Art	PDF in Art & EPS/ folder
Fab block	Page 2 - letter heights, OAW, materials
Cap height	Capital letters on cap line only
Overall width (fab)	Raceway/cabinet/permit width - often > letter faces
Raceway	Mount bar behind CLs - paint matches fascia/pocket
Returns / trim	Letter sides/edges - usually factory black
Faces	Front illuminated surface (Plex, vinyl, flex)
PPR	Pre-Production Review - approval before fab
Design Log	Smartsheet New Design Log 1.B - all jobs
EagleView	Aerial measure when no field survey yet

Part 3 - Where Things Live

SharePoint - New L Drive

```
{Client} / {Client}{storeId} / {year} Signage /
  Survey/          field survey PDF + photos
  Art & EPS/       VX##### R# ... .pdf
  Purchase Orders/
  Completion Photos/

Latest artwork = highest R# in current year folder.
```

Smartsheet

Sheet	ID	Purpose
Design Standards Collection	4309901242224516	Brand CDR, PDF, dimension.xlsx
New Design Log 1.B	4809130754658180	4000+ jobs, rev comments, site fields
Pre-Production Review	8908088876001156	Approved Design #, Sales Order #

Design Log columns to know

Column	Use
Site Number	Free text - Sally 3622 Cary NC
VX# + R#	Current design ID
Latest Comment	PM instruction to art - read first
PPR Approved as	Rev locked for production
Existing Fascia L/H	Pre-draw site intel
Front CLs scope of work	Standard install scope text

Part 4 - Shop Drawing Package

Page	Shows	When
Cover	Job ID, address, rev table	Always
Fab / spec (p.2)	Tiers, OAW x OAH, materials	Always - dimension authority
Elevation	Existing + proposed overlay	After survey; permitting
Site plan	Lease space, north arrow, sign loc	City permit
Code check	Sq ft vs allowed frontage	Strict codes
Night view	Illumination rendering	Many cities
Details	Disconnect, attachment	City redlines

Part 5 - Dimension Authority

Survey > Shop drawing page 2 > Smartsheet.xlsx > Design Log fields > EagleView > Photo
--

Survey outcomes (Sally pattern)

Outcome	When	Example
Confirm template	Band fits standard 30" set	Sally 10063 - page 2 unchanged
Rescale template	Fascia/lease too tight	Sally 3622 - 30" -> 24" set

Extract from survey

- Envelope: sign-band width, sign-area height, raceway length, lease width
- Existing sign: OAL x OAH, straight-on photo
- Anchors: door H x L, window grid, corner offsets

Part 6 - Sign Types

A. Single-tier channel letters (CosmoProf, Smart Stop)

- Cap height on cap line - top of C/P to bottom of C/P
- Do not use lowercase extenders or awning shadow
- Fab overall width from workbook - not letter-face pixels
- CosmoProf: wall sign $\leq$ 80% storefront frontage when city limits one callout

Cap	~Fab overall width
12"	~9'-1"
24"	~17'-11"
30"	~22'-8"

Photo often reads 20-40% narrower than fab width (raceway extends past letters).

B. Dual-color wordmark (Sally Beauty)

- Red SALLY + black BEAUTY on white fascia; same baseline, different cap heights
- Measure each color block separately
- Permitting width (e.g. 13'-4") $\neq$ sum of word widths + gap
- Once fab spec known, photo is tick placement only

C. Logo + letters (AT&T globe)

- Globe and letters are separate fab elements
- Cap height $\sim$ 60% of globe height (e.g. 4'-0" globe $\rightarrow$ $\sim$ 29" cap / 30" tier)
- Never read globe height from color stripe bands in photos

Cap tier	Globe perim.	AT&T word perim.
24"	39.0"	35.1"
30"	48.8"	43.8"

Part 7 - Photo Scaling (estimate only)

Reference	Typical size
Single door	3'-0" x 6'-8" or 7'-0"
Double door	6'-0" x 7'-0"
Parking stall	9'-0" wide

Sanity gates

Gate	Rule
A - Cap / door	Cap height 25-45% of door height in pixels
J - Fab vs photo	Photo letter span != fab/permitting width
Logo ratio	Logo px / cap px >= 1.5 if logo dominates visually
3D logo trap	If logo <= 1.25x cap but looks taller - wrong edges

If user gives fab dimensions, use photo for overlay placement only.

Part 8 - Color & Raceway

Survey paint note > Art page 2 > Brand standards > Photo sample

Raceway = paint the surface the sign mounts on (fascia, pocket, beam) - not letter faces.

Sally element	Material
SALLY red	#2793 red Plex
BEAUTY black	#2447 + perf vinyl
Returns/trim	Factory dark bronze/black - not raceway paint

- SW 7100 = Arcade White (not Fractured Ice SW 7647)
- File named Survey may be an invoice - open before trusting

Part 9 - Permitting (Design Log patterns)

City asks for	Drawing response
Site plan	Lease outlined, north arrow, 2 streets, sign location
Building dims	Wall length/height on elevation
Height to grade	Top of sign to finished grade
Sq ft calc	Code check - allowed vs proposed
Night view	Illuminated rendering
Disconnect	Electrical detail page

Part 10 - Comment taxonomy (Latest Comment)

Category	Language	Action
Survey rescale	revise to match survey	Survey/ + rescale p.2
Permit add	site plan, height to grade	New drawing pages
Code resize	reduce sq ft, 8% wall	Rescale + code page
Color/fab	returns bronze, SW code	Art + raceway lookup
EagleView	use EagleView for size	Aerial before survey

Part 11 - Brand quick reference

Brand	Template	Dimensions	Special
Sally	VX Sally Template 5-2026.cdr	Sally CL 2023.xlsx	Dual-color wordmark
CosmoProf	VX Cosmo Template 5-26.cdr	In CDR	80% frontage; cap line
AT&T	Prime Comm Standards 4-6-2026.cdr	ATT Dimensions.xlsx	Globe; cap ~60% globe
Smart Stop	SmartStop Standards 12.2025.cdr	SS alt layout.xlsx	SS-CL codes; EagleView
Secure Space	Standards PDF 5.2021	Dimensions Tables 3.xlsx	Ft-in notation

Part 12 - Common mistakes

- 1. Using photo letter width as fab width (Gate J)
- 2. Measuring CosmoProf on full word height instead of cap line
- 3. Reading AT&T globe from color stripes
- 4. One mask for Sally red + black blocks
- 5. Skipping survey when comment says revise per survey
- 6. Trusting Survey.pdf filename without opening
- 7. Publishing photo scale as fab proof
- 8. Missing site plan on permit jobs
- 9. Painting letter faces as raceway color
- 10. Assuming dims on R0 rows with blank Existing Fascia fields

Part 13 - Self-test

1. What beats what: survey vs art vs photo?
2. What is VX1108945 R4?
3. Where is the fab block?
4. CosmoProf: what line for cap height?
5. AT&T: 4'-0" globe -> what cap tier?
6. Why is Sally 13'-4" overall != word widths + gap?
7. Name the three Smartsheet sheets.
8. Which Design Log column is PM instruction to art?
9. Raceway paint authority order?
10. Name four site plan requirements.

One-page cheat sheet

SURVEY > ART PAGE 2 > SMARTSHEET XLSX > PHOTO ESTIMATE

Cap line != full word height (CosmoProf)

Globe != letter stripe band (AT&T)

Fab width != letter-face span (Gate J)

Raceway = mount surface paint, not letter faces

R0 = template; survey triggers R1+ rescale

Latest Comment = read first on every job

PPR Approved as = manufacturing lock rev