


Linux Assignment



```
(vizon@ kali)~  
$  
(vizon@ kali)-[/  
$ ls  
bin  etc  initrd.img.old  lib64  mnt  root  srv  usr  vmlinuz.old  
boot  home  lib  lost+found  opt  run  sys  var  
dev  initrd.img  lib32  media  proc  sbin  tmp  vmlinuz  
(vizon@ kali)-[/  
$ home  
(vizon@ kali)-[/home  
$  
lost+found/  vizon/  
(vizon@ kali)-[/home  
$ sudo mkdir suricata_logs  
[sudo] password for vizon:  
(vizon@ kali)-[/home  
$ ls  
lost+found  suricata_logs  vizon  
(vizon@ kali)-[/home  
$ cd suricata_logs  
(vizon@ kali)-[/home/suricata_logs
```

Creating a directory in /home name suricata_logs directory.


Using the command / to be in the root directory and also writing home to be in the home directory. After that, we can use the command sudo mkdir suricata_logs to create the directory.



```
Minimize all open windows and show the desktop  
(vizon@ kali)-[/home  
$  
lost+found/  vizon/  
(vizon@ kali)-[/home  
$ sudo mkdir suricata_logs  
[sudo] password for vizon:  
(vizon@ kali)-[/home  
$ ls  
lost+found  suricata_logs  vizon  
(vizon@ kali)-[/home  
$ cd suricata_logs  
(vizon@ kali)-[/home/suricata_logs  
$ suricata_logins  
suricata_logins: command not found  
(vizon@ kali)-[/home/suricata_logs  
$ sudo mkdir suricata_logins  
(vizon@ kali)-[/home/suricata_logs  
$ ls  
suricata_logins  
(vizon@ kali)-[/home/suricata_logs  
$
```

Creating a subdirectory inside the directory of suricata_logs named suricata_logins.

To do that, we have to be in the suricata_logs directory so that we can create the subdirectory by using this command `cd suricata_logs` to be in the suricata_logs directory and using `sudo mkdir suricata_logins` to create the suricata_logins directory.

A terminal window with a dark blue background and a faint geometric pattern. The window title is 'viziorkali: /home/suricata_logs/suricata_logins'. The terminal shows the following commands and output:

```
(viziorkali) ~/home/suricata_logs
$ touch Failed_logins.txt
touch: cannot touch 'Failed_logins.txt': Permission denied

(viziorkali) ~/home/suricata_logs
$ sudo touch Failed_login.txt

(viziorkali) ~/home/suricata_logs
$ ls
Failed_login.txt  suricata_logins

(viziorkali) ~/home/suricata_logs
$ sudo rm Failed_login.txt

(viziorkali) ~/home/suricata_logs
$ cd suricata_logins

(viziorkali) ~/home/suricata_logs/suricata_logins$
$ sudo touch Failed_login.txt

(viziorkali) ~/home/suricata_logs/suricata_logins$
$ ls
Failed_login.txt

(viziorkali) ~/home/suricata_logs/suricata_logins$
$
```

Creating the Failed_logins file inside suricata_logins.

Make sure that you are in the suricata_logins directory

Use the Command `sudo touch Failed_logins.txt` to create the file.

```
Text Editor
Simple Text Editor  help
(vizion@kali)~/home/suricata_logs/suricata_logins$ sudo touch Failed_login.txt
(vizion@kali)~/home/suricata_logs/suricata_logins$ ls
Failed_login.txt
(vizion@kali)~/home/suricata_logs/suricata_logins$ sudo echo "Login date:Oct , 2024" > Failed_login.txt
zsh: permission denied: Failed_login.txt
(vizion@kali)~/home/suricata_logs/suricata_logins$ ls -l
total 0
-rw-r--r-- 1 root root 0 Jul 30 09:36 Failed_login.txt
(vizion@kali)~/home/suricata_logs/suricata_logins$ sudo chmod 677 Failed_login.txt
(vizion@kali)~/home/suricata_logs/suricata_logins$ sudo echo "Login date:Oct , 2024" > Failed_login.txt
(vizion@kali)~/home/suricata_logs/suricata_logins$ cat Failed_login.txt
Login date:Oct , 2024
(vizion@kali)~/home/suricata_logs/suricata_logins$
```

Writing inside the file using the echo command.

It is impossible to write into it without granting the file created permission.

To grant the file Failed_logins.txt permission, we use the command `sudo chmod 677 Failed_logins.txt`

Then, using `sudo echo "login date: Oct, 2024" > Failed_login.txt`

Using CAT to see what was written inside.

```
total 0
-rw-r--r-- 1 root root 0 Jul 30 09:36 Failed_login.txt

(vizion@kali)~/home/suricata_logs/suricata_logins$
$ sudo chmod 677 Failed_login.txt

(vizion@kali)~/home/suricata_logs/suricata_logins$
$ sudo echo "Login date:Oct , 2024" > Failed_login.txt

(vizion@kali)~/home/suricata_logs/suricata_logins$
$ cat Failed_login.txt
Login date:Oct , 2024

(vizion@kali)~/home/suricata_logs/suricata_logins$
$ sudo echo "Time: 18:00 hrs" >> Failed_login.txt

(vizion@kali)~/home/suricata_logs/suricata_logins$
$ ls
Failed_login.txt

(vizion@kali)~/home/suricata_logs/suricata_logins$
$ cat Failed_login.txt
Login date:Oct , 2024
Time: 18:00 hrs

(vizion@kali)~/home/suricata_logs/suricata_logins$
$
```

Adding another content inside the file using echo
Use the command echo "Time: 18:00 hrs" >> Failed_logins.txt

```
GNU nano 8.3 Failed_login.txt
Login date:Oct , 2024
Time: 18:00 hrs
Login device: windows 11 Pc
type help to get help

^O Write Out ^F Where Is ^K Cut ^E Execute ^G Location
^X Exit ^R Read File ^M Replace ^U Paste ^J Justify ^V Go To Line
```

Writing into the file using nano.
Using sudo nano Failed_login.txt

```
Time: 18:00 hrs
(vizion@kali)-[/home/suricata_logs/suricata_login$
$ sudo nano Failed_login.txt
(vizion@kali)-[/home/suricata_logs/suricata_login$
$ sudo nano Failed_login.txt
(vizion@kali)-[/home/suricata_logs/suricata_login$
$ cat Failed_login.txt
Login date: Oct , 2024
Time: 18:00 hrs
Login device: windows 11 Pc
(vizion@kali)-[/home/suricata_logs/suricata_login$
$ sudo mv Failed_login.txt /home/vizion/Downloads
(vizion@kali)-[/home/suricata_logs/suricata_login$
$ ~/Downloads
(vizion@kali)-[~/Downloads]
$ ls
Failed_login.txt      vpnbook-openvpn-fr231  vpnbook-openvpn-uk205.zip
vpnbook-openvpn-fr200  vpnbook-openvpn-fr231.zip
vpnbook-openvpn-fr200.zip  vpnbook-openvpn-uk205
(vizion@kali)-[~/Downloads]
$
```

Moving the file to the Downloads directory

Using the command `sudo mv Failed_login.txt/home/vizion/Downloads`

```
(vizion@kali)-[~]
$ ls
build  Documents  hbyy  Persmison  Public  test.txt  Wednesday
Desktop  Downloads  Music  Pictures  Templates  Videos  whoami-project
(vizion@kali)-[~]
$ Downloads
(vizion@kali)-[~/Downloads]
$ ls
Failed_login.txt      vpnbook-openvpn-fr231  vpnbook-openvpn-uk205.zip
vpnbook-openvpn-fr200  vpnbook-openvpn-fr231.zip
vpnbook-openvpn-fr200.zip  vpnbook-openvpn-uk205
(vizion@kali)-[~/Downloads]
$ sudo cp Failed_login.txt ~/Public
(vizion@kali)-[~/Downloads]
$ ~/Public
(vizion@kali)-[~/Public]
$ ls
Failed_login.txt
(vizion@kali)-[~/Public]
$
```

Copy the file into the public directory

Using the command `sudo cp Failed_login.txt ~/Public`

```
(vizon@kali)-[~/Public]
$ sudo echo "no indicator of compromise found" >> Failed_login.txt
zsh: permission denied: Failed_login.txt

(vizon@kali)-[~/Public]
$ ls -l
total 4
-rw-r-xr-x 1 root root 67 Jul 30 09:59 Failed_login.txt

(vizon@kali)-[~/Public]
$ chmod 677 Failed_login.txt
chmod: changing permissions of 'Failed_login.txt': Operation not permitted

(vizon@kali)-[~/Public]
$ sudo chmod 677 Failed_login.txt

(vizon@kali)-[~/Public]
$ sudo echo "no indicator of compromise found" >> Failed_login.txt

(vizon@kali)-[~/Public]
$ cat Failed_login.txt
Login date: Oct , 2024
Time: 18:00 hrs
Login device: windows 11 Pc
no indicator of compromise found

(vizon@kali)-[~/Public]
$
```

Modifying the file

Before we can modify the file moved to the public directory, we have to grant the file permission to be modified.

Using `chmod 677 Failed_login.txt`

And using `sudo echo "no indicator of compromise found" >> Failed_login.txt`

```
chmod: changing permissions of 'Failed_login.txt': Operation not permitted

(vizon@kali)-[~/Public]
$ sudo chmod 677 Failed_login.txt

(vizon@kali)-[~/Public]
$ sudo echo "no indicator of compromise found" >> Failed_login.txt

(vizon@kali)-[~/Public]
$ cat Failed_login.txt
Login date: Oct , 2024
Time: 18:00 hrs
Login device: windows 11 Pc
no indicator of compromise found

(vizon@kali)-[~/Public]
$ cd ~/Downloads

(vizon@kali)-[~/Downloads]
$ sudo rm Failed_login.txt


(vizon@kali)-[~/Downloads]
$ ls
vpnbook-openvpn-fr200  vpnbook-openvpn-fr231  vpnbook-openvpn-uk205
vpnbook-openvpn-fr200.zip  vpnbook-openvpn-fr231.zip  vpnbook-openvpn-uk205.zip

(vizon@kali)-[~/Downloads]
$
```

Deleting the file from the Downloads directory

We go back to the download directory using `~/Downloads`

In the directory, we use `sudo rm Failed_login.txt` to delete the file.

A terminal window on a Kali Linux system. The user is in the ~/Downloads directory. They run 'ls' and see several files including 'Failed_login.txt'. They then run 'cd ~/Public' to move to the Public directory. In the Public directory, they run 'ls' and confirm 'Failed_login.txt' is present. Then they run 'sudo mv Failed_login.txt Failed_login_Reviewed'. Finally, they run 'cat Failed_login_Reviewed' which displays login details: 'Login date: Oct , 2024', 'Time: 18:00 hrs', 'Login device: windows 11 Pc', and 'no indicator of compromise found'.

```
(vizion@kali)~[/Downloads]
$ ls
vpnbook-openvpn-fr200  vpnbook-openvpn-fr231  vpnbook-openvpn-uk205
vpnbook-openvpn-fr200.zip  vpnbook-openvpn-fr231.zip  vpnbook-openvpn-uk205.zip

(vizion@kali)~[/Downloads]
$ cd ~/Public

(vizion@kali)~[/Public]
$ ls
Failed_login.txt

(vizion@kali)~[/Public]
$ sudo mv Failed_login.txt Failed_login_Reviewed

(vizion@kali)~[/Public]
$ ls
Failed_login_Reviewed

(vizion@kali)~[/Public]
$ cat Failed_login_Reviewed
Login date:Oct , 2024
Time: 18:00 hrs
Login device: windows 11 Pc
no indicator of compromise found

(vizion@kali)~[/Public]
$
```

Renaming the file

Using the command `sudo mv Failed_login.txt Failed_login_Reviewed`

But before then, we have to be in the directory of the file we want to rename, which is public using `~/Public`.