

# HYBRID SECURITY CONSULT

Week 3 Task

## Soc Internship

### BACKGROUND:

You work as an analyst at a Security Operation Center (SOC). Someone contacts your team to report a coworker has downloaded a suspicious file after searching for Google Authenticator. The caller provides some information similar to social media posts at:

[https://www.linkedin.com/posts/unit42\\_2025-01-22-wednesday-a-malicious-ad-led-activity-7288213662329192450-ky3V/](https://www.linkedin.com/posts/unit42_2025-01-22-wednesday-a-malicious-ad-led-activity-7288213662329192450-ky3V/)  
[https://x.com/Unit42\\_Intel/status/1882448037030584611](https://x.com/Unit42_Intel/status/1882448037030584611)

Based on the caller's initial information, you confirm there was an infection. You retrieve a pcap of the associated traffic. Reviewing the traffic, you find several indicators matching details from a Github page referenced in the above social media posts. After confirming an infection happened, you begin writing an incident report.

### LAN SEGMENT DETAILS FROM THE PCAP:

LAN segment range: 10.1.17.0/24 (10.1.17.0 through 10.1.17.255)

Domain: bluemoontuesday.com

AD environment name: BLUEMOONTUESDAY

Domain Controller: 10.1.17.2 - WIN-GSH54QLW48D

LAN segment gateway: 10.1.17.1

### TASK:

For this exercise, answer the following questions for

- What is the IP address of the infected Windows client?
- What is the mac address of the infected Windows client?
- What is the host name of the infected Windows client?
- What is the user account name from the infected Windows client?
- What is the likely domain name for the fake Google Authenticator page?
- What are the IP addresses used for C2 servers for this infection?

## ANSWERS:

### Victim Details

10.1.17.215

| No.  | Time              | Source      | Source port | Destination    | Destination port | Protocol | Length | Info                                                               |
|------|-------------------|-------------|-------------|----------------|------------------|----------|--------|--------------------------------------------------------------------|
| 1497 | 2025-01-22 20:... | 10.1.17.215 | 50127       | 13.107.21.239  | 443              | TLSv1.2  | 418    | Client Hello (SNI=edge.microsoft.com)                              |
| 1548 | 2025-01-22 20:... | 10.1.17.215 | 50128       | 13.107.21.239  | 443              | TLSv1.2  | 418    | Client Hello (SNI=edge.microsoft.com)                              |
| 1581 | 2025-01-22 20:... | 10.1.17.215 | 50129       | 13.107.21.239  | 443              | TLSv1.2  | 418    | Client Hello (SNI=edge.microsoft.com)                              |
| 1606 | 2025-01-22 20:... | 10.1.17.215 | 50130       | 51.104.15.252  | 443              | TLSv1.3  | 490    | Client Hello (SNI=browser.events.data.msn.com)                     |
| 1609 | 2025-01-22 20:... | 10.1.17.215 | 50130       | 51.104.15.252  | 443              | TLSv1.3  | 732    | Change Cipher Spec, Client Hello (SNI=browser.events.data.msn.com) |
| 1652 | 2025-01-22 20:... | 10.1.17.215 | 50131       | 23.205.110.143 | 443              | TLSv1.3  | 811    | Client Hello (SNI=www.bing.com)                                    |
| 1820 | 2025-01-22 20:... | 10.1.17.215 | 50133       | 23.205.110.143 | 443              | TLSv1.3  | 506    | Client Hello (SNI=www.bing.com)                                    |
| 442  | 2025-01-22 20:... | 10.1.17.215 | 50133       | 104.21.64.1    | 443              | TLSv1.3  | 491    | Client Hello (SNI=google-authenticator.burleson-appliance.net)     |
| 381  | 2025-01-22 20:... | 10.1.17.215 | 50134       | 82.221.136.26  | 443              | TLSv1.3  | 418    | Client Hello (SNI=authenticatoor.org)                              |
| 408  | 2025-01-22 20:... | 10.1.17.215 | 50139       | 20.190.157.15  | 443              | TLSv1.3  | 518    | Client Hello (SNI=login.microsoftonline.com)                       |

After filtering for TLS Client Hellos with `tls.handshake.type == 1` and `!ssdp`, only 10.1.17.215 was initiating connections to a suspicious/illegitimate domain. This unique outbound activity clearly identifies 10.1.17.215 as the infected Windows client

### DESKTOP - L8C5GSJ

| No. | Time              | Source      | Source port | Destination | Destination port | Protocol | Length | Info                                |
|-----|-------------------|-------------|-------------|-------------|------------------|----------|--------|-------------------------------------|
| 19  | 2025-01-22 20:... | 10.1.17.215 | 137         | 10.1.17.255 | 137              | NBNS     | 110    | Registration NB DESKTOP-L8C5GSJ<00> |
| 20  | 2025-01-22 20:... | 10.1.17.215 | 137         | 10.1.17.255 | 137              | NBNS     | 110    | Registration NB DESKTOP-L8C5GSJ<20> |
| 21  | 2025-01-22 20:... | 10.1.17.215 | 137         | 10.1.17.255 | 137              | NBNS     | 110    | Registration NB BLUEMOONTUESDAY<00> |
| 42  | 2025-01-22 20:... | 10.1.17.215 | 137         | 10.1.17.255 | 137              | NBNS     | 110    | Registration NB DESKTOP-L8C5GSJ<20> |
| 43  | 2025-01-22 20:... | 10.1.17.215 | 137         | 10.1.17.255 | 137              | NBNS     | 110    | Registration NB DESKTOP-L8C5GSJ<20> |
| 44  | 2025-01-22 20:... | 10.1.17.215 | 137         | 10.1.17.255 | 137              | NBNS     | 110    | Registration NB DESKTOP-L8C5GSJ<00> |
| 47  | 2025-01-22 20:... | 10.1.17.215 | 137         | 10.1.17.255 | 137              | NBNS     | 110    | Registration NB DESKTOP-L8C5GSJ<00> |

Using the infected IP (10.1.17.215), I traced its network communication and filtered NBNS traffic to determine the hostname DESKTOP-L8C5GSJ. This shows the infected Windows client's device name.

00:d0:b7:26:4a:74

|                                                                                            |
|--------------------------------------------------------------------------------------------|
| > Frame 19: Packet, 110 bytes on wire (880 bits), 110 bytes captured (880 bits)            |
| > Ethernet II, Src: Intel_26:4a:74 (00:d0:b7:26:4a:74), Dst: Broadcast (ff:ff:ff:ff:ff:ff) |
| > Destination: Broadcast (ff:ff:ff:ff:ff:ff)                                               |
| > Source: Intel_26:4a:74 (00:d0:b7:26:4a:74)                                               |
| Type: IPv4 (0x0800)                                                                        |
| [Stream index: 0]                                                                          |
| > Internet Protocol Version 4, Src: 10.1.17.215, Dst: 10.1.17.255                          |
| > User Datagram Protocol, Src Port: 137, Dst Port: 137                                     |

By clicking on the infected hostname (DESKTOP-L8C5GSJ) and expanding the packet details, I checked the Ethernet field to determine the MAC address 00:d0:b7:26:4a:74, confirming it belongs to the infected Windows client

### shutchenson

|                         |             |       |           |       |      |     |         |
|-------------------------|-------------|-------|-----------|-------|------|-----|---------|
| 250 2025-01-22 20:...   | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 258 2025-01-22 20:...   | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 260 2025-01-22 20:...   | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 272 2025-01-22 20:...   | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 296 2025-01-22 20:...   | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 14710 2025-01-22 20:... | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 15464 2025-01-22 20:... | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 15476 2025-01-22 20:... | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 15709 2025-01-22 20:... | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 15717 2025-01-22 20:... | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 15719 2025-01-22 20:... | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 15731 2025-01-22 20:... | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 16075 2025-01-22 20:... | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 16087 2025-01-22 20:... | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 16089 2025-01-22 20:... | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |
| 16101 2025-01-22 20:... | 10.1.17.215 | 50001 | 10.1.17.2 | 50001 | KERB | 300 | AC, DCN |

Using the infected IP (10.1.17.215) and filtering Kerberos traffic, I clicked the first packet, expanded the Kerberos details, and checked the CNameString field to determine the Windows user account name as shutchenson

| No.  | Time              | Source      | Source port | Destination    | Destination port | Protocol | Length | Info                                                               |
|------|-------------------|-------------|-------------|----------------|------------------|----------|--------|--------------------------------------------------------------------|
| 1497 | 2025-01-22 20:... | 10.1.17.215 | 50127       | 13.107.21.239  | 443              | TLSv1.2  | 418    | Client Hello (SNI=edge.microsoft.com)                              |
| 1548 | 2025-01-22 20:... | 10.1.17.215 | 50128       | 13.107.21.239  | 443              | TLSv1.2  | 418    | Client Hello (SNI=edge.microsoft.com)                              |
| 1581 | 2025-01-22 20:... | 10.1.17.215 | 50129       | 13.107.21.239  | 443              | TLSv1.2  | 418    | Client Hello (SNI=edge.microsoft.com)                              |
| 1606 | 2025-01-22 20:... | 10.1.17.215 | 50130       | 51.104.15.252  | 443              | TLSv1.3  | 490    | Client Hello (SNI=browser.events.data.msn.com)                     |
| 1609 | 2025-01-22 20:... | 10.1.17.215 | 50130       | 51.104.15.252  | 443              | TLSv1.3  | 732    | Change Cipher Spec, Client Hello (SNI=browser.events.data.msn.com) |
| 1652 | 2025-01-22 20:... | 10.1.17.215 | 50131       | 23.205.110.143 | 443              | TLSv1.3  | 811    | Client Hello (SNI=www.bing.com)                                    |
| 1820 | 2025-01-22 20:... | 10.1.17.215 | 50132       | 23.205.110.134 | 443              | TLSv1.3  | 506    | Client Hello (SNI=r.bing.com)                                      |
| 2342 | 2025-01-22 20:... | 10.1.17.215 | 50133       | 104.21.64.1    | 443              | TLSv1.3  | 491    | Client Hello (SNI=google-authenticator.burleson-appliance.net)     |
| 2381 | 2025-01-22 20:... | 10.1.17.215 | 50134       | 82.221.136.26  | 443              | TLSv1.3  | 418    | Client Hello (SNI=authenticatoor.org)                              |
| 4908 | 2025-01-22 20:... | 10.1.17.215 | 50139       | 20.190.157.15  | 443              | TLSv1.3  | 418    | Client Hello (SNI=authenticatoor.org)                              |
| 4949 | 2025-01-22 20:... | 10.1.17.215 | 50140       | 217.70.186.109 | 443              | TLSv1.3  | 428    | Client Hello (SNI=appointedtimeagriculture.com)                    |

By filtering traffic from the infected IP (10.1.17.215), I checked the outbound connections in Statistics. The repeated connections to 5.252.153.241, 45.125.66.32, and 45.125.66.252 indicate potential C2 communication due to their unusual

| Address A   | Port A | Address B     | Port B | Packets | Bytes     | Stream ID | Total Packets | Percent Filtered | Packets A → B | Bytes A → B | Packets B → A | Bytes B → A | Rel Start  | Duration  | Bits/s A → B | Bits/s B → A | Flows |
|-------------|--------|---------------|--------|---------|-----------|-----------|---------------|------------------|---------------|-------------|---------------|-------------|------------|-----------|--------------|--------------|-------|
| 10.1.17.215 | 445    | 10.1.17.215   | 50080  | 2       | 120 bytes | 58        | 2             | 100.00%          | 1             | 60 bytes    | 1             | 80 bytes    | 37.902156  | 0.0005    | 120 bits/s   | 160 bits/s   | 1     |
| 10.1.17.215 | 50184  | 3.82.67.153   | 443    | 26      | 7148      | 101       | 26            | 100.00%          | 11            | 3 kB        | 15            | 4 kB        | 48.826042  | 150.2874  | 138 bits/s   | 238 bits/s   | 4     |
| 10.1.17.215 | 50142  | 4.150.155.223 | 443    | 26      | 11 kB     | 59        | 26            | 100.00%          | 13            | 3 kB        | 13            | 8 kB        | 58.347907  | 60.3624   | 450 bits/s   | 1065 bits/s  | 4     |
| 10.1.17.215 | 49689  | 5.252.153.241 | 80     | 3,100   | 1 MB      | 162       | 3,100         | 100.00%          | 1,382         | 105 kB      | 1,718         | 914 kB      | 610.345363 | 2592.0428 | 323 bits/s   | 3999 bits/s  | 198   |
| 10.1.17.215 | 50144  | 5.252.153.241 | 80     | 5,968   | 5 MB      | 61        | 5,968         | 100.00%          | 2,088         | 130 kB      | 3,880         | 345 bytes   | 60.133270  | 0.2095    | 12 kbps      | 19 kbps      | 2     |
| 10.1.17.215 | 50144  | 5.252.153.241 | 80     | 5,968   | 5 MB      | 61        | 5,968         | 100.00%          | 2,088         | 130 kB      | 3,880         | 345 bytes   | 60.133270  | 0.2095    | 12 kbps      | 19 kbps      | 2     |

| Address A   | Port A | Address B    | Port B | Packets | Bytes  | Stream ID | Total Packets | Percent Filtered | Packets A → B | Bytes A → B | Packets B → A | Bytes B → A | Rel Start   | Duration  | Bits/s A → B | Bits/s B → A | Flows |
|-------------|--------|--------------|--------|---------|--------|-----------|---------------|------------------|---------------|-------------|---------------|-------------|-------------|-----------|--------------|--------------|-------|
| 10.1.17.215 | 49077  | 45.125.66.32 | 2917   | 2,881   | 3 MB   | 340       | 2,881         | 100.00%          | 961           | 59 kB       | 1,920         | 3 MB        | 2420.398816 | 2.4480    | 192 kbps     | 8030 kbps    | 7     |
| 10.1.17.215 | 49080  | 45.125.66.32 | 2917   | 183     | 132 kB | 267       | 183           | 100.00%          | 107           | 124 kB      | 76            | 814 kB      | 2420.398816 | 3.3760    | 249 kbps     | 15 kbps      | 15    |
| 10.1.17.215 | 49090  | 45.125.66.32 | 2917   | 993     | 534 kB | 368       | 993           | 100.00%          | 192           | 14 kB       | 401           | 520 kB      | 2441.721003 | 4.3260    | 24 kbps      | 950 kbps     | 19    |
| 10.1.17.215 | 49092  | 45.125.66.32 | 2917   | 2,869   | 3 MB   | 371       | 2,869         | 100.00%          | 946           | 58 kB       | 1,923         | 3 MB        | 2584.775500 | 2.5308    | 182 kbps     | 8545 kbps    | 7     |
| 10.1.17.215 | 49048  | 45.125.66.32 | 2917   | 189     | 132 kB | 401       | 189           | 100.00%          | 106           | 124 kB      | 83            | 818 kB      | 2597.113022 | 3.9583    | 250 kbps     | 16 kbps      | 15    |
| 10.1.17.215 | 49050  | 45.125.66.32 | 2917   | 597     | 534 kB | 402       | 597           | 100.00%          | 197           | 14 kB       | 400           | 520 kB      | 2605.901344 | 4.2910    | 25 kbps      | 960 kbps     | 20    |
| 10.1.17.215 | 49052  | 45.125.66.32 | 443    | 901     | 99 kB  | 288       | 901           | 100.00%          | 304           | 25 kB       | 597           | 44 kB       | 917.407874  | 1527.6107 | 131 bits/s   | 228 bits/s   | 595   |
| 10.1.17.215 | 49050  | 45.125.66.32 | 443    | 110     | 10 kB  | 89        | 110           | 100.00%          | 40            | 4 kB        | 70            | 748 kB      | 2606.096903 | 162.5540  | 179 bits/s   | 321 bits/s   | 69    |
| 10.1.17.215 | 49051  | 45.125.66.32 | 443    | 351     | 25 kB  | 403       | 351           | 100.00%          | 122           | 10 kB       | 236           | 18 kB       | 2609.206666 | 501.3353  | 139 bits/s   | 240 bits/s   | 235   |

5.252.153.241

| No.   | Time              | Source      | Source port | Destination   | Destination port | Protocol | Length | Info                                                                    |
|-------|-------------------|-------------|-------------|---------------|------------------|----------|--------|-------------------------------------------------------------------------|
| 19290 | 2025-01-22 20:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 1160   | HTTP/1.1 200 OK                                                         |
| 19292 | 2025-01-22 20:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 174    | GET /1517096937?k=script:%20RunRH,%20status:%20OK,%20message:%20PS%2... |
| 19294 | 2025-01-22 20:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 329    | HTTP/1.1 404 Not Found (text/plain)                                     |
| 19298 | 2025-01-22 20:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 103    | GET /1517096937 HTTP/1.1                                                |
| 19300 | 2025-01-22 20:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 329    | HTTP/1.1 404 Not Found (text/plain)                                     |
| 22149 | 2025-01-22 20:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 103    | GET /1517096937 HTTP/1.1                                                |
| 22151 | 2025-01-22 20:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 329    | HTTP/1.1 404 Not Found (text/plain)                                     |
| 22197 | 2025-01-22 20:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 103    | GET /1517096937 HTTP/1.1                                                |
| 22199 | 2025-01-22 20:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 329    | HTTP/1.1 404 Not Found (text/plain)                                     |
| 22704 | 2025-01-22 20:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 103    | GET /1517096937 HTTP/1.1                                                |
| 22707 | 2025-01-22 20:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 329    | HTTP/1.1 404 Not Found (text/plain)                                     |
| 22935 | 2025-01-22 21:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 103    | GET /1517096937 HTTP/1.1                                                |
| 22937 | 2025-01-22 21:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 329    | HTTP/1.1 404 Not Found (text/plain)                                     |
| 22961 | 2025-01-22 21:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 103    | GET /1517096937 HTTP/1.1                                                |
| 22985 | 2025-01-22 21:... | 10.1.17.215 | 49689       | 5.252.153.241 | 80               | HTTP     | 329    | HTTP/1.1 404 Not Found (text/plain)                                     |

This IP uses HTTP traffic with plain-text data and no legitimate domain. The unusual content and direct communication from the infected host make this IP highly suspicious as a C2 server and also checking the ports used is suspicious.



45.215.66.32

| No.   | Time              | Source       | Source port | Destination  | Destination port | Protocol | Length | Info                                                                     |
|-------|-------------------|--------------|-------------|--------------|------------------|----------|--------|--------------------------------------------------------------------------|
| 19305 | 2025-01-22 20:... | 10.1.17.215  | 49792       | 45.125.66.32 | 2917             | TLSv1.2  | 173    | 173 Client Hello (SNI=45.125.66.32)                                      |
| 19307 | 2025-01-22 20:... | 45.125.66.32 | 2917        | 10.1.17.215  | 49792            | TLSv1.2  | 1092   | 1092 Server Hello, Certificate, Server Hello Done                        |
| 19310 | 2025-01-22 20:... | 10.1.17.215  | 49792       | 45.125.66.32 | 2917             | TLSv1.2  | 372    | 372 Client Key Exchange, Change Cipher Spec, Encrypted Handshake Message |
| 19311 | 2025-01-22 20:... | 45.125.66.32 | 2917        | 10.1.17.215  | 49792            | TLSv1.2  | 105    | 105 Change Cipher Spec, Encrypted Handshake Message                      |
| 19312 | 2025-01-22 20:... | 10.1.17.215  | 49792       | 45.125.66.32 | 2917             | TLSv1.2  | 730    | 730 Application Data                                                     |
| 19313 | 2025-01-22 20:... | 45.125.66.32 | 2917        | 10.1.17.215  | 49792            | TLSv1.2  | 1262   | 1262 Application Data                                                    |
| 19315 | 2025-01-22 20:... | 45.125.66.32 | 2917        | 10.1.17.215  | 49792            | TLSv1.2  | 1081   | 1081 Application Data                                                    |
| 19316 | 2025-01-22 20:... | 45.125.66.32 | 2917        | 10.1.17.215  | 49792            | TLSv1.2  | 642    | 642 Application Data                                                     |
| 19321 | 2025-01-22 20:... | 45.125.66.32 | 2917        | 10.1.17.215  | 49792            | TLSv1.2  | 719    | 719 Application Data                                                     |
| 19329 | 2025-01-22 20:... | 45.125.66.32 | 2917        | 10.1.17.215  | 49792            | TLSv1.2  | 1414   | 1414 Application Data                                                    |
| 19336 | 2025-01-22 20:... | 45.125.66.32 | 2917        | 10.1.17.215  | 49792            | TLSv1.2  | 1414   | 1414 Application Data                                                    |

Traffic to this IP is over TLS, but following the stream shows empty application data with no SNI or domain name and with suspicious ports used. The encrypted, domain-less communication is suspicious and consistent with C2 behavior.

45.125.66.252

| No.   | Time              | Source        | Source port | Destination   | Destination port | Protocol | Length | Info                                                                     |
|-------|-------------------|---------------|-------------|---------------|------------------|----------|--------|--------------------------------------------------------------------------|
| 23423 | 2025-01-22 21:... | 10.1.17.215   | 49822       | 45.125.66.252 | 443              | TLSv1.2  | 256    | 256 Client Hello                                                         |
| 23466 | 2025-01-22 21:... | 45.125.66.252 | 443         | 10.1.17.215   | 49822            | TLSv1.2  | 1414   | 1414 Server Hello, Certificate                                           |
| 23467 | 2025-01-22 21:... | 45.125.66.252 | 443         | 10.1.17.215   | 49822            | TLSv1.2  | 144    | 144 Server Key Exchange, Server Hello Done                               |
| 23492 | 2025-01-22 21:... | 10.1.17.215   | 49822       | 45.125.66.252 | 443              | TLSv1.2  | 240    | 240 Client Key Exchange, Change Cipher Spec, Encrypted Handshake Message |
| 23536 | 2025-01-22 21:... | 45.125.66.252 | 443         | 10.1.17.215   | 49822            | TLSv1.2  | 241    | 241 New Session Ticket, Change Cipher Spec, Encrypted Handshake Message  |
| 23537 | 2025-01-22 21:... | 10.1.17.215   | 49822       | 45.125.66.252 | 443              | TLSv1.2  | 244    | 244 Application Data                                                     |
| 23540 | 2025-01-22 21:... | 45.125.66.252 | 443         | 10.1.17.215   | 49822            | TLSv1.2  | 82     | 82 Application Data                                                      |
| 23541 | 2025-01-22 21:... | 45.125.66.252 | 443         | 10.1.17.215   | 49822            | TLSv1.2  | 81     | 81 Application Data                                                      |
| 23543 | 2025-01-22 21:... | 10.1.17.215   | 49822       | 45.125.66.252 | 443              | TLSv1.2  | 81     | 81 Application Data                                                      |
| 23562 | 2025-01-22 21:... | 45.125.66.252 | 443         | 10.1.17.215   | 49822            | TLSv1.2  | 81     | 81 Application Data                                                      |
| 23563 | 2025-01-22 21:... | 10.1.17.215   | 49822       | 45.125.66.252 | 443              | TLSv1.2  | 81     | 81 Application Data                                                      |
| 23680 | 2025-01-22 21:... | 45.125.66.252 | 443         | 10.1.17.215   | 49822            | TLSv1.2  | 81     | 81 Application Data                                                      |
| 23681 | 2025-01-22 21:... | 10.1.17.215   | 49822       | 45.125.66.252 | 443              | TLSv1.2  | 81     | 81 Application Data                                                      |
| 23691 | 2025-01-22 21:... | 45.125.66.252 | 443         | 10.1.17.215   | 49822            | TLSv1.2  | 81     | 81 Application Data                                                      |

Similarly, this IP shows TLS traffic with empty streams and no domain name and with suspicious ports used. The pattern of repeated, encrypted outbound connections from the infected host confirms it as another C2 server