


20 Wireshark filters


1. `!(http || tls)`

Purpose: Exclude Web Traffic (Non-Web Only)



2. `tcp.flags.syn == 1 && tcp.flags.ack == 0`

Purpose: TCP SYN scan



3. dns.flags.response == 0

Purpose: Useful to detect malware probing domains that don't exist (DGA).

The screenshot shows a Wireshark capture of network traffic. The filter bar at the top is set to 'dns.flags.response == 0'. The packet list on the left shows 20 packets, all of which are DNS queries. The packet details pane on the right shows the structure of a DNS query packet, including the Ethernet II header, Internet Protocol Version 4 header, and User Datagram Protocol header. The packet bytes pane at the bottom shows the raw data of the selected packet.

No.	Time	Source	Source Port	Destination	Destination Port	Protocol	Length	Info
16	2025-07-0...	10.0.2.15	43042	10.0.2.3	53	DNS	96	Standard query 0x8120 A clas
17	2025-07-0...	10.0.2.15	43042	10.0.2.3	53	DNS	96	Standard query 0x0c2b AAAA d
122	2025-07-0...	10.0.2.15	35378	10.0.2.3	53	DNS	71	Standard query 0xbed4 A vulnr
123	2025-07-0...	10.0.2.15	35378	10.0.2.3	53	DNS	71	Standard query 0xd9db AAAA v
165	2025-07-0...	10.0.2.15	35378	10.0.2.3	53	DNS	71	Standard query 0xbed4 A vulnr
167	2025-07-0...	10.0.2.15	35378	10.0.2.3	53	DNS	71	Standard query 0xd9db AAAA v
237	2025-07-0...	10.0.2.15	59358	10.0.2.3	53	DNS	76	Standard query 0x97ee A www.
238	2025-07-0...	10.0.2.15	59358	10.0.2.3	53	DNS	76	Standard query 0x4df0 AAAA w
369	2025-07-0...	10.0.2.15	44706	10.0.2.3	53	DNS	72	Standard query 0x8e9e A netf
379	2025-07-0...	10.0.2.15	41376	10.0.2.3	53	DNS	71	Standard query 0x7cb1 A chat
381	2025-07-0...	10.0.2.15	41376	10.0.2.3	53	DNS	71	Standard query 0x77b5 AAAA d
390	2025-07-0...	10.0.2.15	44706	10.0.2.3	53	DNS	72	Standard query 0x2ea0 AAAA r
517	2025-07-0...	10.0.2.15	42384	10.0.2.3	53	DNS	77	Standard query 0x532c A cdn.
518	2025-07-0...	10.0.2.15	42384	10.0.2.3	53	DNS	77	Standard query 0x5c2f AAAA d
522	2025-07-0...	10.0.2.15	35930	10.0.2.3	53	DNS	74	Standard query 0xb2d3 A ab.c
523	2025-07-0...	10.0.2.15	35930	10.0.2.3	53	DNS	74	Standard query 0x9ade AAAA a
595	2025-07-0...	10.0.2.15	39810	10.0.2.3	53	DNS	79	Standard query 0xf461 A test
596	2025-07-0...	10.0.2.15	39810	10.0.2.3	53	DNS	79	Standard query 0x1e66 AAAA t
675	2025-07-0...	10.0.2.15	56979	10.0.2.3	53	DNS	80	Standard query 0xe64f A font
736	2025-07-0...	10.0.2.15	56409	10.0.2.3	53	DNS	77	Standard query 0x2626 A font

4. tcp.flags.reset == 1

Purpose: Detects interrupted or malicious session resets (DoS or scanning evasion).

The screenshot shows a Wireshark capture of network traffic. The filter bar at the top is set to 'tcp.flags.reset == 1'. The packet list on the left shows 20 packets, all of which are TCP reset packets. The packet details pane on the right shows the structure of a TCP reset packet, including the Ethernet II header, Internet Protocol Version 4 header, and Transmission Control Protocol header. The packet bytes pane at the bottom shows the raw data of the selected packet.

No.	Time	Source	Source Port	Destination	Destination Port	Protocol	Length	Info
32	2025-07-0...	10.0.2.15	47762	151.101.129.91	443	TCP	54	47762 → 443 [RST] Seq=1 Win=
34	2025-07-0...	10.0.2.15	47762	151.101.129.91	443	TCP	54	47762 → 443 [RST] Seq=1 Win=
36	2025-07-0...	151.101.129.91	443	10.0.2.15	47762	TCP	60	443 → 47762 [RST, ACK] Seq=4
456	2025-07-0...	10.0.2.15	47560	172.64.155.209	443	TCP	54	47560 → 443 [RST] Seq=1 Win=
1219	2025-07-0...	10.0.2.15	46810	172.64.146.98	443	TCP	54	46810 → 443 [RST] Seq=864 Wi
1241	2025-07-0...	10.0.2.15	46776	172.64.146.98	443	TCP	54	46776 → 443 [RST, ACK] Seq=6
1247	2025-07-0...	10.0.2.15	46776	172.64.146.98	443	TCP	54	46776 → 443 [RST] Seq=863 Wi
1248	2025-07-0...	172.64.146.98	443	10.0.2.15	46776	TCP	60	443 → 46776 [RST, ACK] Seq=4
1686	2025-07-0...	10.0.2.15	47496	142.250.201.170	443	TCP	54	47496 → 443 [RST] Seq=867 Wi
1702	2025-07-0...	10.0.2.15	47508	142.250.201.170	443	TCP	54	47508 → 443 [RST] Seq=867 Wi
1719	2025-07-0...	44.228.249.3	80	10.0.2.15	35406	TCP	60	80 → 35406 [RST, ACK] Seq=1
1720	2025-07-0...	44.228.249.3	80	10.0.2.15	35376	TCP	60	80 → 35376 [RST, ACK] Seq=1
1721	2025-07-0...	44.228.249.3	80	10.0.2.15	35392	TCP	60	80 → 35392 [RST, ACK] Seq=1
1813	2025-07-0...	10.0.2.15	47480	142.250.201.170	443	TCP	54	47480 → 443 [RST] Seq=867 Wi
1821	2025-07-0...	10.0.2.15	47502	142.250.201.170	443	TCP	54	47502 → 443 [RST] Seq=867 Wi
2244	2025-07-0...	10.0.2.15	55050	147.79.119.204	443	TCP	54	55050 → 443 [RST] Seq=891 Wi
2245	2025-07-0...	10.0.2.15	55050	147.79.119.204	443	TCP	54	55050 → 443 [RST] Seq=891 Wi
2246	2025-07-0...	147.79.119.204	443	10.0.2.15	55050	TCP	60	443 → 55050 [RST, ACK] Seq=4
2267	2025-07-0...	10.0.2.15	55096	147.79.119.204	443	TCP	54	55096 → 443 [RST] Seq=891 Wi
2294	2025-07-0...	10.0.2.15	55108	147.79.119.204	443	TCP	54	55108 → 443 [RST] Seq=891 Wi

5. http || tls

Purpose: Focuses on web browsing and encrypted traffic.

No.	Time	Source	Source Port	Destination	Destination Port	Protocol	Length	Info
2	2025-07-0...	10.0.2.15	58184	35.244.181.201	443	TLSv1.2	233	Application Data
11	2025-07-0...	10.0.2.15	58184	35.244.181.201	443	TLSv1.2	239	Application Data
13	2025-07-0...	34.49.51.44	443	10.0.2.15	52506	TLSv1.2	331	Application Data
14	2025-07-0...	10.0.2.15	52506	34.49.51.44	443	TLSv1.2	93	Application Data
18	2025-07-0...	34.160.144.191	443	10.0.2.15	58830	TLSv1.2	1454	Server Hello
24	2025-07-0...	35.244.181.201	443	10.0.2.15	58184	TLSv1.2	138	Application Data
26	2025-07-0...	35.244.181.201	443	10.0.2.15	58184	TLSv1.2	655	Application Data
28	2025-07-0...	35.244.181.201	443	10.0.2.15	58184	TLSv1.2	100	Application Data
29	2025-07-0...	151.101.129.91	443	10.0.2.15	47762	TLSv1.2	85	Encrypted Alert
33	2025-07-0...	10.0.2.15	58184	35.244.181.201	443	TLSv1.2	100	Application Data
41	2025-07-0...	35.244.181.201	443	10.0.2.15	58184	TLSv1.2	147	Application Data
42	2025-07-0...	35.244.181.201	443	10.0.2.15	58184	TLSv1.2	400	Application Data
45	2025-07-0...	34.149.100.209	443	10.0.2.15	42544	TLSv1.2	1494	Application Data
47	2025-07-0...	34.160.144.191	443	10.0.2.15	58830	TLSv1.2	1494	Certificate
49	2025-07-0...	34.160.144.191	443	10.0.2.15	58830	TLSv1.2	235	Server Key Exchange, Server
51	2025-07-0...	10.0.2.15	58830	34.160.144.191	443	TLSv1.2	147	Client Key Exchange, Change
53	2025-07-0...	10.0.2.15	39169	35.190.72.216	443	QUIC	1399	Initial, DCID=ea9b11ceaa2178
56	2025-07-0...	34.149.100.209	443	10.0.2.15	42544	TLSv1.2	2934	Application Data, Applicatio
58	2025-07-0...	34.149.100.209	443	10.0.2.15	42544	TLSv1.2	4374	Application Data, Applicatio
60	2025-07-0...	34.149.100.209	443	10.0.2.15	42544	TLSv1.2	5814	Application Data, Applicatio

Frame 14: 93 bytes on wire (744 bits), 93 bytes captured (744 bits) on interface 0
 Ethernet II, Src: PCSSystemtec_id:31:e9 (08:00:27:1d:31:e9), Dst: 52:55:0a:00:02:02 (52:55:0a:00:02:02)
 Internet Protocol Version 4, Src: 10.0.2.15, Dst: 34.49.51.44
 Transmission Control Protocol, Src Port: 52506, Dst Port: 443, Seq: 1000000000
 Transport Layer Security

6. http && !http.host

Purpose: Non-browser or script-generated traffic. Maybe C2.

No.	Time	Source	Source Port	Destination	Destination Port	Protocol	Length	Info
343	2025-07-0...	44.228.249.3	80	10.0.2.15	35422	HTTP	393	HTTP/1.1 500 Internal Server Error
1569	2025-07-0...	142.250.200.1...	80	10.0.2.15	45914	OCSP	1157	Response
1582	2025-07-0...	142.250.200.1...	80	10.0.2.15	45900	OCSP	1157	Response
1584	2025-07-0...	142.250.200.1...	80	10.0.2.15	45888	OCSP	1157	Response
1688	2025-07-0...	44.228.249.3	80	10.0.2.15	47962	HTTP	1313	HTTP/1.1 200 OK (text/html)
1823	2025-07-0...	142.250.200.1...	80	10.0.2.15	45914	OCSP	1156	Response
1989	2025-07-0...	44.228.249.3	80	10.0.2.15	47962	HTTP	393	HTTP/1.1 500 Internal Server Error
3009	2025-07-0...	44.228.249.3	80	10.0.2.15	42132	HTTP	393	HTTP/1.1 500 Internal Server Error
3172	2025-07-0...	142.250.200.1...	80	10.0.2.15	45900	OCSP	1156	Response
3456	2025-07-0...	44.228.249.3	80	10.0.2.15	48640	HTTP	1213	HTTP/1.1 200 OK (text/html)
3714	2025-07-0...	44.228.249.3	80	10.0.2.15	52734	HTTP	1336	HTTP/1.1 200 OK (text/css)
3792	2025-07-0...	44.228.249.3	80	10.0.2.15	36420	HTTP	279	HTTP/1.1 200 OK (text/html)
3815	2025-07-0...	44.228.249.3	80	10.0.2.15	48640	HTTP	235	HTTP/1.1 304 Not Modified
3858	2025-07-0...	44.228.249.3	80	10.0.2.15	36404	HTTP	235	HTTP/1.1 304 Not Modified
4305	2025-07-0...	44.228.249.3	80	10.0.2.15	36404	HTTP	235	HTTP/1.1 304 Not Modified
5137	2025-07-0...	44.238.29.244	80	10.0.2.15	59364	HTTP	1588	HTTP/1.1 200 OK (text/html)

Frame 343: 393 bytes on wire (3144 bits), 393 bytes captured (3144 bits) on interface 0
 Ethernet II, Src: 52:55:0a:00:02:02 (52:55:0a:00:02:02), Dst: PCSSystemtec_id:31:e9 (08:00:27:1d:31:e9)
 Internet Protocol Version 4, Src: 44.228.249.3, Dst: 10.0.2.15
 Transmission Control Protocol, Src Port: 80, Dst Port: 35422, Seq: 1000000000
 Hypertext Transfer Protocol
 Line-based text data: text/html (7 lines)

7. tcp.flags.syn == 1 && tcp.flags.ack == 0 && tcp.analysis.retransmission

Purpose: Detect port scanning or SYN flooding behavior.

No.	Time	Source	Source Port	Destination	Destination Port	Protocol	Length	Info
225	2025-07-0...	10.0.2.15	35406	44.228.249.3	80	TCP	74	[TCP Retransmission] 35406 →
226	2025-07-0...	10.0.2.15	35392	44.228.249.3	80	TCP	74	[TCP Retransmission] 35392 →
227	2025-07-0...	10.0.2.15	35376	44.228.249.3	80	TCP	74	[TCP Retransmission] 35376 →
228	2025-07-0...	10.0.2.15	35422	44.228.249.3	80	TCP	74	[TCP Retransmission] 35422 →
239	2025-07-0...	10.0.2.15	35376	44.228.249.3	80	TCP	74	[TCP Retransmission] 35376 →
240	2025-07-0...	10.0.2.15	35392	44.228.249.3	80	TCP	74	[TCP Retransmission] 35392 →
241	2025-07-0...	10.0.2.15	35406	44.228.249.3	80	TCP	74	[TCP Retransmission] 35406 →
243	2025-07-0...	10.0.2.15	35406	44.228.249.3	80	TCP	74	[TCP Retransmission] 35406 →
244	2025-07-0...	10.0.2.15	35392	44.228.249.3	80	TCP	74	[TCP Retransmission] 35392 →
245	2025-07-0...	10.0.2.15	35376	44.228.249.3	80	TCP	74	[TCP Retransmission] 35376 →
306	2025-07-0...	10.0.2.15	35376	44.228.249.3	80	TCP	74	[TCP Retransmission] 35376 →
307	2025-07-0...	10.0.2.15	35392	44.228.249.3	80	TCP	74	[TCP Retransmission] 35392 →
308	2025-07-0...	10.0.2.15	35406	44.228.249.3	80	TCP	74	[TCP Retransmission] 35406 →
349	2025-07-0...	10.0.2.15	35406	44.228.249.3	80	TCP	74	[TCP Retransmission] 35406 →
350	2025-07-0...	10.0.2.15	35392	44.228.249.3	80	TCP	74	[TCP Retransmission] 35392 →
351	2025-07-0...	10.0.2.15	35376	44.228.249.3	80	TCP	74	[TCP Retransmission] 35376 →
392	2025-07-0...	10.0.2.15	35376	44.228.249.3	80	TCP	74	[TCP Retransmission] 35376 →
393	2025-07-0...	10.0.2.15	35392	44.228.249.3	80	TCP	74	[TCP Retransmission] 35392 →
394	2025-07-0...	10.0.2.15	35406	44.228.249.3	80	TCP	74	[TCP Retransmission] 35406 →
677	2025-07-0...	10.0.2.15	35406	44.228.249.3	80	TCP	74	[TCP Retransmission] 35406 →

Frame 308: 74 bytes on wire (592 bits), 74 bytes captured (592 bits)	0000	52 55 0a 00 02 02 08 00	27 1d 31 e9 08 00 45 00	RU.....
Ethernet II, Src: PCSSystemtec_id:31:e9 (08:00:27:1d:31:e9), Dst: 5:	0010	00 3c 49 d7 40 00 40 06	be ee 0a 00 02 0f 2c e4	<I @ @ ..
Internet Protocol Version 4, Src: 10.0.2.15, Dst: 44.228.249.3	0020	f9 03 8a 4e 00 50 2a 4e	12 c0 00 00 00 00 a0 02	...N P * N ..
Transmission Control Protocol, Src Port: 35406, Dst Port: 80, Seq:	0030	fa f0 32 25 00 00 02 04	05 b4 04 02 08 0a 7c 33	...2%.....
	0040	f0 02 00 00 00 00 01 03	03 07	

⚠ This frame is a (suspected) retransmission: Label

Packets: 5166 · Displayed: 127 (2.5%) · Dropped: 0 (0.0%)

Profile: Default

8. tls.handshake.extensions_server_name

Purpose: Shows domains even for encrypted HTTPS traffic (via SNI).

No.	Time	Source	Source Port	Destination	Destination Port	Protocol	Length	Info
53	2025-07-0...	10.0.2.15	59610	35.190.72.216	443	QUIC	1399	Initial, DCID=ea9b11ceaa217f
70	2025-07-0...	10.0.2.15	36114	193.58.105.202	443	TLSv1.3	738	Client Hello (SNI=classify-d
256	2025-07-0...	10.0.2.15	36144	193.58.105.202	443	TLSv1.3	718	Client Hello (SNI=www.netise
260	2025-07-0...	10.0.2.15	36130	193.58.105.202	443	TLSv1.3	718	Client Hello (SNI=www.netise
348	2025-07-0...	10.0.2.15	57321	193.58.105.202	443	QUIC	1399	Initial, DCID=34522e999319a5
407	2025-07-0...	10.0.2.15	47546	172.64.155.209	443	TLSv1.3	713	Client Hello (SNI=chatgpt.cc
415	2025-07-0...	10.0.2.15	47552	172.64.155.209	443	TLSv1.3	713	Client Hello (SNI=chatgpt.cc
420	2025-07-0...	10.0.2.15	35982	193.58.105.100	443	TLSv1.3	714	Client Hello (SNI=netisens.d
441	2025-07-0...	10.0.2.15	35984	193.58.105.100	443	TLSv1.3	714	Client Hello (SNI=netisens.d
557	2025-07-0...	10.0.2.15	53399	193.58.105.100	443	QUIC	1399	Initial, DCID=089b9e119909ce
580	2025-07-0...	10.0.2.15	46222	172.64.146.98	443	TLSv1.3	719	Client Hello (SNI=cdn.oaista
582	2025-07-0...	10.0.2.15	46226	172.64.146.98	443	TLSv1.3	719	Client Hello (SNI=cdn.oaista
584	2025-07-0...	10.0.2.15	46232	172.64.146.98	443	TLSv1.3	719	Client Hello (SNI=cdn.oaista
590	2025-07-0...	10.0.2.15	46770	172.64.146.98	443	TLSv1.3	719	Client Hello (SNI=cdn.oaista
592	2025-07-0...	10.0.2.15	46766	172.64.146.98	443	TLSv1.3	719	Client Hello (SNI=cdn.oaista
643	2025-07-0...	10.0.2.15	46776	172.64.146.98	443	TLSv1.3	719	Client Hello (SNI=cdn.oaista
645	2025-07-0...	10.0.2.15	46778	172.64.146.98	443	TLSv1.3	719	Client Hello (SNI=cdn.oaista
647	2025-07-0...	10.0.2.15	46780	172.64.146.98	443	TLSv1.3	719	Client Hello (SNI=cdn.oaista
649	2025-07-0...	10.0.2.15	46796	172.64.146.98	443	TLSv1.3	719	Client Hello (SNI=cdn.oaista

Frame 53: 1399 bytes on wire (11192 bits), 1399 bytes captured (11192 bits)	0000	52 55 0a 00 02 02 08 00	27 1d 31 e9 08 00 45 00	RU.....
Ethernet II, Src: PCSSystemtec_id:31:e9 (08:00:27:1d:31:e9), Dst: 5:	0010	05 69 00 00 00 40 00 11	bc df 0a 00 02 0f 23 be	...I @ @ ..
Internet Protocol Version 4, Src: 10.0.2.15, Dst: 35.190.72.216	0020	48 d8 99 01 01 bb 05 55	7e 0b c5 00 00 00 01 08	H.....U ~
User Datagram Protocol, Src Port: 39169, Dst Port: 443	0030	ea 9b 11 ce aa 21 78 c8	03 ee c9 8a 00 42 9c 32	!x ~
QUIC IETF	0040	ea 98 3c 26 43 0c 62 d3	f1 b1 b4 1c 25 92 3f 5a	...<C b ~

Server Name: Character string


Frame (1399 bytes) · Decrypted QUIC (651 bytes)

Packets: 5166 · Displayed: 78 (1.5%) · Dropped: 0 (0.0%)

Profile: Default

9. http.user_agent

Purpose: Spot bots/scripts (e.g., curl, python, PowerShell) if not a normal browser.




The screenshot shows a Wireshark capture of network traffic. The filter is set to 'http.user_agent'. The packet list shows several HTTP GET requests from source IP 10.0.2.15 to destination IP 44.228.249.3. The packet details pane shows the structure of a GET request, including Ethernet II, Internet Protocol Version 4, Transmission Control Protocol, and Hypertext Transfer Protocol. The packet bytes pane shows the raw data of the request.

No.	Time	Source	Source Port	Destination	Destination Port	Protocol	Length	Info
235	2025-07-0...	10.0.2.15	35422	44.228.249.3	80	HTTP	468	GET / HTTP/1.1
1110	2025-07-0...	10.0.2.15	47962	44.228.249.3	80	HTTP	393	GET / HTTP/1.1
1369	2025-07-0...	10.0.2.15	45914	142.250.200.131	80	OCSP	482	[TCP Previous segment not capti
1534	2025-07-0...	10.0.2.15	45900	142.250.200.131	80	OCSP	482	[TCP Previous segment not capti
1542	2025-07-0...	10.0.2.15	45888	142.250.200.131	80	OCSP	482	[TCP Previous segment not capti
1678	2025-07-0...	10.0.2.15	45914	142.250.200.131	80	OCSP	481	Request
1703	2025-07-0...	10.0.2.15	47962	44.228.249.3	80	HTTP	444	GET /style.css HTTP/1.1
2767	2025-07-0...	10.0.2.15	48640	44.228.249.3	80	HTTP	393	GET / HTTP/1.1
2826	2025-07-0...	10.0.2.15	42132	44.228.249.3	80	HTTP	385	GET / HTTP/1.1
3037	2025-07-0...	10.0.2.15	45900	142.250.200.131	80	OCSP	481	Request
3454	2025-07-0...	10.0.2.15	52734	44.228.249.3	80	HTTP	362	GET /style.css HTTP/1.1
3465	2025-07-0...	10.0.2.15	36420	44.228.249.3	80	HTTP	385	GET / HTTP/1.1
3719	2025-07-0...	10.0.2.15	48640	44.228.249.3	80	HTTP	504	GET /images/logo.gif HTTP/1.1
3737	2025-07-0...	10.0.2.15	36404	44.228.249.3	80	HTTP	490	GET /acunetix-logo.png HTTP/1.
4050	2025-07-0...	10.0.2.15	36404	44.228.249.3	80	HTTP	428	GET /style.css HTTP/1.1
4953	2025-07-0...	10.0.2.15	59364	44.238.29.244	80	HTTP	426	GET / HTTP/1.1
5085	2025-07-0...	10.0.2.15	59360	44.238.29.244	80	HTTP	421	GET /styles.css HTTP/1.1

10. http.content_type

Purpose: Check what files your browser received



The screenshot shows a Wireshark capture of network traffic. The filter is set to 'http.content_type'. The packet list shows several HTTP responses from source IP 44.228.249.3 to destination IP 10.0.2.15. The packet details pane shows the structure of an HTTP response, including Ethernet II, Internet Protocol Version 4, Transmission Control Protocol, and Hypertext Transfer Protocol. The packet bytes pane shows the raw data of the response.

No.	Time	Source	Source Port	Destination	Destination Port	Protocol	Length	Info
343	2025-07-0...	44.228.249.3	80	10.0.2.15	35422	HTTP	393	HTTP/1.1 500 Internal Server E
1369	2025-07-0...	10.0.2.15	45914	142.250.200.131	80	OCSP	482	[TCP Previous segment not capti
1534	2025-07-0...	10.0.2.15	45900	142.250.200.131	80	OCSP	482	[TCP Previous segment not capti
1542	2025-07-0...	10.0.2.15	45888	142.250.200.131	80	OCSP	482	[TCP Previous segment not capti
1569	2025-07-0...	142.250.200.1...	80	10.0.2.15	45914	OCSP	1157	Response
1582	2025-07-0...	142.250.200.1...	80	10.0.2.15	45900	OCSP	1157	Response
1584	2025-07-0...	142.250.200.1...	80	10.0.2.15	45888	OCSP	1157	Response
1678	2025-07-0...	10.0.2.15	45914	142.250.200.131	80	OCSP	481	Request
1688	2025-07-0...	44.228.249.3	80	10.0.2.15	47962	HTTP	1313	HTTP/1.1 200 OK (text/html)
1823	2025-07-0...	142.250.200.1...	80	10.0.2.15	45914	OCSP	1156	Response
1989	2025-07-0...	44.228.249.3	80	10.0.2.15	47962	HTTP	393	HTTP/1.1 500 Internal Server E
3009	2025-07-0...	44.228.249.3	80	10.0.2.15	42132	HTTP	393	HTTP/1.1 500 Internal Server E
3037	2025-07-0...	10.0.2.15	45900	142.250.200.131	80	OCSP	481	Request
3172	2025-07-0...	142.250.200.1...	80	10.0.2.15	45900	OCSP	1156	Response
3456	2025-07-0...	44.228.249.3	80	10.0.2.15	48640	HTTP	1213	HTTP/1.1 200 OK (text/html)
3714	2025-07-0...	44.228.249.3	80	10.0.2.15	52734	HTTP	1336	HTTP/1.1 200 OK (text/css)
3792	2025-07-0...	44.228.249.3	80	10.0.2.15	36420	HTTP	279	HTTP/1.1 200 OK (text/html)
5137	2025-07-0...	44.238.29.244	80	10.0.2.15	59364	HTTP	1588	HTTP/1.1 200 OK (text/html)

11. tcp.port == 1337 || tcp.port == 4444 || tcp.port == 9001

Purpose: Common C2/reverse shell ports.

Intel(R) Dual Band Wireless-AC 3165

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

tcp.port == 1337 || tcp.port == 4444 || tcp.port == 9001

No.	Time	Delta	Source	Destination	Protocol	Length	Info
4795	2025-07-06 20:57:42.832703	0.000000	192.168.43.214	185.230.4.150	TCP	66	53696 → 1337 [SYN] Seq=0 Win=64240 Len=0 M...
4805	2025-07-06 20:57:43.024000	0.191297	185.230.4.150	192.168.43.214	TCP	66	1337 → 53696 [SYN, ACK] Seq=0 Ack=1 Win=64...
4806	2025-07-06 20:57:43.024131	0.000131	192.168.43.214	185.230.4.150	TCP	54	53696 → 1337 [ACK] Seq=1 Ack=1 Win=65792 L...
4807	2025-07-06 20:57:43.024479	0.000348	192.168.43.214	185.230.4.150	HTTP	406	GET /announce?info_hash=c0c6%0d7%3fd8d%3c...
4814	2025-07-06 20:57:43.228920	0.204441	185.230.4.150	192.168.43.214	TCP	54	1337 → 53696 [ACK] Seq=1 Ack=353 Win=64128...
4815	2025-07-06 20:57:43.228920	0.000000	185.230.4.150	192.168.43.214	HTTP	272	HTTP/1.1 200 OK (text/plain)
4816	2025-07-06 20:57:43.228920	0.000000	185.230.4.150	192.168.43.214	TCP	54	1337 → 53696 [FIN, ACK] Seq=219 Ack=353 Wi...
4817	2025-07-06 20:57:43.229020	0.000100	192.168.43.214	185.230.4.150	TCP	54	53696 → 1337 [ACK] Seq=353 Ack=220 Win=655...
4818	2025-07-06 20:57:43.229256	0.000236	192.168.43.214	185.230.4.150	TCP	54	53696 → 1337 [FIN, ACK] Seq=353 Ack=220 Wi...
4823	2025-07-06 20:57:43.417141	0.187885	185.230.4.150	192.168.43.214	TCP	54	1337 → 53696 [RST] Seq=220 Win=0 Len=0
5922	2025-07-06 20:58:52.845075	69.427...	192.168.43.214	185.230.4.150	TCP	66	53719 → 1337 [SYN] Seq=0 Win=64240 Len=0 M...
5923	2025-07-06 20:58:53.038587	0.193512	185.230.4.150	192.168.43.214	TCP	66	1337 → 53719 [SYN, ACK] Seq=0 Ack=1 Win=64...
5924	2025-07-06 20:58:53.038709	0.000122	192.168.43.214	185.230.4.150	TCP	54	53719 → 1337 [ACK] Seq=1 Ack=1 Win=65792 L...
5925	2025-07-06 20:58:53.038935	0.000226	192.168.43.214	185.230.4.150	HTTP	408	GET /announce?info_hash=fff%de%0e%fd%e%01...
5927	2025-07-06 20:58:53.254555	0.215620	185.230.4.150	192.168.43.214	TCP	54	1337 → 53719 [ACK] Seq=1 Ack=355 Win=64128...
5928	2025-07-06 20:58:53.254555	0.000000	185.230.4.150	192.168.43.214	HTTP	272	HTTP/1.1 200 OK (text/plain)
5929	2025-07-06 20:58:53.254555	0.000000	185.230.4.150	192.168.43.214	TCP	54	1337 → 53719 [FIN, ACK] Seq=219 Ack=355 Wi...
5930	2025-07-06 20:58:53.254679	0.000124	192.168.43.214	185.230.4.150	TCP	54	53719 → 1337 [ACK] Seq=355 Ack=220 Win=655...
5931	2025-07-06 20:58:53.254916	0.000237	192.168.43.214	185.230.4.150	TCP	54	53719 → 1337 [FIN, ACK] Seq=353 Ack=220 Wi...
5932	2025-07-06 20:58:53.502164	0.247248	185.230.4.150	192.168.43.214	TCP	54	1337 → 53719 [RST] Seq=220 Win=0 Len=0
6309	2025-07-06 20:59:06.840036	13.337...	192.168.43.214	185.230.4.150	TCP	66	53723 → 1337 [SYN] Seq=0 Win=64240 Len=0 M...
6310	2025-07-06 20:59:06.840313	0.000277	192.168.43.214	185.230.4.150	TCP	66	53724 → 1337 [SYN] Seq=0 Win=64240 Len=0 M...
6311	2025-07-06 20:59:06.840497	0.000184	192.168.43.214	185.230.4.150	TCP	66	53725 → 1337 [SYN] Seq=0 Win=64240 Len=0 M...
6312	2025-07-06 20:59:06.840674	0.000177	192.168.43.214	185.230.4.150	TCP	66	53726 → 1337 [SYN] Seq=0 Win=64240 Len=0 M...
6314	2025-07-06 20:59:07.124105	0.283431	185.230.4.150	192.168.43.214	TCP	66	1337 → 53724 [SYN, ACK] Seq=0 Ack=1 Win=64...
6315	2025-07-06 20:59:07.124224	0.000119	192.168.43.214	185.230.4.150	TCP	54	53724 → 1337 [ACK] Seq=1 Ack=1 Win=65792 L...
6316	2025-07-06 20:59:07.124346	0.000122	185.230.4.150	192.168.43.214	TCP	66	1337 → 53726 [SYN, ACK] Seq=0 Ack=1 Win=64...
6317	2025-07-06 20:59:07.124401	0.000055	192.168.43.214	185.230.4.150	HTTP	406	GET /announce?info_hash=N%93%a3%e3%04%5e%0...

Frame 4795: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on 0

Ethernet II, Src: Intel(R) Dual Band Wireless-AC 3165 (80:00:00:00:00:00), Dst: 185.230.4.150

2 on of rain Monday

Search

Profile: Winshark Master Class

9:15 PM 7/6/2025

12. (http.request or tls.handshake.type == 1) and !(ssdp)

Intel(R) Dual Band Wireless-AC 3165

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request or tls.handshake.type == 1 and !(ssdp)

No.	Time	Delta	Source	Destination	Protocol	Length	Info
6	2025-07-06 20:54:08.071154	0.000000	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
8	2025-07-06 20:54:08.190203	0.119049	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
27	2025-07-06 20:54:10.869390	2.679187	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
53	2025-07-06 20:54:12.567819	1.698429	192.168.43.214	216.58.223.195	QUIC	1292	Initial, DCID=91f2aacfb9c987e45, PKN: 3, CR...
282	2025-07-06 20:54:20.583152	8.015333	192.168.43.214	102.132.101.60	QUIC	1292	Initial, DCID=4c2b412f94986b78, PKN: 2, PA...
306	2025-07-06 20:54:20.796666	0.213514	192.168.43.214	52.44.173.143	TLSv1.2	550	Client Hello (SNI=in.grammarly.com)
329	2025-07-06 20:54:21.269322	0.472656	192.168.43.214	92.123.128.180	QUIC	1292	Initial, DCID=9a0f69634550cf6c, PKN: 2, PI...
340	2025-07-06 20:54:21.633777	0.364455	192.168.43.214	34.235.97.234	TLSv1.2	552	Client Hello (SNI=gnar.grammarly.com)
465	2025-07-06 20:54:22.845201	1.211424	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
785	2025-07-06 20:54:28.054192	5.208991	192.168.43.214	50.16.121.25	TLSv1.3	587	Client Hello (SNI=capi.grammarly.com)
810	2025-07-06 20:54:28.340524	0.286332	192.168.43.214	18.245.60.124	TLSv1.3	643	Client Hello (SNI=config.extension.grammar...
926	2025-07-06 20:54:29.579339	1.238815	192.168.43.214	185.60.219.60	TLSv1.3	599	Client Hello (SNI=dit.whatsapp.net)
945	2025-07-06 20:54:29.649521	0.070182	192.168.43.214	3.232.232.186	TLSv1.2	552	Client Hello (SNI=data.grammarly.com)
1004	2025-07-06 20:54:30.620781	0.971260	192.168.43.214	3.89.12.173	TLSv1.2	562	Client Hello (SNI=f-log-extension.grammarl...
1073	2025-07-06 20:54:34.881886	4.261105	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
1131	2025-07-06 20:54:36.751008	1.869122	192.168.43.214	150.171.22.12	TLSv1.3	778	Client Hello (SNI=www.linkedin.com)
1138	2025-07-06 20:54:36.899246	0.148238	192.168.43.214	142.250.178.138	TLSv1.3	427	Client Hello (SNI=signaler-pa.clients6.goo...
1139	2025-07-06 20:54:36.903791	0.004545	192.168.43.214	150.171.22.12	TLSv1.3	849	Change Cipher Spec, Client Hello (SNI=wwwl...
1143	2025-07-06 20:54:36.982722	0.078931	192.168.43.214	142.250.178.138	TLSv1.3	395	Client Hello (SNI=signaler-pa.clients6.goo...
1326	2025-07-06 20:54:41.723470	4.740748	192.168.43.214	185.60.219.60	QUIC	1292	Initial, DCID=6c9d7ab0fe7b1890, PKN: 2, CR...
1525	2025-07-06 20:54:46.869288	5.145818	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
1536	2025-07-06 20:54:49.342152	2.472864	192.168.43.214	44.193.105.98	TLSv1.2	630	Client Hello (SNI=extension.femetrics.gram...
1541	2025-07-06 20:54:49.550713	0.208561	192.168.43.214	44.193.105.98	TLSv1.2	630	Client Hello (SNI=extension.femetrics.gram...
1682	2025-07-06 20:54:57.219686	7.668973	192.168.43.214	216.58.223.195	QUIC	1292	Initial, DCID=544f75f2930a7418, PKN: 3, PI...
1737	2025-07-06 20:54:58.496823	1.277137	192.168.43.214	142.250.200.142	QUIC	1292	Initial, DCID=2aff4a1f801061, PKN: 2, PA...
1758	2025-07-06 20:54:58.864905	0.368082	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
1883	2025-07-06 20:55:10.860772	11.995...	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
2028	2025-07-06 20:55:21.319393	10.458...	192.168.43.214	92.123.128.180	QUIC	1292	Initial, DCID=229b8d52dc90ad2b, PKN: 2, PA...

Frame 6: 224 bytes on wire (1792 bits), 224 bytes captured (1792 bits) on 0

Ethernet II, Src: Intel(R) Dual Band Wireless-AC 3165 (80:00:00:00:00:00), Dst: 43.152.186.225

23°C Light rain

Search

Profile: Winshark Master Class

9:15 PM 7/6/2025

13. (http.request or tls.handshake.type == 1 or tcp.flags eq 0x002) and !(ssdp)

No.	Time	Delta	Source	Destination	Protocol	Length	Info
6	2025-07-06 20:54:08.071154	0.000000	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
8	2025-07-06 20:54:08.190203	0.119049	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
10	2025-07-06 20:54:08.841154	0.650951	192.168.43.214	198.54.129.52	TCP	66	53594 → 16311 [SYN] Seq=0 Win=64240 Len=0 ...
11	2025-07-06 20:54:08.841223	0.000069	192.168.43.214	188.63.251.205	TCP	66	53601 → 61314 [SYN] Seq=0 Win=64240 Len=0 ...
18	2025-07-06 20:54:10.644941	1.803718	192.168.43.214	43.152.186.225	TCP	66	53602 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS...
23	2025-07-06 20:54:10.841405	0.196464	192.168.43.214	188.63.251.205	TCP	66	[TCP Retransmission] 53601 → 61314 [SYN] S...
27	2025-07-06 20:54:10.869390	0.027985	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
53	2025-07-06 20:54:12.567819	1.698429	192.168.43.214	216.58.223.195	QUIC	1292	Initial, DCID=91f2aacfbc987e45, PKN: 3, CR...
118	2025-07-06 20:54:13.839135	1.271316	192.168.43.214	198.54.129.52	TCP	66	53603 → 1 [SYN] Seq=0 Win=64240 Len=0 MSS=...
120	2025-07-06 20:54:13.839525	0.000390	192.168.43.214	37.133.99.81	TCP	66	53604 → 50000 [SYN] Seq=0 Win=64240 Len=0 ...
122	2025-07-06 20:54:13.839889	0.000364	192.168.43.214	54.227.190.221	TCP	66	53605 → 58162 [SYN] Seq=0 Win=64240 Len=0 ...
124	2025-07-06 20:54:13.840217	0.000328	192.168.43.214	18.232.70.135	TCP	66	53606 → 60854 [SYN] Seq=0 Win=64240 Len=0 ...
153	2025-07-06 20:54:14.839078	0.998861	192.168.43.214	201.27.201.46	TCP	66	53607 → 50350 [SYN] Seq=0 Win=64240 Len=0 ...
154	2025-07-06 20:54:14.839191	0.000113	192.168.43.214	198.54.129.52	TCP	66	[TCP Retransmission] 53603 → 1 [SYN] Seq=0...
155	2025-07-06 20:54:14.839230	0.000039	192.168.43.214	37.133.99.81	TCP	66	[TCP Retransmission] 53604 → 50000 [SYN] S...
157	2025-07-06 20:54:14.839635	0.000405	192.168.43.214	188.63.251.205	TCP	66	53608 → 51413 [SYN] Seq=0 Win=64240 Len=0 ...
158	2025-07-06 20:54:14.841607	0.001972	192.168.43.214	188.63.251.205	TCP	66	[TCP Retransmission] 53601 → 61314 [SYN] S...
186	2025-07-06 20:54:15.839224	0.997617	192.168.43.214	201.27.201.46	TCP	66	[TCP Retransmission] 53607 → 50350 [SYN] S...
187	2025-07-06 20:54:15.839448	0.000224	192.168.43.214	18.215.156.129	TCP	66	53609 → 61645 [SYN] Seq=0 Win=64240 Len=0 ...
188	2025-07-06 20:54:15.840319	0.000871	192.168.43.214	188.63.251.205	TCP	66	[TCP Retransmission] 53608 → 51413 [SYN] S...
218	2025-07-06 20:54:16.840945	1.000626	192.168.43.214	198.54.129.52	TCP	66	[TCP Retransmission] 53603 → 1 [SYN] Seq=0...
219	2025-07-06 20:54:16.841009	0.000064	192.168.43.214	37.133.99.81	TCP	66	[TCP Retransmission] 53604 → 50000 [SYN] S...
239	2025-07-06 20:54:17.839770	0.998761	192.168.43.214	201.27.201.46	TCP	66	[TCP Retransmission] 53607 → 50350 [SYN] S...
240	2025-07-06 20:54:17.841773	0.002003	192.168.43.214	188.63.251.205	TCP	66	[TCP Retransmission] 53608 → 51413 [SYN] S...
252	2025-07-06 20:54:18.847654	1.005881	192.168.43.214	31.200.249.130	TCP	66	53610 → 31818 [SYN] Seq=0 Win=64240 Len=0 ...
280	2025-07-06 20:54:20.568104	1.720450	192.168.43.214	52.44.173.143	TCP	66	53611 → 443 [SYN] Seq=0 Win=64240 Len=0 MS...
282	2025-07-06 20:54:20.583152	0.015048	192.168.43.214	102.132.101.60	QUIC	1292	Initial, DCID=4c2b412f94986b78, PKN: 2, PA...
306	2025-07-06 20:54:20.796666	0.213514	192.168.43.214	52.44.173.143	TLSv1.2	550	Client Hello (SNI=in.grammarly.com)

Frame 6: 224 bytes on wire (1792 bits), 224 bytes captured (1792 bits) on 0, 0 packets received by capture, 0 packets dropped by kernel, interface: eth0, capture length: 1500, packet length: 224, on interface (0.0.0.0) ...


14. (http.request or tls.handshake.type == 1 or tcp.flags eq 0x002 or dns) and !(ssdp)

No.	Time	Delta	Source	Destination	Protocol	Length	Info
6	2025-07-06 20:54:08.071154	0.000000	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
8	2025-07-06 20:54:08.190203	0.119049	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
10	2025-07-06 20:54:08.841154	0.650951	192.168.43.214	198.54.129.52	TCP	66	53594 → 16311 [SYN] Seq=0 Win=64240 Len=0 ...
11	2025-07-06 20:54:08.841223	0.000069	192.168.43.214	188.63.251.205	TCP	66	53601 → 61314 [SYN] Seq=0 Win=64240 Len=0 ...
18	2025-07-06 20:54:10.644941	1.803718	192.168.43.214	43.152.186.225	TCP	66	53602 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS...
23	2025-07-06 20:54:10.841405	0.196464	192.168.43.214	188.63.251.205	TCP	66	[TCP Retransmission] 53601 → 61314 [SYN] S...
27	2025-07-06 20:54:10.869390	0.027985	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
53	2025-07-06 20:54:12.567819	1.698429	192.168.43.214	216.58.223.195	QUIC	1292	Initial, DCID=91f2aacfbc987e45, PKN: 3, CR...
118	2025-07-06 20:54:13.839135	1.271316	192.168.43.214	198.54.129.52	TCP	66	53603 → 1 [SYN] Seq=0 Win=64240 Len=0 MSS=...
120	2025-07-06 20:54:13.839525	0.000390	192.168.43.214	37.133.99.81	TCP	66	53604 → 50000 [SYN] Seq=0 Win=64240 Len=0 ...
122	2025-07-06 20:54:13.839889	0.000364	192.168.43.214	54.227.190.221	TCP	66	53605 → 58162 [SYN] Seq=0 Win=64240 Len=0 ...
124	2025-07-06 20:54:13.840217	0.000328	192.168.43.214	18.232.70.135	TCP	66	53606 → 60854 [SYN] Seq=0 Win=64240 Len=0 ...
153	2025-07-06 20:54:14.839078	0.998861	192.168.43.214	201.27.201.46	TCP	66	53607 → 50350 [SYN] Seq=0 Win=64240 Len=0 ...
154	2025-07-06 20:54:14.839191	0.000113	192.168.43.214	198.54.129.52	TCP	66	[TCP Retransmission] 53603 → 1 [SYN] Seq=0...
155	2025-07-06 20:54:14.839230	0.000039	192.168.43.214	37.133.99.81	TCP	66	[TCP Retransmission] 53604 → 50000 [SYN] S...
157	2025-07-06 20:54:14.839635	0.000405	192.168.43.214	188.63.251.205	TCP	66	53608 → 51413 [SYN] Seq=0 Win=64240 Len=0 ...
158	2025-07-06 20:54:14.841607	0.001972	192.168.43.214	188.63.251.205	TCP	66	[TCP Retransmission] 53601 → 61314 [SYN] S...
186	2025-07-06 20:54:15.839224	0.997617	192.168.43.214	201.27.201.46	TCP	66	[TCP Retransmission] 53607 → 50350 [SYN] S...
187	2025-07-06 20:54:15.839448	0.000224	192.168.43.214	18.215.156.129	TCP	66	53609 → 61645 [SYN] Seq=0 Win=64240 Len=0 ...
188	2025-07-06 20:54:15.840319	0.000871	192.168.43.214	188.63.251.205	TCP	66	[TCP Retransmission] 53608 → 51413 [SYN] S...
218	2025-07-06 20:54:16.840945	1.000626	192.168.43.214	198.54.129.52	TCP	66	[TCP Retransmission] 53603 → 1 [SYN] Seq=0...
219	2025-07-06 20:54:16.841009	0.000064	192.168.43.214	37.133.99.81	TCP	66	[TCP Retransmission] 53604 → 50000 [SYN] S...
239	2025-07-06 20:54:17.839770	0.998761	192.168.43.214	201.27.201.46	TCP	66	[TCP Retransmission] 53607 → 50350 [SYN] S...
240	2025-07-06 20:54:17.841773	0.002003	192.168.43.214	188.63.251.205	TCP	66	[TCP Retransmission] 53608 → 51413 [SYN] S...
252	2025-07-06 20:54:18.847654	1.005881	192.168.43.214	31.200.249.130	TCP	66	53610 → 31818 [SYN] Seq=0 Win=64240 Len=0 ...
280	2025-07-06 20:54:20.568104	1.720450	192.168.43.214	52.44.173.143	TCP	66	53611 → 443 [SYN] Seq=0 Win=64240 Len=0 MS...
282	2025-07-06 20:54:20.583152	0.015048	192.168.43.214	102.132.101.60	QUIC	1292	Initial, DCID=4c2b412f94986b78, PKN: 2, PA...
306	2025-07-06 20:54:20.796666	0.213514	192.168.43.214	52.44.173.143	TLSv1.2	550	Client Hello (SNI=in.grammarly.com)

Frame 6: 224 bytes on wire (1792 bits), 224 bytes captured (1792 bits) on 0, 0 packets received by capture, 0 packets dropped by kernel, interface: eth0, capture length: 1500, packet length: 224, on interface (0.0.0.0) ...

15. ssl.record.version < 0x0303


Purpose: Detect SSLv3, TLS 1.0 / 1.1



No.	Time	Delta	Source	Destination	Protocol	Length	Info
306	2025-07-06 20:54:20.796666	0.000000	192.168.43.214	52.44.173.143	TLSv1.2	550	Client Hello (SNI=in.grammarly.com)
340	2025-07-06 20:54:21.633777	0.837111	192.168.43.214	34.235.97.234	TLSv1.2	552	Client Hello (SNI=gnar.grammarly.com)
785	2025-07-06 20:54:28.054192	6.420415	192.168.43.214	50.16.121.25	TLSv1.3	587	Client Hello (SNI=capi.grammarly.com)
810	2025-07-06 20:54:28.340524	0.286332	192.168.43.214	18.245.60.124	TLSv1.3	643	Client Hello (SNI=config.extension.grammar...
926	2025-07-06 20:54:29.579339	1.238815	192.168.43.214	185.60.219.60	TLSv1.3	599	Client Hello (SNI=dit.whatsapp.net)
945	2025-07-06 20:54:29.649521	0.070182	192.168.43.214	3.232.232.186	TLSv1.2	552	Client Hello (SNI=data.grammarly.com)
1004	2025-07-06 20:54:30.620781	0.971260	192.168.43.214	3.89.12.173	TLSv1.2	562	Client Hello (SNI=f-log-extension.grammarl...
1131	2025-07-06 20:54:36.751008	6.130227	192.168.43.214	150.171.22.12	TLSv1.3	778	Client Hello (SNI=www.linkedin.com)
1138	2025-07-06 20:54:36.899246	0.148238	192.168.43.214	142.250.178.138	TLSv1.3	427	Client Hello (SNI=signaler-pa.clients6.goo...
1143	2025-07-06 20:54:36.982722	0.083476	192.168.43.214	142.250.178.138	TLSv1.3	395	Client Hello (SNI=signaler-pa.clients6.goo...
1536	2025-07-06 20:54:49.342152	12.359...	192.168.43.214	44.193.105.98	TLSv1.2	630	Client Hello (SNI=extension.femetrics.gram...
1541	2025-07-06 20:54:49.550713	0.208561	192.168.43.214	44.193.105.98	TLSv1.2	630	Client Hello (SNI=extension.femetrics.gram...
3601	2025-07-06 20:56:29.403420	99.852...	192.168.43.214	52.45.154.24	TLSv1.2	621	Client Hello (SNI=treatment.grammarly.com)
3700	2025-07-06 20:56:30.731142	1.327722	192.168.43.214	52.44.173.143	TLSv1.2	582	Client Hello (SNI=in.grammarly.com)
4081	2025-07-06 20:56:36.670780	25.939...	192.168.43.214	34.120.250.63	TLSv1.3	494	Client Hello (SNI=collector-pxd0je695v.pro...
4394	2025-07-06 20:57:17.464790	20.794...	192.168.43.214	172.66.0.227	TLSv1.3	644	Client Hello (SNI=api.x.com)
4957	2025-07-06 20:57:49.324657	31.859...	192.168.43.214	44.193.105.98	TLSv1.2	534	Client Hello (SNI=extension.femetrics.gram...
5176	2025-07-06 20:57:59.691706	10.367...	192.168.43.214	172.165.61.93	TLSv1.3	398	Client Hello (SNI=nav-edge.smartscreen.mic...
5180	2025-07-06 20:57:59.695337	0.003631	192.168.43.214	43.152.186.225	TLSv1.2	417	Client Hello (SNI=video.rainberrytv.com)
5184	2025-07-06 20:57:59.710358	0.015021	192.168.43.214	43.152.186.225	TLSv1.2	481	Client Hello (SNI=video.rainberrytv.com)
5188	2025-07-06 20:57:59.724848	0.014490	192.168.43.214	2.19.117.35	TLSv1.3	700	Client Hello (SNI=ced-ns.sascdn.com)
5196	2025-07-06 20:57:59.744633	0.019785	192.168.43.214	2.19.117.148	TLSv1.3	697	Client Hello (SNI=ced.sascdn.com)
5198	2025-07-06 20:57:59.745263	0.000630	192.168.43.214	172.67.38.106	TLSv1.3	619	Client Hello (SNI=cdn.id5-sync.com)
5200	2025-07-06 20:57:59.745991	0.000728	192.168.43.214	3.161.82.43	TLSv1.3	571	Client Hello (SNI=sdk.privacy-center.org)
5805	2025-07-06 20:58:44.512265	44.766...	192.168.43.214	142.250.201.74	TLSv1.2	930	Client Hello (SNI=signaler-pa.clients6.goo...
6486	2025-07-06 20:59:13.725195	29.212...	192.168.43.214	142.250.201.74	TLSv1.2	962	Client Hello (SNI=signaler-pa.clients6.goo...
6497	2025-07-06 20:59:15.743264	2.018069	192.168.43.214	142.250.201.74	TLSv1.2	395	Client Hello (SNI=signaler-pa.clients6.goo...
6608	2025-07-06 20:59:21.031487	5.288223	192.168.43.214	52.44.173.143	TLSv1.2	476	Client Hello (SNI=in.grammarly.com)

16. udp.port == 5355


Purpose: Can be abused for Windows credential theft (Responder tool).



No.	Time	Delta	Source	Destination	Protocol	Length	Info
4532	2025-07-06 20:57:22.216900	0.000000	fe80::1bc1:18f6:4a06:6bb3	ff02::1:3	LLMNR	95	Standard query 0xe753 ANY DESKTOP-TMVCCLI
4533	2025-07-06 20:57:22.217185	0.000285	192.168.43.214	224.0.0.252	LLMNR	75	Standard query 0xe753 ANY DESKTOP-TMVCCLI

17. dns.qry.type == 16

Purpose: DNS Tunneling (Data in TXT Requests)




The screenshot shows a Wireshark capture of DNS traffic. The filter is set to 'dns.query.type == 16'. The packet list shows several DNS Standard query requests and responses. The packet details pane shows the 'Standard query response' for packet 18845, which contains a 'TXT' record with the value '0x5576 TXT tracker.tiny-vps.com'.

No.	Time	Delta	Source	Destination	Protocol	Length	Info
18818	2025-07-06 21:09:15.824414	0.000000	192.168.43.214	192.168.43.46	DNS	70	Standard query 0x734b TXT 9.rarbg.me
18819	2025-07-06 21:09:15.849541	0.025127	192.168.43.214	192.168.43.46	DNS	70	Standard query 0x734b TXT 9.rarbg.me
18823	2025-07-06 21:09:15.975702	0.126161	192.168.43.46	192.168.43.214	DNS	70	Standard query response 0x734b Server failure ...
18843	2025-07-06 21:09:18.818378	2.842676	192.168.43.214	192.168.43.46	DNS	80	Standard query 0x5576 TXT tracker.tiny-vps.com
18844	2025-07-06 21:09:18.843392	0.025014	192.168.43.214	192.168.43.46	DNS	80	Standard query 0x5576 TXT tracker.tiny-vps.com
18845	2025-07-06 21:09:18.856523	0.013131	192.168.43.46	192.168.43.214	DNS	104	Standard query response 0x5576 TXT tracker.tin...

18. icmp && frame.len > 100

Purpose: Data exfiltration over ping.




The screenshot shows a Wireshark capture of ICMP traffic. The filter is set to 'icmp && frame.len > 100'. The packet list shows several ICMP Destination unreachable (Port unreachable) messages. The packet details pane shows the 'Destination unreachable' for packet 112, which contains a 'Port unreachable' message.

No.	Time	Delta	Source	Destination	Protocol	Length	Info
112	2025-07-06 20:54:13.579752	0.000000	130.93.122.170	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
211	2025-07-06 20:54:16.721128	3.141376	185.59.247.35	192.168.43.214	ICMP	187	Destination unreachable (Host unreachable)
3128	2025-07-06 20:55:59.167646	102.44...	2.58.42.56	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
3763	2025-07-06 20:56:32.241063	33.073...	61.30.176.248	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
3769	2025-07-06 20:56:33.104424	0.863361	109.169.168.175	192.168.43.214	ICMP	173	Destination unreachable (Host unreachable)
3770	2025-07-06 20:56:33.142051	0.037627	121.101.131.227	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
3793	2025-07-06 20:56:34.824491	1.682440	31.163.69.52	192.168.43.214	ICMP	187	Destination unreachable (Host unreachable)
5455	2025-07-06 20:58:17.974746	103.15...	213.91.249.244	192.168.43.214	ICMP	173	Destination unreachable (Host unreachable)
6604	2025-07-06 20:59:21.020727	63.045...	210.186.216.127	192.168.43.214	ICMP	187	Destination unreachable (Host unreachable)
6658	2025-07-06 20:59:22.065294	1.044567	85.94.26.28	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
6718	2025-07-06 20:59:23.014323	0.949029	31.46.143.127	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
6731	2025-07-06 20:59:23.234128	0.219805	185.54.238.93	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
6755	2025-07-06 20:59:24.024733	0.790605	183.83.225.69	192.168.43.214	ICMP	187	Destination unreachable (Host unreachable)
6794	2025-07-06 20:59:24.981990	0.957257	191.96.168.152	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
6820	2025-07-06 20:59:27.102554	2.120564	77.245.103.146	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
7071	2025-07-06 20:59:33.202443	6.099889	103.167.186.1	192.168.43.214	ICMP	187	Destination unreachable (Host unreachable)
9169	2025-07-06 21:01:48.090775	134.88...	89.204.93.254	192.168.43.214	ICMP	173	Destination unreachable (Host unreachable)
10283	2025-07-06 21:02:34.590975	46.500...	32.221.88.50	192.168.43.214	ICMP	173	Destination unreachable (Host unreachable)
10714	2025-07-06 21:02:59.286150	24.695...	89.108.84.43	192.168.43.214	ICMP	187	Destination unreachable (Host administratively...
10723	2025-07-06 21:02:59.552142	0.265992	61.179.108.77	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
10755	2025-07-06 21:03:01.124214	1.572072	89.45.6.201	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
10759	2025-07-06 21:03:01.229472	0.105258	222.220.198.37	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
10855	2025-07-06 21:03:04.145126	2.915654	77.239.200.67	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
10911	2025-07-06 21:03:09.086432	4.941306	91.122.135.91	192.168.43.214	ICMP	187	Destination unreachable (Host unreachable)
10998	2025-07-06 21:03:17.460905	8.374473	185.204.1.139	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
10999	2025-07-06 21:03:17.500341	0.039436	45.151.124.2	192.168.43.214	ICMP	187	Destination unreachable (Port unreachable)
19246	2025-07-06 21:09:41.053251	383.55...	18.208.185.138	192.168.43.214	ICMP	173	Destination unreachable (Port unreachable)

19. bootp.option.type == 53 && (bootp.option.value == 1 || bootp.option.value == 3)

Purpose: DHCP Discover/Request (new device on network)




The screenshot shows a Wireshark capture of a DHCP Discover packet. The packet list pane displays a single entry: No. 4508, Time 2025-07-06 20:57:21.886390, Delta 0.000000, Source 192.168.43.214, Destination 192.168.43.46, Protocol DHCP, Length 358, Info DHCP Request - Transaction ID 0xb2628d91. The packet details pane shows the Ethernet II header (Type: IPv4) and the Internet Protocol Version 4 header (Source: 192.168.43.214, Destination: 192.168.43.46). The packet bytes pane shows the raw data: 0000 c2 8f d9 87 98 c2 58 fb 84 0e 3d b4 08 00 45 00.

No.	Time	Delta	Source	Destination	Protocol	Length	Info
4508	2025-07-06 20:57:21.886390	0.000000	192.168.43.214	192.168.43.46	DHCP	358	DHCP Request - Transaction ID 0xb2628d91

> Frame 4508: 358 bytes on wire (2864 bits), 358 bytes captured (2864 bits) on 0...
0000 c2 8f d9 87 98 c2 58 fb 84 0e 3d b4 08 00 45 00

20. tcp.port > 49151

Purpose: Traffic on Reserved Ports



The screenshot shows a Wireshark capture of traffic on reserved ports. The packet list pane displays a list of packets, including TCP and HTTP traffic. The packet details pane shows the Ethernet II header (Type: IPv4) and the Internet Protocol Version 4 header (Source: 192.168.43.214, Destination: 192.168.43.46). The packet bytes pane shows the raw data: 0000 58 fb 84 0e 3d b4 c2 8f d9 87 98 c2 08 00 45 00.

No.	Time	Delta	Source	Destination	Protocol	Length	Info
1	2025-07-06 20:54:07.855036	0.000000	3.233.158.24	192.168.43.214	TCP	66	443 → 53584 [ACK] Seq=1 Ack=1 Win=77 Len=0...
6	2025-07-06 20:54:08.071154	0.216118	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
8	2025-07-06 20:54:08.190203	0.119049	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
10	2025-07-06 20:54:08.841154	0.650951	192.168.43.214	198.54.129.52	TCP	66	53594 → 16311 [SYN] Seq=0 Win=64240 Len=0...
11	2025-07-06 20:54:08.841223	0.000069	192.168.43.214	188.63.251.205	TCP	66	53601 → 61314 [SYN] Seq=0 Win=64240 Len=0...
12	2025-07-06 20:54:09.766813	0.925590	192.168.43.214	142.250.201.74	TCP	54	53590 → 443 [RST, ACK] Seq=1 Ack=1 Win=0 L...
18	2025-07-06 20:54:10.644941	0.878128	192.168.43.214	43.152.186.225	TCP	66	53602 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS...
23	2025-07-06 20:54:10.841405	0.196464	192.168.43.214	188.63.251.205	TCP	66	[TCP Retransmission] 53601 → 61314 [SYN] S...
24	2025-07-06 20:54:10.869054	0.027649	43.152.186.225	192.168.43.214	TCP	66	80 → 53602 [SYN, ACK] Seq=0 Ack=1 Win=6553...
25	2025-07-06 20:54:10.869165	0.000111	192.168.43.214	43.152.186.225	TCP	54	53602 → 80 [ACK] Seq=1 Ack=1 Win=65792 Len...
27	2025-07-06 20:54:10.869390	0.000225	192.168.43.214	43.152.186.225	HTTP	224	GET /control/tags/ut.json HTTP/1.1
36	2025-07-06 20:54:11.405939	0.536549	192.168.43.214	43.152.186.225	TCP	224	[TCP Retransmission] 53602 → 80 [PSH, ACK]...
43	2025-07-06 20:54:12.134007	0.728068	192.168.43.214	43.152.186.225	TCP	224	[TCP Retransmission] 53602 → 80 [PSH, ACK]...
85	2025-07-06 20:54:12.942809	0.808802	192.168.43.214	43.152.186.225	TCP	54	53588 → 80 [RST, ACK] Seq=1 Ack=1 Win=0 L...
101	2025-07-06 20:54:13.366170	0.423361	102.132.101.60	192.168.43.214	TCP	63	51222 → 52610 [PSH, ACK] Seq=1 Ack=1 Win=59...
105	2025-07-06 20:54:13.408330	0.042160	192.168.43.214	102.132.101.60	TCP	54	52610 → 5222 [ACK] Seq=1 Ack=578 Win=258 L...
106	2025-07-06 20:54:13.477134	0.068804	192.168.43.214	43.152.186.225	TCP	224	[TCP Retransmission] 53602 → 80 [PSH, ACK]...
107	2025-07-06 20:54:13.486355	0.009221	192.168.43.214	102.132.101.60	TCP	151	52610 → 5222 [PSH, ACK] Seq=1 Ack=578 Win=...
109	2025-07-06 20:54:13.519729	0.033374	102.132.101.60	192.168.43.214	TCP	54	5222 → 52610 [ACK] Seq=578 Ack=98 Win=5969...
118	2025-07-06 20:54:13.839135	0.319406	192.168.43.214	198.54.129.52	TCP	66	53603 → 1 [SYN] Seq=0 Win=64240 Len=0 MSS=...
120	2025-07-06 20:54:13.839525	0.000390	192.168.43.214	37.133.99.81	TCP	66	53604 → 50000 [SYN] Seq=0 Win=64240 Len=0...
122	2025-07-06 20:54:13.839889	0.000364	192.168.43.214	54.227.190.221	TCP	66	53605 → 58162 [SYN] Seq=0 Win=64240 Len=0...
124	2025-07-06 20:54:13.840217	0.000328	192.168.43.214	18.232.70.135	TCP	66	53606 → 60854 [SYN] Seq=0 Win=64240 Len=0...
125	2025-07-06 20:54:14.059835	0.219618	54.227.190.221	192.168.43.214	TCP	66	58162 → 53605 [SYN, ACK] Seq=0 Ack=1 Win=2...
126	2025-07-06 20:54:14.059835	0.000000	18.232.70.135	192.168.43.214	TCP	66	60854 → 53606 [SYN, ACK] Seq=0 Ack=1 Win=2...
127	2025-07-06 20:54:14.060000	0.000165	192.168.43.214	54.227.190.221	TCP	54	53605 → 58162 [ACK] Seq=1 Ack=1 Win=65792...
128	2025-07-06 20:54:14.060067	0.000067	192.168.43.214	18.232.70.135	TCP	54	53606 → 60854 [ACK] Seq=1 Ack=1 Win=65792...
129	2025-07-06 20:54:14.060148	0.000081	192.168.43.214	54.227.190.221	BitTor...	122	Handshake

> Frame 1: 66 bytes on wire (528 bits), 66 bytes captured (528 bits) on 0...
0000 58 fb 84 0e 3d b4 c2 8f d9 87 98 c2 08 00 45 00