MGHUB

Employee bulk import

Client procedure

How to create employees and update existing ones from one Excel file.
People are matched on MG ID only.
This guide shows the update for each area:

01 Restaurant

02 Zone

03 Partner

04 Documents

05 Assets

06 Identity, pay, bank, status and the other fields

Employees > Bulk import

English panel labels · 23 October 2026

How a cell is applied

The sheet writes only the columns it contains. Three rules apply on every column, including restaurant, zone, partner, documents and assets.

Cell	On an existing employee	On a new employee
Filled in	Replaces the stored value	Stored on the new employee
Left blank	Keeps the stored value	Uses the field default
Contains only -	Clears that field	Leaves the field empty
Column removed	That field is not touched	That field is not written

Match on MG ID

An existing person is found only by MG ID. The headers MG ID, MGID, Employee ID, EmployeeID and employee_id are the same field. Spaces at the ends and letter case are ignored. Phone, civil ID, passport and driver code are not used to find a person. Two live people with the same MG ID block that row.

Before the first file

- Open Employees and click Bulk import. Stay on New import.
- You need permission to manage drivers. Accepted files are .xlsx, .xls and .csv.
- Click Download sample template. The file is dpd-driver-import-template.xlsx.
- Use the Guide sheet for allowed values. Use Restaurants, Zones, Partners and Companies for codes to copy.
- Columns at 46/46 includes every writable field. Full name, MG ID, Zone ID and Restaurant IDs stay in the file even if other columns are unticked.
- Delete the two sample people before you import. Importing them creates those example employees.

The ten steps

01 Open Bulk import

On the Employees list, click Bulk import. New import is the upload. Previous imports is the history.

02 Tick the columns this file should change

Click Columns. Select all for a full file. For an update, keep MG ID plus only the columns you intend to change, so every other field stays as it is.

03 Download the sample

Click Download sample template. Open Drivers, Guide, Restaurants, Zones, Partners and Companies. Download all IDs refreshes the lookup lists.

04 Fill one row per person

Keep the header row. Copy codes from the lookup sheets. Do not type a vehicle plate that is not already in the fleet.

05 Upload the file

Drop the file on the dialog or click the drop area. The dialog moves to column mapping.

06 Check the mapping

Each header must point at one field. Map Full name and MG ID. Map Zone or Restaurants for a new person. Preview stays off until the required fields are mapped. Two headers on the same field block the import.

07 Read the preview

The summary is ready, existing MG IDs, and invalid. Status names the problem on a refused row. Only ready rows are written. Fix the sheet and upload again for the rest.

08 Set the two switches

Update existing by MG ID stays on to update that person. Turn it off to skip people who already exist. Approve immediately mints a passcode only when the Active cell is blank. yes or no in Active overrides the switch.

09 Import

Click Import N rows. The log shows progress. The window can be hidden. Pause, Resume and Cancel are on that screen.

10 Keep the result

Download errors for rows that failed while writing. Download credentials if new logins were created, and store the passcodes. Open the employee and confirm the columns this file was meant to change.

Update a restaurant

Column header: Restaurant IDs. Copy the value from the Restaurants sheet, column RST code (paste this). A unique restaurant name or the restaurant ID also matches. Separate several restaurants with a comma.

MG ID	Restaurant IDs	Result
10421	RST-0142	That restaurant replaces the rider's current list
10422	RST-0142, RST-0201	Both restaurants replace the current list
10423	-	Every restaurant is removed
10424	(blank)	Restaurants stay as they are

> **Replace, not add**
> A filled Restaurant IDs cell is the full new list. It does not add one restaurant beside the ones already assigned. To keep an existing restaurant, include its code in the cell. A new employee still needs a restaurant or a zone. If both are blank, the row is refused.

Rows marked Importable = No on the Restaurants sheet cannot be used. A name that matches two restaurants is refused. Use the RST code in that case.

Update a zone

Column header: Zone ID. Copy Code, Name, or ID (paste this) from the Zones sheet. Code is checked before name. One zone per person.

MG ID	Zone ID	Result
10421	JAH-01	Zone becomes that code
10422	Jahra	Zone becomes that name, when the name is unique
10423	-	Zone is cleared
10424	(blank)	Zone stays as it is

A name or code that matches more than one zone is refused. Paste ID (paste this) when the name is shared.

Update a partner

Column header: Partner. Copy Name (paste this) from the Partners sheet, or paste the ID. Letter case does not matter.

MG ID	Partner	Result
10421	Talabat	Partner becomes Talabat
10422	-	Partner is cleared
10423	(blank)	Partner stays as it is

A partner name that matches more than one record is refused. Paste the ID from the Partners sheet. The partner is the commercial partner on the employee. It is separate from Company Name and from the restaurant list.

Update documents

The sheet sets expiry dates only. It does not upload a scan or a photo. A date already on file is kept when the cell is blank. A dash stops expiry tracking and leaves the uploaded file in place.

Column	Document
License Expiry	Driving licence
Civil ID Expiry	Civil ID
Work Permit Expiry	Work permit
Passport Expiry	Passport
Health Card Expiry	Health card
Operations Card Expiry	Operations card

MG ID	License Expiry	Passport Expiry	Result
10421	2027-06-30	2028-01-15	Both dates are saved
10422	2027-06-30	(blank)	Licence date changes. Passport date stays
10423	-	(blank)	Licence tracking stops. The file stays. Passport stays

Dates are YYYY-MM-DD or DD-MM-YYYY. Residency Expiry is a separate date on the employee. It is not one of the six document files.

Update assets

Column header: Assets. Type the asset catalog name or its code. Separate several with a comma. The cell is the full new list: it replaces the assets currently assigned.

MG ID	Assets	Result
10421	Helmet, Vest	Those assets replace the current assignment
10422	Fuel Chip	Only Fuel Chip remains assigned
10423	-	Every assigned asset is returned
10424	(blank)	Assets stay as they are

One unknown name fails the row

Every name or code in the cell must exist on the active asset catalog. One unknown item refuses the whole row, and no asset on that row is changed. An inactive catalog item cannot be assigned.

Update the other fields

Same blank and dash rules. Keep MG ID in the file and delete every column you do not intend to change.

Area	Column	What to type
Name	Full Name	The employee name
Phone	Phone	Kuwait mobile, with or without +965. Unique when filled
Civil ID	Civil ID	12 digits. Unique when filled. Blank is allowed
Passport	Passport	Passport number
Nationality	Nationality	Catalog label, for example Indian
Country	Country	Country name or ISO code. Separate from Nationality
Platform	Client ID, Platform	Shared contract text. Not a match key
Company	Company Name	Name or Client ID from the Companies sheet
Category	Rider Category	in_house or outsourced. Blank means in_house
Project	Project	A project key such as keeta or americana
Section	Section	Section names, comma-separated
Status	Employee Status	A status from the catalog, for example running
Active	Active	yes or no. Blank follows Approve immediately
OFFs	Number of OFFs	Whole number for the current Kuwait month
Work start	Work Start	Date. Stored as the work start date
Job	Job Position	rider or light_driver
Hiring	Hiring Type	overseas, old_local, new_local, outsourcing_partner
Sponsorship	Sponsorship	A sponsorship from Settings
Salary	Fixed Salary	Amount, zero or greater, up to 3 decimals
Permit pay	Work Permit Salary	Amount, zero or greater, up to 3 decimals
Increment	Last Increment	Date of the last increment

Area	Column	What to type
Bank	Bank	Bank code or name, or cash
Account	Account Number	6 to 20 digits. Cleared when the bank is cash
IBAN	IBAN	Kuwait IBAN. Cleared when the bank is cash
Currency	Currency	KWD or another payment code. Blank with a bank becomes KWD
Vehicle	Vehicle	Plate or bike id that already exists
Type	Vehicle Type	bike or car. A missing column does not change the type

Bank, company and OFFs

- Bank set to cash clears the account number and the IBAN. A dash in Bank clears the whole bank record.
- An in-house rider belongs to the system company. An outsourced rider belongs to a partner company, or stays Unassigned when Company Name is blank.
- Number of OFFs is written only when the person is approved on this import or is already linked. A blank cell keeps the default of 2 and writes nothing.
- Screenshots and Login Exempt are yes or no. A dash on Screenshots turns the flag off.

What this file cannot change

- Driver code. The system assigns it. Import never rewrites it.
- App passcode. Approve immediately mints one. Download credentials saves it. The sheet cannot type a passcode.
- On duty, today's deliveries, workflow, linked, blocked and freeze.
- Profile photo, and the scan or photo on a document. Only the expiry date can be set.

When a row is refused

The preview Status column uses these words. A refused row is not written and is not part of undo.

Status	What to fix
Missing fields	Full name or MG ID is empty
Needs a zone or a restaurant	A new person has neither
Unknown restaurant	RST code or name is not on the Restaurants sheet
Unknown zone	Code, name or ID is not on the Zones sheet
Unknown partner	Name or ID is not on the Partners sheet
Unknown asset	A name or code is not on the active asset catalog
Unknown vehicle	That plate or bike id is not in the fleet
Duplicate phone or civil ID	The number already belongs to someone else
MG ID matches more than one person	Correct the duplicate MG ID before import
Two columns point at the same field	Change the mapping. Import stays off
Date must be YYYY-MM-DD	Use YYYY-MM-DD or DD-MM-YYYY

Undo

On the preview step, Undo last import reverses the whole last applied batch, including a login created by approve and the restaurant, zone, partner, document dates and assets that batch wrote. Redo puts that batch back. A new import clears the redo stack. Do this before you run the next file.