KADAMBAVANAM PATHOLOGY LABORATORY
Histopathology | Cytology | Immunohistochemistry
7, West Masi Street, Madurai, Tamil Nadu 625 001
Tel: 0452-2345 718 | Email: histo@kadambavanam-path.example
Lab Reg. No. TN/MDU/PL/2011/0233

HISTOPATHOLOGY REPORT

Patient:	**Mrs. MEENATCHI SUNDARESAN**	HP No.:	**KPL/HP/26/2731**
Age / Sex:	51 / F	Received:	23/06/2026
Referred by:	Dr. R. Senthilkumar, Alavandar Oncology & Breast Centre	Reported:	**30-06-2026**
Specimen:	Left modified radical mastectomy (surgery on 23/06/2026)	Previous:	Core biopsy KPL/HP/26/2215

Gross

Mastectomy specimen 22 x 18 x 5 cm with an elliptical skin flap 16 x 6 cm and nipple; axillary tail present. A grey-white firm tumour 3.4 x 3 x 2.6 cm in the upper outer quadrant, 2.5 cm from the nipple and 0.6 cm from the deep (posterior) inked surface. Fourteen lymph nodes identified.

Microscopy

Invasive carcinoma of no special type with tubule formation below 10 %, moderate nuclear pleomorphism and 12 mitoses per 10 HPF. Associated DCIS (solid type, intermediate grade) forms about 10 % of the tumour. Lymphovascular invasion present.

Synoptic summary

Parameter	Finding
Histological type	Invasive breast carcinoma, no special type (IDC)
Grade (Nottingham)	Grade 2 (3 + 2 + 2 = 7)
Tumour size	3.4 cm (greatest dimension)
Lymphovascular invasion	Present
Margins	All surgical margins are free of tumour
Closest margin	Deep (posterior) margin, 6 mm
Nipple and skin	Free
Lymph nodes	3 of 14 involved; largest deposit 1.1 cm; no extranodal extension
pTNM (AJCC 8th ed.)	**pT2 pN1a**

Final diagnosis

Left breast, MRM: invasive breast carcinoma NST, grade 2, with axillary nodal metastasis (3/14).

ER, PR, HER2 and Ki-67 immunostains are in process on block A4; the IHC report will follow.

Dr. Kavitha Rajendran
M.D. (Pathology)
Reg. No. TNMC-81054
Consultant Pathologist

*** End of Report ***

SYNTHETIC DOCUMENT — FOR DEMONSTRATION ONLY