Practical-4

Aim : Simple Queries:
(1) Give name of depositors having amount greater than 4000.
(2) List the employees having salary less than 22000.
(3) List the sailors having age more than 25.
(4) List the boats travelling on 10-oct-98
(5) List the details of boat ��Interlake����
(6) List the details of the red colored boat.
(7) List the details of clients whose city is Mumbai
(8) List Client Name, due balance and city of the clients having balance greater than
1500. (9) Describe the details of products having selling price less than 500.
(10) List the products for which quantity ordered is less than 120 and cost price is greater than
250.
(11) Display account details having amount greater 2200.
(12) Display all the customers staying in Nagpur
(13) Display the names of sailors having rating greater than 7
(14) Display the orders made in the month of June
(15) List all the accounts created in the month of March

.

==**Note : Make sure to adjust the table and column names based on your database schema.**==

1)
SELECT depositor_name
FROM depositors
WHERE amount > 4000;

2)
SELECT *
FROM employees
WHERE salary < 22000;

3)
SELECT *
FROM sailors
WHERE age > 25;

4)
SELECT b.boat_name
FROM boats b

```
JOIN travels t ON b.boat_id = t.boat_id
WHERE t.travel_date = '1998-10-10';
```

5)
```
SELECT *
FROM boats
WHERE boat_name = 'Interlake';
```

6)
```
SELECT *
FROM boats
WHERE color = 'red';
```

7)
```
SELECT *
FROM clients
WHERE city = 'Mumbai';
```

8)
```
SELECT client_name, due_balance, city
FROM clients
WHERE due_balance > 1500;
```

9)
```
SELECT *
FROM products
WHERE selling_price < 500;
```

10)
```
SELECT *
FROM products
WHERE quantity_ordered < 120 AND cost_price > 250;
```

11)
```
SELECT *
FROM accounts
WHERE amount > 2200;
```

12)

```sql
SELECT *
FROM customers
WHERE city = 'Nagpur';
```
13)
```sql
SELECT sailor_name
FROM sailors
WHERE rating > 7;
```

14)
```sql
SELECT *
FROM orders
WHERE EXTRACT(MONTH FROM order_date) = 6;
```

15)
```sql
SELECT *
FROM accounts
WHERE EXTRACT(MONTH FROM created_date) = 3;
```