



Distribution of Serum Creatinine over Age




Distribution of Body Weight over Age



Distribution of Ctrough's for q6 dosing interval

Dose (mg/kg) and cmint is trough before the c-hour


SCR_Range 0.21-0.33 0.34-0.47 0.48-0.69 0.7-4.52



Distribution of Ctrough's for q8 dosing interval

Dose (mg/kg) and cmint is trough before the c-hour


SCR_Range 0.21-0.33 0.34-0.47 0.48-0.69 0.7-4.52



Distribution of Ctrough's for q12 dosing interval

Dose (mg/kg) and cmint is trough before the c-hour


SCR_Range 0.21-0.33 0.34-0.47 0.48-0.69 0.7-4.52



Distribution of AUC0-24hr

Dose (mg/kg) and ii is dosing interval (tau - hrs)


SCR_Range 0.21-0.33 0.34-0.47 0.48-0.69 0.7-4.52



Distribution of AUC24-48hr

Dose (mg/kg) and ii is dosing interval (tau - hrs)


SCR_Range 0.21-0.33 0.34-0.47 0.48-0.69 0.7-4.52



Distribution of AUC0-24hr by half-life

Dose (mg/kg) and ii is dosing interval (tau - hrs)


HL_Range 2.45-3.38 3.39-4.01 4.02-5.03 5.04-9.74



Correlation of Ctrough with AUC0-24 for q6 dosing

Dose (mg/kg)


Time of Trough (h) c6 c18 c30 c42
 c12 c24 c36



Correlation of Ctrough with AUC24-48 for q6 dosing

Dose (mg/kg)


Time of Trough (h) c6 c18 c30 c42
 c12 c24 c36



Correlation of Ctrough with AUC0-24 for q8 dosing

Dose (mg/kg)


Time of Trough (h) c8 c16 c24 c32 c40



Correlation of Ctrough with AUC24-48 for q8 dosing

Dose (mg/kg)


Time of Trough (h) c8 c16 c24 c32 c40



Correlation of Ctrough with AUC0-24 for q12 dosing

Dose (mg/kg)

Time of Trough (h) c12 c24 c36



Correlation of Ctrough with AUC24-48 for q12 dosing

Dose (mg/kg)

Time of Trough (h) • c12 • c24 • c36

