




Nilgiri Flowerpecker $r_{sq} = 0.24$ slope = 0.02226



Greater Racket-tailed Drongo $r_{sq} = 0.7$ slope = 0.05527



Mountain Imperial-Pigeon $r_{sq} = 0.32$ slope = 0.0629



Gray Junglefowl $r_{sq} = -0.04$ slope = 0.003991

Vocalization rates (from acoustic data)

0.6

0.4

0.2

1


2

3


4

5


Abundance (from point count data)




Southern Hill Myna $r_{sq} = 0.1$ slope = 0.01304




Square-tailed Bulbul $r_{sq} = 0.46$ slope = 0.05289




Yellow-browed Bulbul $r_{sq} = 0.18$ slope = 0.02755




Asian Fairy-bluebird $r_{sq} = 0.04$ slope = 0.009131




Crimson-backed Sunbird $r_{sq} = 0.35$ slope = 0.1046




Vernal Hanging-Parrot $r_{sq} = 0.48$ slope = 0.01505




Malabar Whistling-Thrush $r_{sq} = 0.11$ slope = 0.03788




Puff-throated Babbler $r_{sq} = 0.12$ slope = 0.02865




Large-billed Leaf Warbler $r_{sq} = 0.37$ slope = 0.03068




Greenish Warbler $r_{sq} = 0.0045$ slope = 0.005743




Indian Scimitar-Babbler $r_{sq} = -0.0025$ slope = 0.008488




White-cheeked Barbet $r_{sq} = 0.025$ slope = 0.01244




Velvet-fronted Nuthatch $r_{sq} = 0.2$ slope = 0.01878




Indian White-eye $r_{sq} = 0.029$ slope = 0.01511




Brown-cheeked Fulvetta $r_{sq} = 0.28$ slope = 0.03313



Gray-headed Canary-Flycatcher $r_{sq} = 0.4$ slope = 0.05217



Malabar Trogon $r_{sq} = 0.55$ slope = 0.0205



Green Warbler $r_{sq} = 0.029$ slope = 0.003427

Vocalization rates (from acoustic data)


0.15
0.10
0.05
0.00

3


6

9


Abundance (from point count data)




Malabar Barbet $r_{sq} = 0.2$ slope = 0.03375




Greater Coucal $r_{sq} = -0.062$ slope = -0.0005008




Large-billed Crow $r_{sq} = -0.073$ slope = 0.002204




Black-naped Monarch $r_{sq} = 0.32$ slope = 0.02621




Orange Minivet $r_{sq} = 0.015$ slope = 0.006763



Indian Paradise-Flycatcher $r_{sq} = -0.32$ slope = -0.01181




Little Spiderhunter $r_{sq} = 0.62$ slope = 0.03618




Greater Flameback $r_{sq} = -0.065$ slope = -0.004343

Vocalization rates (from acoustic data)




Ashy Drongo $r_{sq} = 0.44$ slope = 0.008316


Vocalization rates (from acoustic data)




Indian Blue Robin $r_{sq} = -0.075$ slope = -0.001294




Brown-breasted Flycatcher $r_{sq} = -0.06$ slope = -0.00534




Asian Emerald Dove $r_{sq} = 0.49$ slope = 0.03783




Blyth's Reed Warbler $r_{sq} = 0.54$ slope = 0.0377




Purple Sunbird $r_{sq} = 0.087$ slope = 0.02059




Chestnut-headed Bee-eater $r_{sq} = -0.033$ slope = 0.004728




Red-whiskered Bulbul $r_{sq} = 0.17$ slope = 0.02489




Spotted Dove $r_{sq} = 0.16$ slope = 0.03478




White-bellied Treepie $r_{sq} = 0.97$ slope = 0.01986




Bronzed Drongo $r_{sq} = 0.25$ slope = -0.00625




Malabar Gray Hornbill $r_{sq} = 0.024$ slope = 0.005155



Malabar Parakeet $r_{sq} = -0.071$ slope = 0.002096



Plum-headed Parakeet $r_{sq} = 0.14$ slope = 0.01695



Common Tailorbird $r_{sq} = 0.12$ slope = 0.01364

