



♦ FULLSTACK




#### Debugging is a HOT TOPIC

Pro tip: If you're at a networking event ad you don't know what to talk about to a developer, ask them about their worst debugging session.




How to know you have a bug. If somebody says...



Or when they ask...




The computer exhibits weird behavior.... It's a bug!:



Some bugs are very simple.

```
funciton bar () {
}
```

Some are cruel




#### Some are **very** cruel.

Yes, this is real story: https://www.ibiblio.org/harris/500milemail.html

There was a campus email system that was unable to deliver emails to locations more than 500 miles away.


The system was set to timeout on a very short interval, it turned out to be about 3 milliseconds.

Light travels  $\sim$ 558 miles in 3 ms



But others have come here before us.

There is a bounty of debugging tactics and tools.



And you will be greatly rewarded by improving your debugging skills

Studies show a **20:1** difference in time to debug between experienced and inexperienced developers, also leaving (and creating!) far fewer bugs in the process (McConnell, Code Complete).



Hey look. bug fixing is last



An ounce of prevention is worth a pound of cure.

A stitch in time saves nine.

Debugging is twice as hard as writing the code in the first place.

Therefore, if you write the code as cleverly as possible, you are,


by definition, not smart enough to debug it.

- Brian W. Kernighan

♦ FULLSTACK

13

Brian W. Kernighan, Co-Author of "the C programming language" (regarded by many to be the authoritative reference on C) among many other books.



Thousand-page books have been written on this subject, but here are some tips that will keep many bugs away - Keep them in mind

Formatting matters! It's not just about opinionated aesthetics. It is about reducing complexity, improving maintainability, and consequently eliminating the potential for bugs.

```
1 async function main
2  () {
3 try { throws();
4  }catch (err) {console.log('caught');}}
```

indentation matters

♦ FULLSTACK


15

:screamface:

indentation matters

♦ FULLSTACK

16



Functions are an integral part of coding in languages such as Js. Here are a few tips:

- Use small functions. Try imposing an arbitrary limit (10 lines is plenty).
- Prefer single-purpose functions. If your function does two things, maybe it should be two functions.
- Prefer pure functions. Pure functions neither rely on nor influence the surrounding scope. They take in inputs and return outputs nothing more. That makes them easy to reason about (stateless)

avoid side-effects

♦ FULLSTACK

18

This function `add` is changing a variable outside of itself.

This is difficult to read, and easy for another developer to misunderstand.

```
1 const add = (a, b) => a + b
2 console.log(add(10, 20))
```

avoid side-effects

♦ FULLSTACK

19

We didn't even need that outside variable.

```
1 const addOrSubtract = (a, b, operation) =>
2 operation === 'add' ? a + b : a - b
```

single-purpose functions

♦ FULLSTACK

20

```
1 const add = (a, b) => a + b
2 const subtract = (a, b) => a - b
```

single-purpose functions

♦ FULLSTACK

21

Split out as two functions this is much simpler to reason about

Tools can get help.

♦ FULLSTACK

22

Actually, you can set assistive tooling in your computer, and it helps quite a bit with this.



Assistive tooling can help reduce entire classes of bugs.

After this lecture, you'll be installing some helpful tools to help with this.



ESLint is great too.

[ demo eslint: https://eslint.org/demo/ ]



Prettier is great.

[ demo prettier: <a href="https://prettier.io/">https://prettier.io/</a> ]