Package 'pipefittr'

October 14, 2022

Type Package

Title Convert Nested Functions to Pipes

Version 0.1.2

Author Houston R Users,
Neeraj Tandon,
Ed Goodwin,
Ju Yeong Kim,
Sahil Seth

Maintainer Sahil Seth <me@sahilseth.com>

Description To take nested function calls and convert them to a more readable form using pipes from package 'magrittr'.

Depends R (>= 3.0.0)

Imports magrittr, miniUI (>= 0.1.1), rstudioapi (>= 0.4), shiny (>= 0.13), stringr

Suggests testthat

License MIT + file LICENSE

LazyData TRUE

RoxygenNote 5.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2016-09-14 21:44:10

R topics documented:

---

make_list	*make_list*

Description

make_list

Usage

```
make_list(string)
```

Arguments

string   a string to be converted into a list

---

make_output	*make_output*

Description

make_output

Usage

```
make_output(funclist)
```

Arguments

funclist   a list of functions

---

pipefittr	*Convert nested calls to magrittr's pipes.*

Description

To take nested function calls and convert them to a more readable form using magrittr's pipes.

Usage

```
pipefittr(string, pretty = F)
```

Arguments

string   a string, to be converted into `magrittr`'s pipe syntax
pretty   create a multiline output, which is prettier. Try this.

Examples

```
teststring = "jump_on(bop_on( scoop_up( hop_through(foo_foo, forest), field_mouse ), head))"
pipefittr(teststring, pretty = TRUE)
```

---

splitlisttodf *Splits list into a data.frame*

Description

Splits list into a data.frame

Usage

```
splitlisttodf(listtosplit)
```

Arguments

listtosplit   a list to be converted into a data.frame

---

splitmultistrtolist *Splits string into a list*

Description

Splits string into a list

Usage

```
splitmultistrtolist(stringtosplit)
```

Arguments

stringtosplit   a string to be split

Index