Package 'orsifronts'

October 14, 2022

Type Package	
Title Southern Ocean Frontal Distributions (Orsi)	
Version 0.2.0	
Description A data set package with the ``Orsi" and ``Park/Durand" fronts as 'SpatialLinesDataFrame' objects. The Orsi et al. (1995) fronts are published at the Southern Ocean Atlas Database Page, and the Park et al. (2019) fronts are published at the 'SEANOE' Altimetry-derived Antarctic Circumpolar Current fronts page, please see package CITATION for details.	
License GPL-3	
LazyData TRUE	
RoxygenNote 7.1.1	
Depends sp, R (>= 2.10)	
Suggests knitr, rmarkdown, covr	
Encoding UTF-8	
VignetteBuilder knitr	
<pre>URL https://australianantarcticdivision.github.io/orsifronts/</pre>	
BugReports https://github.com/AustralianAntarcticDivision/orsifronts/issues	
NeedsCompilation no	
Author Michael D. Sumner [aut, cre]	
Maintainer Michael D. Sumner <mdsumner@gmail.com></mdsumner@gmail.com>	
Repository CRAN	
Date/Publication 2021-05-04 22:00:03 UTC	
R topics documented:	
	2 2
Index	3

2 parkfronts

orsifronts

Orsi fronts.

Description

The spatial distributions of the Antarctic Circumpolar Current fronts as presented in Orsi, A. H., T. Whitworth III and W. D. Nowlin, Jr., 1995: On the meridional extent and fronts of the Antarctic Circumpolar Current, Deep-Sea Res. I, 42, 641-673.

Usage

orsifronts

Format

A SpatialLinesDataFrame with variables: name, front.

parkfronts

Park/Durand fronts.

Description

A dataset containing the locations of the Southern Ocean fronts as determined by Park and Durand.

Usage

parkfronts

Format

A Spatial data frame with five line objects, and the identifiers:

name long name of the front

front short name of the front, abbreviation

Source

doi: 10.17882/59800

Index

```
* datasets
    orsifronts, 2
    parkfronts, 2

orsifronts, 2

parkfronts, 2

SpatialLinesDataFrame, 2
```