Package 'flipdownr'

October 13, 2022

Type Package

Title Implement a Countdown in 'RMarkdown' Documents and 'shiny'
Applications

Version 0.1.1

Maintainer Mohamed El Fodil Ihaddaden <ihaddaden.fodeil@gmail.com>

Description
Allows the user to create a countdown in 'RMarkdown' documents and 'shiny' applications.
The package is a wrapper of the 'JavaScript' library 'flipdown.js'. See <https://pbutcher.uk/flipdown/> for more info.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Imports htmltools, glue, jsonlite, checkmate

URL https://github.com/feddelegrand7/flipdownr

BugReports https://github.com/feddelegrand7/flipdownr/issues

NeedsCompilation no

Author Mohamed El Fodil Ihaddaden [aut, cre],
Butcher Peter [ctb, cph] (flipdown.js library developer)

Repository CRAN

Date/Publication 2020-11-29 15:30:03 UTC

R topics documented:

---

flipdown *Implement a countdown*

Description

Implement a countdown

Usage

```
flipdown(
  downto,
  id,
  theme = "dark",
  headings = c("Days", "Hours", "Minutes", "Seconds")
)
```

Arguments

downto   the targeted date in 'yyyy-mm-dd' or 'yyyy-mm-dd hh:mm:ss' format

id   the id of the flipdown object

theme   the theme of the flipdown object. Possible choices: 'dark', 'light', 'gdila',
                'youkous', 'ifri', 'saida'. Defaults to 'dark'

headings   a character vector specifying the heading related to each time part. Defaults to
                English headings: c("Days", "Hours", "Minutes", "Seconds")

Value

a countdown object

Examples

```
flipdown(downto = "2020-11-16 20:20:20 UTC", id = "first", theme = "dark")
```

---

flipdown_dependency *Create an HTML dependency for flipdown.js*

Description

Create an HTML dependency for flipdown.js

Usage

```
flipdown_dependency()
```

Index