Package 'eatTools'

October 11, 2024

Type Package

Title Miscellaneous Functions for the Analysis of Educational
Assessments

Version 0.7.7

Depends R (>= 4.0.0)

Imports stats, data.table, stringi, checkmate

Description Miscellaneous functions for data cleaning and data analysis of educational assessments. Includes functions for descriptive
analyses, character vector manipulations and weighted statistics. Mainly a lightweight dependency for the packages 'eatRep',
'eatGADS', 'eatPrep' and 'eatModel' (which will be subsequently submitted to 'CRAN').
The function for defining (weighted) contrasts in weighted effect coding refers to
te Grotenhuis et al. (2017) <doi:10.1007/s00038-016-0901-1>.
Functions for weighted statistics refer to
Wolter (2007) <doi:10.1007/978-0-387-35099-8>.

License GPL (>= 2)

URL https://github.com/weirichs/eatTools,
https://weirichs.github.io/eatTools/

Suggests testthat, covr

NeedsCompilation no

RoxygenNote 7.3.1

Author Sebastian Weirich [aut, cre],
Martin Hecht [aut],
Karoline Sachse [aut],
Benjamin Becker [aut],
Nicole Mahler [aut],
Edna Grewers [ctb]

Maintainer Sebastian Weirich <sebastian.weirich@iqb.hu-berlin.de>

Repository CRAN

Date/Publication 2024-10-11 18:50:02 UTC

Contents

eatTools-package	*eatTools: Miscellaneous Functions for the Analysis of Educational Assessments*

Description

The `eatTools` package provides various groups of functions. The main groups of functions include: transformation of vector types, modification of character variables, descriptive analyses and weighted statistics. The package's purpose is mainly to function as a lightweight dependency for other packages.

Transformation of vector types

The functions [asNumericIfPossible](#) and [catch_asNumericIfPossible](#) transform character and factor variables to numeric. [facToChar](#) transforms factor variables to character. [set.col.type](#) allows manually setting the type of multiple variables within a `data.frame`.

Modification of character variables

Multiple convenience functions exist for modification of character variables: removing certain pattern ([removePattern](#)), removing numerics ([removeNumeric](#)) and removing non numerics ([removeNonNumeric](#)), substituting multiple patterns within a string ([gsubAll](#)) and splitting strings into multiple or a fixed number of parts but at specific position ([halveString](#))

Descriptive Statistics

The function [descr](#) provides simple descriptive statistics for a `data.frame`, but in a format especially useful for further automated processing (long format `data.frame`).

Weighted Statistics

[wtdVar](#) provides calculation of weighted variances (this can be done also by the package Hmisc, which has, however, a very high number of dependencies). [wtdTable](#) provides a weighted frequency table.

---

addLeadingZerosToCharInt	
	Add leading zeros to all columns that can be identified as integers in a character data.frame

---

Description

Adds leading zeros to all columns that can be identified as integers in a data.frame that consists of character columns only.

Usage

```
addLeadingZerosToCharInt(dat)
```

Arguments

dat   a data.frame consisting of character columns only

Value

a data.frame of only character columns and the same dimensions as the input data.frame. In any
column containing strings that can be converted to integers, these strings will be padded with leading
zeros so that all values in the column have the same number of digits.

Author(s)

Karoline Sachse

Examples

```
dat <- data.frame(v1 = c("0","300","e",NA),
                  v2=c("0","90","10000",NA),
                  v3=c("k","kk","kkk",NA),
                  v4=NA,
                  v5=c("0","90","100","1"))
dat <- set.col.type(dat)
addLeadingZerosToCharInt(dat)
```

---

asNumericIfPossible   *Convert a Vector, Matrix or Data Frame Into Numeric Values If Possible*

Description

This function converts vectors and matrices of all kinds to numeric. The function can also be used
to convert all columns of a data.frame to class numeric for which this conversion is possible i.e.
without creating NA when it fails. Non-convertible columns are maintained.

Usage

```
asNumericIfPossible(x, maintain.factor.scores = TRUE, force.string = TRUE,
transform.factors = TRUE, varName = NULL)
```

Arguments

x	A vector or data frame which should be converted.
maintain.factor.scores	
	Logical: If TRUE, conversion of the factor levels is attempted (like in `as.numeric(as.character(f))`). If FALSE, the internal codes of the factor are returned (like in `as.numeric(f)`). See 'Details'. This argument is only evaluated if `transform.factors = TRUE`.
force.string	Logical indicating whether columns should be force to numeric, even if NAs are induced. If FALSE, affected columns are maintained. If TRUE, conversion is forced.
transform.factors	
	Logical indicating whether columns of class `factor` should be converted. If FALSE, columns of class `factor` are maintained. If TRUE, conversion of factors is attempted.
varName	Optional: Name of the corresponding variable. Doesn't have to be changed by user.

Details

In R, factors may represent ordered categories or categorical variables. Depending on the meaning of the variable, a conversion of the nominal values (of a factor variable) to numeric values may be desirable or not. The arguments `transform.factors` and `maintain.factor.scores` specify if and how factor variables should be treated. See examples.

Author(s)

Sebastian Weirich, Karoline Sachse, Benjamin Becker

Examples

```
dat <- data.frame(X1 = c("1",NA,"0"), X2 = c("a",NA,"b"),
                  X3 = c(TRUE,FALSE,FALSE), X4 = as.factor(c("a",NA,"b")),
                  X5 = as.factor(c("5","6","7")), stringsAsFactors = FALSE)
str(dat)
asNumericIfPossible(dat)
asNumericIfPossible(dat, transform.factors=TRUE,
                         maintain.factor.scores=FALSE)
asNumericIfPossible(dat, transform.factors=TRUE,
                         maintain.factor.scores=TRUE)
```

---

catch_asNumericIfPossible

Use asNumericIfPossible *with modified warning.*

Description

This function uses `asNumericIfPossible` but lets the user change the warning issued by `asNumericIfPossible`. Suited for use in other R packages.

Usage

```
catch_asNumericIfPossible(x, warn, maintain.factor.scores = TRUE,
force.string = TRUE, transform.factors = TRUE)
```

Arguments

x	A vector or data frame which should be converted.
warn	A character vector of length 1 with the desired warning.

maintain.factor.scores

Logical: If TRUE, conversion of the factor levels is attempted (like in as.numeric(as.character(f))).
If FALSE, the internal codes of the factor are returned (like in as.numeric(f)).
See 'Details'. This argument is only evaluated if transform.factors = TRUE.

force.string	Logical indicating whether columns should be force to numeric, even if NAs are induced. If FALSE, affected columns are maintained. If TRUE, conversion is forced.

transform.factors

Logical indicating whether columns of class factor should be converted. If
FALSE, columns of class factor are maintained. If TRUE, conversion of factors
is attempted.

Details

For details see asNumericIfPossible

Author(s)

Benjamin Becker

Examples

```
char <- c("a", "b", 1)
catch_asNumericIfPossible(x = char, warn = "Vector could not be converted")
```

---

contr.wec.weighted	*Calculates contrasts for a weighted factor variable based on weighted effect coding*

Description

Function works equivalent to contr.wec from the wec package, but allows for weighted contrasts.

Usage

```
contr.wec.weighted (x, omitted, weights)
```

Arguments

x	grouping variable of class factor
omitted	Label of the factor label that should be taken as the omitted category
weights	Numeric vector of non-negative weights

Value

Returns a contrast matrix based on weighted effect coding.

Author(s)

Sebastian Weirich, based upon the `contr.wec` function of the `wec` package

Examples

```
### exemplary data according to wec paper
dat <- data.frame ( group = as.factor(c(rep(1,3), rep(2,2))), wgt = c(2/3, 4/3, 2, 3/8, 5/8))
### default contrasts
contrasts(dat[,"group"])
### weighted effect coding for weighted data
contr.wec.weighted(x= dat[,"group"], omitted=1,weights=dat[,"wgt"])
### equal to weighted effect coding: wec::contr.wec(x= dat[,"group"], omitted=1)
contr.wec.weighted(x= dat[,"group"], omitted=1,weights=rep(1, nrow(dat)))
```

---

crop   *Remove Trailing and Leading Characters From Character Strings*

Description

Similarly to the function `trim` from the `gdata` package, this function can be used to remove trailing and leading spaces from character strings. However, in contrast to `trim`, any character can be removed by `crop`.

Usage

```
crop(x, char = " ")
```

Arguments

x	character string
char	character to be removed from beginning and end of x

Author(s)

Martin Hecht, Sebastian Weirich

Examples

```
str <- c(" 12  kk ", "op j    q ", "110")
crop(str)
crop(str, "op")
```

---

descr	*Descriptive statistics for one or several variables*

Description

Function computes descriptive statistics for one variable or several variables within a data frame.

Usage

```
descr (variable, na = NA, p.weights = NULL, na.rm = FALSE, verbose=TRUE)
```

Arguments

variable	one variable or a data.frame with several variables
na	optional values with should be considered a missing values
p.weights	optional: vector with individual weights if weighted statistics should be computed
na.rm	logical: should missings be removed prior to estimation?
verbose	logical: Print messages to console?

Value

a data frame with the following columns

N	number of observations
N.valid	number of non-missing observations
Missing	number of missings
Minimum	minimum of numeric variables
Maximum	maximum of numeric variables
Sum	sum of numeric variables
Mean	arithmetic mean of numeric variables
std.err	standard error of the arithmetic mean. Note: for weighted means, standard error is estimated according to Cochran (1977): $sigma_x^2 = n/((n-1)*w_s^2)*Sigma(w_i^2*(x_i-x))$.
sig	p value
Median	median of numeric variables
SD	standard deviation of numeric variables
Var	variance of numeric variables

Author(s)

Sebastian Weirich

References

Cochran W. G. (1977). *Sampling Techniques* (3rd Edn). Wiley, New York

Examples

```
data(mtcars)
descr(mtcars)
```

---

do_call_rbind_withName

Row bind a list while assigning names to rows

Description

Use do.call(rbind, ...) on a list of data.frames while creating a new variable (colName) which contains, for example, the original list naming (name).

Usage

```
do_call_rbind_withName(df_list, name = names(df_list), colName)
```

Arguments

df_list	A list of data.frames.
name	Vector of names to fill colName. Default uses the names of df_list.
colName	A single character; name for the new column.

Value

Returns a data.frame.

Author(s)

Benjamin Becker

Examples

```
### create example list
df_list <- lapply(mtcars, function(x) {
  data.frame(m = mean(x), sd = sd(x))
})

### transform to a single data.frame
do_call_rbind_withName(df_list, colName = "variable")
```

---

existsBackgroundVariables

Internally needed function for consistency checks and data preparation.

Description

Function is necessary for `eatRep` and `eatModel` as well and therefore exported to namespace.

Usage

```
existsBackgroundVariables (dat, variable, warnIfMissing = FALSE,
    stopIfMissingOnVars = NULL)
```

Arguments

dat   A data frame

variable   column number or variable name

warnIfMissing   Logical: gives a warning if the variable contains missing values

stopIfMissingOnVars
                    Character vector of variable names. Only for these variables, warnings as raised
                    through `warnIfMissing = TRUE` are turned into errors.

Value

a structured list of variable names

Examples

```
data(mtcars)
existsBackgroundVariables(mtcars, 2:4)
```

---

facToChar   *Transform columns in a data frame*

Description

Function transforms all data frame columns of a specific class into another class.

Usage

```
facToChar ( dataFrame, from = "factor", to = "character")
```

Arguments

`dataFrame`	a data frame
`from`	which column class should be transformed?
`to`	target column class

Value

a data frame

Author(s)

Sebastian Weirich

Examples

```
data(mtcars)
### original classes
sapply(mtcars, class)
mtcars1 <- facToChar(mtcars, from = "numeric", to = "character")
sapply(mtcars1, class)
```

---

gsubAll	*Pattern matching and replacement*

Description

Function is a wrapper for `gsub()` which allows to replace more than one pattern. Does not allow using regular expressions (internally, `gsub(..., fixed = TRUE)` is used).

Usage

```
gsubAll ( string, old, new)
```

Arguments

`string`	a character vector where matches are sought
`old`	character vector containing strings to be matched in the given character vector named `string`. Can only contain unique entries.
`new`	a replacement for matched pattern

Details

Internally, the function calls `gsub()` repeatedly, beginning with the longest string in `old`. String length is evaluated using `nchar()`. This is done to avoid repeated modifications if strings in `old` match each other.

Value

character vector with replaced patterns

Examples

```
### replace all numbers by words
txt <- "1 example for 2 reasons in 4 seasons"
gsubAll ( txt, old = as.character(1:4), new = c("one", "two", "three", "four"))
```

---

halveString   *Split string exactly in two parts*

Description

`strsplit` splits a string according to a specific regular expression. The number of occurrences of the splitting regular expression defines the number of splits. `halveString` allows to split the string in only two parts, no matter how often the splitting regular expression occurs.

Usage

```
halveString (string, pattern, first = TRUE , colnames=c("X1", "X2"))
```

Arguments

string	A character vector.
pattern	character vector (or object which can be coerced to such) to use for splitting.
first	Logical: Relevant if the pattern occurs more than one time in the string. Defines whether the first (default) or last occurrence is used for splitting.
colnames	Optional: character vector of length 2 to specify the colnames of the resulting data.frame.

Value

A matrix with two columns

Examples

```
str1 <- c("John_Bolton", "Richard_Milhouse_Nixon", "Madonna")
strsplit(str1, split = "_")
halveString(str1, pattern = "_")
halveString(str1, pattern = "_", first=FALSE)

# split patterns with more than one character and regular expression
str2 <- c("John._.Bolton", "Richard._.Milhouse._.Nixon", "Madonna")
halveString(str2, pattern = encodeString("._."), first=FALSE)
```

---

insert.col *Insert Columns into a* data.frame *at a Specific Position*

Description

Insert columns into a data.frame at a specific position. Transforms tibble or data.table to data.frame.

Usage

```
insert.col(dat, toinsert, after)
```

Arguments

dat	A data frame
toinsert	Column name(s) or column number(s) of the columns to be reinserted
after	Column name or column number after which the columns specified in insert should be reinserted.

Value

A data frame with columns in specified positions.

---

makeDataFrame *Converts* tbl *or* data.table *objects to plain* data.frames *for internal processing*

Description

Function is mainly used for internal checks in the eatRep and eatModel package: objects which expected to be data.frames for further processing are converted to data.frame when their class is tbl, for example.

Usage

```
makeDataFrame (dat, name = "dat", minRow = 1, onlyWarn=TRUE, verbose=TRUE)
```

Arguments

dat	An object which is intended to be a data.frame.
name	Optional: name of data.frame for use in messages
minRow	When used internally, function report when data.frame has less rows than specified in minRow.
onlyWarn	If TRUE, function warns if data.frame has less rows than specified in minRow. Otherwise, functions aborts with an error message.
verbose	Logical: print messages to console?

Value

data frame.

Examples

```
dat  <- data.table::data.table(x1 = 1:5, y1 = letters[1:5])
# unexpected in 'classical' data frames
class(dat[,"x1"])
dat  <- makeDataFrame(dat)
```

---

makeTria   *Reshapes an unordered covariance/correlation matrix into triangular*
                                  shape

Description

Function is mainly used for eatAnalysis::wtdHetcor function from the eatAnalysis package
(<https://github.com/beckerbenj/eatAnalysis/>) and the eatModel::q3FromRes function in
the eatModel package: Triangular covariance/correlation matrices are tidily reshaped.

Usage

```
makeTria (dfr)
```

Arguments

dfr   A data frame consisting of a row name column and a square matrix.

Details

covariance/correlation matrices which are inherently symmetrical are often displayed in a space-
saving manner by only showing the upper or lower triangular part, omitting the symmetrical coun-
terpart. In R, covariance/correlation matrices tend to be displayed with their upper and lower halves.
Whereas [lower.tri](#) and [upper.tri](#) allows to replace upper or lower half with NAs, the triangular
shape could then be lost if the covariance/correlation matrix was provided in a long format and
reshaped afterwards. makeTria sorts rows and columns appropriately to provide triangular shape if
redundant entries are replaced by NA. Please note that the functions expects row names in the first
column of the input data.frame.

Value

data frame.

Examples

```
dfr <- data.frame ( vars = paste0("var", 2:4), matrix(c(1:3, NA, NA, 5, 4,NA,6),
      nrow=3, ncol=3, dimnames=list(NULL, paste0("var", 1:3))))
makeTria(dfr)
```

---

mergeAttr	*Merge Two Data Frames with additional messages and maintain variable attributes*

Description

This is a wrapper for the [merge](#) function. merge does not maintain variable attributes. mergeAttr might be useful if variable attributes should be maintained. For example, if SPSS data are imported via [read.spss](#), variable and value labels are stored as attributes which get lost if data are merged subsequently. Moreover, function gives additional messages if (combinations of) by-variables are not unique in at least one data.frame, or if by-variables have different classes, or if some units of the by-variables are missing in one of the data sets. Users are free to specify which kind of messages are desirable.

Usage

```
mergeAttr(x, y, by = intersect(names(x), names(y)),
      by.x = by, by.y = by, all = FALSE, all.x = all, all.y = all,
     sort = TRUE, suffixes = c(".x",".y"), setAttr = TRUE, onlyVarValLabs = TRUE,
      homoClass = TRUE, unitName = "unit", xName = "x", yName = "y",
     verbose = c("match", "unique", "class", "dataframe", "common", "convert"))
```

Arguments

x	first data frame to be merged.
y	second data frame to be merged.
by	specifications of the columns used for merging
by.x	specifications of the columns used for merging
by.y	specifications of the columns used for merging
all	logical; all = L is shorthand for all.x = L and all.y = L, where L is either TRUE or FALSE.
all.x	logical; if TRUE, then extra rows will be added to the output, one for each row in x that has no matching row in y. These rows will have NAs in those columns that are usually filled with values from y. The default is FALSE, so that only rows with data from both x and y are included in the output.
all.y	logical; analogous to all.x.
sort	logical. Should the result be sorted on the by columns?
suffixes	a character vector of length 2 specifying the suffixes to be used for making unique the names of columns in the result which not used for merging (appearing in by etc).
setAttr	Logical: restore the variable attributes? If FALSE, the behavior of mergeAttr equals the behavior of merge.

onlyVarValLabs	Logical: If TRUE, only the variable and value labels as captured by `read.spss` and stored by `convertLabel` from the `eatAnalysis` package will be restored. If FALSE, all variable attributes will be restored.
homoClass	Logical: Beginning with R version 3.5, merge may give an error if the class of the by-variables differs in both data.frames. If TRUE, class of by-variable(s) will be homogenized before merging.
unitName	Optional: Set the name for the unit variable to get more informative messages. This is mainly relevant if `mergeAttr` is called from other functions.
xName	Optional: Set the name for the x data.frame to get more informative messages. This is mainly relevant if `mergeAttr` is called from other functions.
yName	Optional: Set the name for the y data.frame to get more informative messages. This is mainly relevant if `mergeAttr` is called from other functions.
verbose	Optional: Choose whether messages concerning missing levels in by-variables should be printed on console (`"match"`), or messages concerning uniqueness of by-variables (`"unique"`), or messages concerning different classes of by-variables (`"class"`), or messages concerning appropriate class (`data.frame`) of x and y (`"dataframe"`), or messages concerning additional common variables (except by-variables; `"common"`)), or messages concerning converting of tibbles, tbls to data.frames (`"convert"`). Multiple choices are possible, e.g. `verbose = c("match", "class")`. If `verbose = TRUE`, all messages are printed, if `verbose = FALSE`, no messages are printed at all. The default is equivalent to `verbose = TRUE`.

Value

data frame. See the help page of [merge](#) for further details.

Examples

```
### data frame 1, variable 'y' with variable.label 'test participation'
df1 <- data.frame ( id = 1:3, sex = factor ( c("male", "male", "female")),
       happy = c("low", "low", "medium"))
attr(df1[,"happy"], "variable.label") <- "happieness in the workplace"

### data frame 2 without labels
df2 <- data.frame ( id = as.factor(c(2,2,4)), status = factor ( c("married", "married", "single")),
       convicted = c(FALSE, FALSE, TRUE))

### lost label after merging
df3 <- merge(df1, df2, all = TRUE)
attr(df3[,"happy"], "variable.label")

### maintain label
df4 <- mergeAttr(df1, df2, all = TRUE, onlyVarValLabs = FALSE)
attr(df4[,"happy"], "variable.label")

### adapt messages
df5 <- mergeAttr(df1, df2, all = TRUE, onlyVarValLabs = FALSE, unitName = "student",
       xName = "student questionnaire", yName = "school questionnaire",
       verbose = c("match", "unique"))
```

---

multiseq   *multiple sequences*

Description

creates a sequence for every unique value in a vector

Usage

```
multiseq(v)
```

Arguments

v   a vector

Value

a vector with multiple sequences

Author(s)

Martin Hecht

Examples

```
v <- c("a", "a", "a", "c", "b", "b" , "a")
multiseq(v)
```

---

na_omit_selection   *Drop rows containing missing values*

Description

Drop rows containing missing values in selected columns.

Usage

```
na_omit_selection (dat, varsToOmitIfNA)
```

Arguments

dat   a data.frame

varsToOmitIfNA   Name or column number of the variables which should be considered for row
                    deletion due to NAs

Value

A data.frame with deleted rows

Examples

```
dat1 <- data.frame ( v1 = c(1,NA,3), v2 = c(letters[1:2],NA),
                        v3 = c(NA, NA, TRUE), stringsAsFactors = FALSE)
na.omit(dat1)
na_omit_selection(dat1, "v2")
```

---

num.to.cat   *Transform continuous variables into ordered factors*

Description

Function is useful if parameters on the 'PISA' metric should be transformed into competence levels.

Usage

```
num.to.cat(x, cut.points, cat.values = NULL)
```

Arguments

x	Numeric vector.
cut.points	Numeric vector with cut scores.
cat.values	Optional: vector with labels for the cut scores. Note: if specified, length of cat.values should be length(cut.points)+1.

Value

Vector with factor values.

Author(s)

Sebastian Weirich

Examples

```
values <- rnorm(10,0,1.5) * 100 + 500
num.to.cat(x = values, cut.points = 390+0:3*75)
num.to.cat(x = values, cut.points = 390+0:3*75, cat.values = c("1a", "1b", 2:4))
```

---

print_and_capture   *Easy integration of (small) tables into (error) messages*

Description

Some (error) messages are more understandable if small (frequency) tables are used for clearness. The function simplifies integration of these tables. The function is intended to be used in combination with message, stop, or cat, for example.

Usage

```
print_and_capture (x, spaces = 0)
```

Arguments

x	The object which should be integrated. Normally, a (small) table or data frame.
spaces	Number of spaces between left border and the table

Value

a string which may be combined with messages

Examples

```
frequency.table <- as.table(matrix(c(12,0,5,7),2,2))
attr(frequency.table, "dimnames") <- list("sex" = c("male", "female"),
        "migration" = c(TRUE, FALSE))
message("Some combinations of variables with zero observations: \n",
        print_and_capture(frequency.table, spaces = 5))
```

---

pwc   *Part-whole correlation for numeric data frames*

Description

Computes the part-whole correlation (correlation of an item with the whole scale except for this item)

Usage

```
pwc(dat)
```

Arguments

dat	a data.frame with numeric columns (items)

Value

A data.frame with three columns: First column item identifier, second column with conventional item-scale correlation, third column with part-whole correlation

Examples

```
dat <- data.frame ( item1 = c(0,1,1,3), item2 = c(2,3,1,3), item3 = c(1, NA, 3,3))
pwc(dat)
```

---

rbind_common   *Combine data.frames by row, using only common columns.*

Description

rbinds a list of data.frames, using only these columns which occur in each of the single data.frames.

Usage

```
rbind_common(...)
```

Arguments

...   input data frames to row bind together. The first argument can be a list of data
                       frames, in which case all other arguments are ignored. Any NULL inputs are
                       silently dropped. If all inputs are NULL, the output is NULL. If the data.frames
                       have no common columns, the output is NULL and a warning is given.

Value

a single data frame

Examples

```
### data frame 1
df1 <- data.frame ( a = 1:3, b = TRUE)

### data frame 2
df2 <- data.frame ( d = 100, a = 11:13)

### data frame 3
df3 <- data.frame ( d = 1000, x = 101:103)

### one common col
rbind_common(df1, df2)

### no common cols
rbind_common(df1, df2, df3)
```

rbind_fill_vector | *Combine vectors of unequal length by row, filling missing columns with NA.*

Description

rbinds a list of vectors of unequal length to a data.frame. Missing columns are filled with NA.

Usage

```
rbind_fill_vector(x)
```

Arguments

x   A list of vectors. Each element of x must have a dimension of NULL.

Value

a single data frame

Examples

```
a <- list(NULL, 1:2, NA, "a", 11:13)
rbind_fill_vector(a)
```

readMultisep | *Read in data.frames with separator characters >=1Byte*

Description

Read in character separated data.frames with separator characters >=1Byte.

Usage

```
readMultisep(file, sep, colnames=TRUE)
```

Arguments

file   the name of the file which the data are to be read from.

sep   the field separator character(s).

colnames   logical. Whether first line in file contains colnames.

Value

A data frame containing a representation of the data in the file.

Examples

```
filePath <- tempfile(fileext = ".txt")
dat <- data.frame(v1 = c("0","300","e",NA),
                   v2=c("0","90","10000",NA),
                   v3=c("k","kk","kkk",NA),
                   v4=NA,
                   v5=c("0","90","100","1"))
write.table(dat, file = filePath, row.names = FALSE, col.names = FALSE, sep = "]&;")
readMultisep(filePath, sep="]&;")
```

---

recodeLookup   *Recode a variable according to a lookup table*

Description

Recodes the values of a variable. Function resembles the recode function from the car package, but uses a lookup table to specify old and new values.

Usage

```
recodeLookup(var, lookup)
```

Arguments

var   a vector (e.g. numeric, character, or factor)

lookup   a data.frame with exact two columns. First column contains old values, sec-
                ond column new values. Values which do not occur in the old column remain
                unchanged.

Value

a vector of the same length as var with recoded values

Examples

```
num_var <- sample(1:10, size = 10, replace = TRUE)
lookup  <- data.frame(old = c(2, 4, 6), new = c(200,400,600))
num_var2<- recodeLookup(num_var, lookup)
```

---

removeNonNumeric *Removes all non-numeric characters from a string.*

Description

Function removes all non-numeric characters from a string.

Usage

```
removeNonNumeric ( string)
```

Arguments

string   a character vector

Value

a character string

Author(s)

Sebastian Weirich

Examples

```
str <- c(".d1.nh.120", "empty", "110", ".nh.dgd", "only.nh")
removeNonNumeric(str)
```

---

removeNumeric *Removes alphanumeric characters from a string.*

Description

Function removes alphanumeric characters from a string.

Usage

```
removeNumeric ( string)
```

Arguments

string   a character vector

Value

a character string

Author(s)

Sebastian Weirich

Examples

```
str <- c(".d1.nh.120", "empty", "110", ".nh.dgd", "only.nh")
removeNumeric(str)
```

---

removePattern   *Removes a specified pattern from a string.*

Description

Function remove a specified string from a character vector.

Usage

```
removePattern ( string, pattern)
```

Arguments

string	a character vector
pattern	a character pattern of length 1

Value

a character string

Examples

```
str <- c(".d1.nh.120", "empty", "110", ".nh.dgd", "only.nh")
removePattern(str, ".nh.")
```

---

roundDF   *Round a* data.frame.

Description

Round all numeric variables in a data.frame, leave the other variables untouched. Column and row names are preserved.

Usage

```
roundDF(dat, digits = 3)
```

Arguments

dat	A data.frame.
digits	Integer indicating the number of decimal places.

Value

Returns the rounded data.frame.

Examples

```
roundDF(mtcars, digits = 0)
```

---

seq2   *Sequence generation*

Description

Creates a sequence of integers. Modified version of seq returning an empty vector if the starting point is larger than the end point. Originally provided by rlang::seq2().

Usage

```
seq2(from, to)
```

Arguments

from	The starting value of the sequence. Of length 1.
to	The end value of the sequence. Of length 1.

Value

A numerical sequence

Examples

```
seq2(from = 1, to = 5)
```

---

set.col.type   *Set the Class of Columns in a Data Frame*

Description

This function converts the classes of columns to `character`, `numeric`, `logical`, `integer` or `factor`.

Usage

```
set.col.type(dat, col.type = list("character" = NULL), verbose = FALSE, ...)
```

Arguments

`dat`	A data frame
`col.type`	A named list of column names that are to be converted. The names of the list indicate the class to which the respective column should be converted (`character`, `numeric`, `numeric.if.possible`, `logical`, `integer` or `factor`)
`verbose`	if TRUE details about converted columns are printed on the console
`...`	Additional arguments to be passed to asNumericIfPossible

Details

Use `col.type="numeric.if.possible"` if conversion to numeric should be tested upfront, see asNumericIfPossible for details.

Value

A data frame with column classes changed according to the specifications in `col.type`

Author(s)

Martin Hecht, Karoline Sachse

See Also

asNumericIfPossible

Examples

```
str(d <- data.frame("var1" = 1, "var2" = TRUE, "var3" = FALSE,
    "var4" = as.factor(1), "var5" = as.factor("a"),"var6" = "b",
    stringsAsFactors = FALSE))

str(set.col.type(d))
str(set.col.type(d, list("numeric" = NULL)))
str(set.col.type(d, list("character" = c("var1" , "var2"),
    "numeric" = "var3", "logical" = "var4")))
str(set.col.type(d, list("numeric.if.possible" = NULL)))
```

```
str(set.col.type(d, list("numeric.if.possible" = NULL),
    transform.factors = TRUE))
str(set.col.type(d, list("numeric.if.possible" = NULL), transform.factors = TRUE,
    maintain.factor.scores = FALSE))
```

---

tablePattern	*Creates skeleton for frequency tables with desired values*

Description

Function takes values and creates a frequency table including these values. Models behavior of factor variables.

Usage

```
tablePattern (x, pattern = NULL, weights, na.rm = TRUE,
useNA = c("no", "ifany", "always"))
```

Arguments

x	a vector
pattern	desired values for table output
weights	optional: weights
na.rm	should missing values be removed
useNA	whether to include [NA] values in the table

Value

a frequency table

Author(s)

Sebastian Weirich

Examples

```
grades <- c(1,1,3,4,2,3,4,5,5,3,2,1)
table(grades)
tablePattern(grades, pattern = 1:6)
```

---

tableUnlist   *Frequency table for data frames, e.g. across multiple columns*

Description

Replaces the somehow buggy function combination `table(unlist(data))`.

Usage

```
tableUnlist(dataFrame, useNA = c("no", "ifany",
    "always"))
```

Arguments

dataFrame   Data frame with more than one column.

useNA   whether to include NA values in the table. See help file of `table` for more
                details.

Value

A frequency table

Examples

```
dat  <- data.frame ( matrix ( data = sample(0:1,200,replace=TRUE), nrow=20, ncol=10))
tableUnlist(dat)
```

---

whereAre   *Matches a scalar with elements of a vector.*

Description

The function closely resembles the `match` function, but allows for multiple matches.

Usage

```
whereAre(a,b,verbose=TRUE)
```

Arguments

a   a scalar

b   a numeric or character vector

verbose   logical: print messages on console?

Value

A numeric vector

Author(s)

Sebastian Weirich

Examples

```
a <- 12
b <- c(10, 11, 12, 10, 11, 12)
match(a, b)
whereAre(a=a, b=b)
```

---

wideToLong	*Transform wide format data sets into the long format necessary for eatRep analyses*

Description

Data from large-scale assessments often are provided in the wide format. This function easily transform data into the long format required by eatRep.

Usage

```
wideToLong (datWide, noImp, imp, multipleColumns = TRUE, variable.name = "variable",
            value.name = "value")
```

Arguments

datWide	Data set in the wide format, i.e. one row per person
noImp	character vector of non-imputed variables which are desired for following analyses
imp	Named list of character vectors which include the imputed variables which are desired for following analyses
multipleColumns	
	Logical: use one column for each imputed variable (if more than one imputed variable is used)? Alternatively, only one column for all imputed variables is used (this is the default behavior of the `melt` function from the `reshape2` package).
variable.name	Applies only if `multipleColumns = "FALSE"`: name of variable used to store measured variable names
value.name	Applies only if `multipleColumns = "FALSE"`: name of variable used to store values

Value

A data.frame in the long format.

Author(s)

Sebastian Weirich

Examples

```
### create arbitrary wide format large-scale assessment data for two
### subjects, each with three imputations
datWide <- data.frame ( id = paste0("P",1:5), weight = abs(rnorm(5,10,1)),
         country = c("USA", "BRA", "TUR", "GER", "AUS"),
         sex = factor(c("female", "male", "female", "female", "male")),
         matrix(data = rnorm(n=15, mean = 500, sd = 75),
               nrow=5, dimnames = list(NULL, paste0("mat.pv", 1:3))),
         matrix(data = rnorm(n=15, mean = 480, sd = 80),
               nrow=5, dimnames = list(NULL, paste0("sci.pv", 1:3))),
         stringsAsFactors=FALSE)
datLong <- wideToLong(datWide = datWide, noImp = c("id", "weight", "country", "sex"),
            imp = list ( math = paste0("mat.pv", 1:3),
            science = paste0("sci.pv", 1:3)))
datLong2<- wideToLong(datWide = datWide, noImp = c("id", "weight", "country", "sex"),
            imp = list ( math = paste0("mat.pv", 1:3),
            science = paste0("sci.pv", 1:3)),
       multipleColumns = FALSE, variable.name = "varName",
       value.name = "val")
```

---

wtdTable   *Computed weighted frequency tables*

Description

This functions works quite equally as the `wtd.table` function from the `Hmisc` package.

Usage

```
wtdTable(x , weights , na.rm = FALSE)
```

Arguments

x	a character or category or factor vector
weights	a numeric vector of non-negative weights
na.rm	set to FALSE to suppress checking for NAs. If TRUE, NAs are removed from x as well as from weights prior to variance estimation.

Value

a frequency table

Examples

```
x <- c(50, 1, 50)
w <- c(1, 4, 1)
wtdTable(x, w)
```

---

wtdVar   *Computed weighted variance*

Description

This functions works quite equally as the `wtd.var` function from the `Hmisc` package.

Usage

```
wtdVar(x , weights , na.rm = FALSE)
```

Arguments

x	numeric vector
weights	a numeric vector of non-negative weights
na.rm	set to FALSE to suppress checking for NAs. If TRUE, NAs are removed from x as well as from weights prior to variance estimation.

Value

a scalar

Author(s)

Benjamin Becker

Examples

```
x <- c(50, 1, 25)
w <- c(1, 4, 1)
wtdVar(x, w)
```

%$$%   *Extract Parts of an Object (list)*

Description

%$$% is an operator that is mainly used internally in the eatRep and eatModel packages. %$$% is similar to $, but gives error instead of NULL if the corresponding element does not exists.

Usage

```
x %$$% y
```

Arguments

x   a list

y   name of the corresponding element of x

Value

the selected element of the list x

Examples

```
## Not run:
x <- list(value1 = 14, value2 = NULL)
x$value2              # NULL
x$value_not_defined      # NULL
x%$$%value2          # NULL
x%$$%value_not_defined # error

## End(Not run)
```

Index