Package 'sparkavro'

October 14, 2022

Type Package

Title Load Avro file into 'Apache Spark'

Version 0.3.0

Author Aki Ariga

Maintainer Aki Ariga <chezou@gmail.com>

Description Load Avro Files into 'Apache Spark' using 'sparklyr'. This
allows to read files from 'Apache Avro' <https://avro.apache.org/>.

License Apache License 2.0 | file LICENSE

BugReports https://github.com/chezou/sparkavro

Encoding UTF-8

LazyData true

Imports sparklyr, dplyr, DBI

RoxygenNote 7.0.2

Suggests testthat

Language en-us

NeedsCompilation no

Repository CRAN

Date/Publication 2020-01-10 04:40:02 UTC

R topics documented:

---

spark_read_avro   *Reads a Avro File into Apache Spark*

Description

Reads a Avro file into Apache Spark using sparklyr.

Usage

```
spark_read_avro(
  sc,
  name,
  path,
  readOptions = list(),
  repartition = 0L,
  memory = TRUE,
  overwrite = TRUE
)
```

Arguments

sc	An active spark_connection.
name	The name to assign to the newly generated table.
path	The path to the file. Needs to be accessible from the cluster. Supports the '"hdfs://"', '"s3n://"' and '"file://"' protocols.
readOptions	A list of strings with additional options.
repartition	The number of partitions used to distribute the generated table. Use 0 (the default) to avoid partitioning.
memory	Boolean; should the data be loaded eagerly into memory? (That is, should the table be cached?)
overwrite	Boolean; overwrite the table with the given name if it already exists?

Examples

```
## Not run:
## If you haven't got a Spark cluster, you can install Spark locally like this
library(sparklyr)
spark_install(version = "2.0.1")

sc <- spark_connect(master = "local")
df <- spark_read_avro(
  sc,
  "twitter",
  system.file("extdata/twitter.avro", package = "sparkavro"),
  repartition = FALSE,
  memory = FALSE,
```

```
    overwrite = FALSE
  )

  spark_disconnect(sc)

  ## End(Not run)
```

---

spark_write_avro   *Write a Spark DataFrame to a Avro file*

Description

Serialize a Spark DataFrame to the Parquet format.

Usage

```
spark_write_avro(x, path, mode = NULL, options = list())
```

Arguments

x	A Spark DataFrame or dplyr operation
path	The path to the file. Needs to be accessible from the cluster. Supports the '"hdfs://"', '"s3n://"' and '"file://"' protocols.
mode	Specifies the behavior when data or table already exists.
options	A list of strings with additional options. See http://spark.apache.org/docs/latest/sql-programming-guide.html#configuration.

Index