Package 'basedosdados'

March 7, 2023

Title 'Base Dos Dados' R Client

Version 0.2.2

Description An R interface to the 'Base dos Dados' API <https:basedosdados.github.io/mais/py_reference_api/>). Authenticate your project, query our tables, save data to disk and memory, all from R.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.2.3

Imports purrr (>= 0.3.4), dplyr (>= 1.0.6), tibble (>= 3.1.1), httr (>= 1.4.2), cli (>= 2.5.0), magrittr (>= 2.0.1), readr (>= 1.4.0), stringr (>= 1.4.0), dotenv (>= 1.0.2), bigrquery (>= 1.4.0), glue (>= 1.4.2), rlang (>= 0.4.0), writexl (>= 1.4.0), fs (>= 1.5.0), dbplyr (>= 2.1.1), scales (>= 1.1.1), DBI (>= 1.1.1), typed (>= 0.0.1), methods

Suggests rmarkdown, knitr, testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Pedro Cavalcante [aut, cre],
Daniel Herszenhut [aut] (<https://orcid.org/0000-0001-8066-1105>),
Rodrigo Dornelles [aut] (<https://orcid.org/0000-0003-3709-4760>)

Maintainer Pedro Cavalcante <pedrocolrj@gmail.com>

Repository CRAN

Date/Publication 2023-03-07 03:10:02 UTC

R topics documented:

`BaseDosDadosConnection-class`
Base dos dados specific connection to BigQuery

Description

Implements a connection class to prevent a bug caused when trying to use BigQueryConnection. The bug is described in Pull Request #1563. Once fixed, this class and its method should probably be removed.

Usage

```
## S3 method for class 'BaseDosDadosConnection'
dbplyr_edition(con)
```

Arguments

con   A BaseDosDadosConnection object.

---

bdplyr   *Compatibility with dplyr verbs without using SQL language*

Description

Allow you to explore and perform operation with Base dos Dados' datasets without using SQL language. The [bdplyr()](#) function creates `lazy` variables that will be connected directly to the desired table from Base dos Dados at Google BigQuery and can be handled with the [dplyr::dplyr-package](#)'s verbs as traditionally done as local bases. See also: [bigrquery::src_bigquery](#).

Therefore, it is possible (without using SQL) to perform, for example, column selection with [dplyr::select()](#), filter rows with [dplyr::filter()](#), operations with [dplyr::mutate()](#), joins with [dplyr::left_join()](#) and other vebs from {dplyr} package.

The data will be automatically be downloaded from Google BigQuery in the background as it if necessary, but wille not be loaded into your virtual memory nor recorded on disk unless expressly requested.

For this, the functions such as bd_collect() or bd_write() should be used. To load the data handled locally in your virtual memory, use bd_collect(). To save the result in disk use the broader function bd_write() or its derivatives bd_write_csv() or bd_write_rds() to save, respectively in .csv or .rds format.

Usage

```
bdplyr(
  table,
  billing_project_id = basedosdados::get_billing_id(),
  query_project_id = "basedosdados"
)
```

Arguments

table   String in the format (dataset_name).(table_name). You can optionally input
                     a project before the dataset name.

billing_project_id
                     a string containing your billing project id. If you've run set_billing_id()
                     then feel free to leave this empty.

query_project_id
                     The project name at GoogleBigQuery. By default basedosdados. You do not
                     need to inform this if project is uset on table parameter.

Value

A lazy tibble, which can be handled (almost) as if were a local database. After satisfactorily handled, the result must be loaded into memory using bd_collect() or written to disk using bd_write() or its derivatives.

See Also

bd_collect(), bd_write(), bd_write_rds(), bd_write_rds(), bigrquery::src_bigquery

Examples

```
## Not run:

# set project billing id
basedosdados::set_billing_id("avalidprojectbillingid")

# connects to the remote table I want
base_sim <- bdplyr("br_ms_sim.municipio_causa_idade")

# connects to another remote table
municipios <- bdplyr("br_bd_diretorios_brasil.municipio")

# explore data
base_sim %>%
```

```
  dplyr::glimpse()

# use normal `{dplyr}` operations
municipios %>%
  head()

# filter
base_sim_acre <- base_sim %>%
 dplyr::mutate(ano = as.numeric(ano)) %>%
  dplyr::filter(sigla_uf == "AC", ano >= 2018)

municipios_acre <- municipios %>%
  dplyr::filter(sigla_uf == "AC") %>%
  dplyr::select(id_municipio, municipio, regiao)


# join
base_junta <- base_sim_acre %>%
  dplyr::left_join(municipios_acre,
                   by = "id_municipio")

# tests whether the result is satisfactory
base_junta

# collect the result
base_final <- base_junta %>%
  basedosdados::bd_collect()

# alternatively, write in disk the result

base_final %>%
  basedosdados::bd_write_rds(path = "data-raw/data.rds")


## End(Not run)
```

---

bd_collect	*Collects the results of a remote table called via* bdplyr()

Description

After [bdplyr()](#) is used to create the remote connection, this function allows you to collect the result of the manipulations carried out with the dplyr's verbs and thus use it in local memory completely.

Alternatively, you can also save to disk directly using [bd_write()](#) function or its derivatives: [bd_write_csv()](#) or [bd_write_rds()](#).

Usage

```
bd_collect(
```

```
    .lazy_tbl,
    billing_project_id = basedosdados::get_billing_id(),
    show_query = FALSE
)
```

Arguments

.lazy_tbl   A variable that contains a database that was previously connected through the
                bdplyr() function. Tipically, it will be called after performing the desired op-
                erations with the {dplyr} verbs.

billing_project_id
                a string containing your billing project id. If you've run set_billing_id()
                then feel free to leave this empty.

show_query   If TRUE will show the SQL query calling dplyr::show_query(). Is useful for
                diagnosing performance problems.

Value

A tibble.

Examples

```
## Not run:

# setup billing
 basedosdados::set_billing_id("billing-project-id")

 # select a cool database at Base dos Dados
bd_table <- basedosdados::bdplyr(
  "basedosdados.br_sp_gov_ssp.ocorrencias_registradas")

# quick look
bd_table %>%
  dplyr::glimpse()

 # filter, select and group the remote data
bd_ssp <-  bd_table %>%
  dplyr::filter(ano >= 2019) %>%
  dplyr::select(ano, mes, homicidio_doloso) %>%
  dplyr::group_by(ano, mes)

 # make some plots
library(ggplot2)

bd_ssp %>%
 # collect the data to continue the analisis
 basedosdados::bd_collect() %>%
  dplyr::summarise(homicidios_sum = sum(homicidio_doloso,
                                        na.rm = TRUE)) %>%
  ggplot(aes(x = mes, y = homicidios_sum, fill = ano)) +
  geom_col(position = "dodge")
```

```
## End(Not run)
```

---

bd_write   *Writes the result of operations with* bdplyr() *to disk*

Description

Writes a remote table to disk that was called via bdplyr. It will collect the data and write to disk in the chosen format. You will only need this function if you have not yet collected the data using the bd_collect().

The comprehensive function bd_write() takes as a parameter .write_fn, which will be the name of some function (without parentheses) capable of writing a tibble to disk.

As helpers, the bd_write_rds() and bd_write_csv() functions make it easier to write in these formats, more common in everyday life, calling writing functions from {readr} package.

Usage

```
bd_write(
  .lazy_tbl,
  .write_fn = `?`(typed::Function()),
  path = `?`(typed::Character(length = 1)),
  overwrite = `?`(FALSE, typed::Logical(1)),
  ...
)

bd_write_rds(.lazy_tbl, path, overwrite = FALSE, compress = "none", ...)

bd_write_csv(
  .lazy_tbl,
  path = `?`(typed::Character(1)),
  overwrite = `?`(FALSE, typed::Logical(1)),
  ...
)
```

Arguments

`.lazy_tbl`	A lazy tibble, tipically the output of bdplyr().
`.write_fn`	A function for writing the result of a tibble to disk. Do not use () afther the function's name, the function *object* should be passed. Some functions the user might consider are: writexl::write_xlsx, jsonlite::write_json, foreign::write.dta, arrow::write_feather, etc.
`path`	String containing the path for the file to be created. The desired folders must already exist and the file should normally end with the corresponding extension.

overwrite	FALSE by default. Indicates whether the local file should be overwritten if it already exists. Use with care.
...	Parameters passed to the .write_fn function.
compress	For [bd_write_rds()](#) only. Compression method to use: "none" (default), "gz" ,"bz", or "xz", in ascending order of compression. Remember that the higher the compression, the smaller the file size on disk, ut also the longer the time to load the data. See also: [readr::write_rds()](#).

Value

String containing the path to the created file.

Examples

```
## Not run:

 cool_db <- basedosdados::

# setup billing
basedosdados::set_billing_id("MY-BILLING-ID")

# connect with a Base dos Dados db

cool_db_ssp <- basedosdados::bdplyr(
 "basedosdados.br_sp_gov_ssp.ocorrencias_registradas")

# subset the data
my_subset <- cool_db_ssp %>%
 dplyr::filter(ano == 2021, mes == 04)

# write it in csv - generic function

basedosdados::bd_write(.lazy_tbl = my_subset,
                       .write_fn = write.csv,
                       "data-raw/ssp_subset.csv"
)

# write in .xlsx
basedosdados::bd_write(.lazy_tbl = my_subset,
                       .write_fn = writexl::write_xlsx,
                       "data-raw/ssp_subset.xlsx"
)

# using the derivatives functions
# to csv
basedosdados::bd_write_csv(.lazy_tbl = my_subset,
                           "data-raw/ssp_subset2.csv"
)

#' # to rds
basedosdados::bd_write_rds(.lazy_tbl = my_subset,
                           "data-raw/ssp_subset.rds"
```

```
)

# to rds - with compression
basedosdados::bd_write_rds(.lazy_tbl = my_subset,
                           "data-raw/ssp_subset2.rds",
                           compress = "gz"
)

# to rds - with HARD compression
basedosdados::bd_write_rds(.lazy_tbl = my_subset,
                           "data-raw/ssp_subset3.rds",
                           compress = "xz"
)

## using other write functions

# json
basedosdados::bd_write(.lazy_tbl = my_subset,
                       .write_fn = jsonlite::write_json,
                       "data-raw/ssp_subset.json"
)

# dta
basedosdados::bd_write(.lazy_tbl = my_subset,
                       .write_fn = foreign::write.dta,
                       "data-raw/ssp_subset.dta")
)

# feather
basedosdados::bd_write(.lazy_tbl = my_subset,
                       .write_fn = arrow::write_feather,
                       "data-raw/ssp_subset.feather"
)

## End(Not run)
```

---

dataset_search   *Search for a dataset by keyword*

Description

Search for a dataset by keyword

Usage

```
dataset_search(search_term)
```

Arguments

search_term   keyword for search

Value

A tibble with search results

Examples

```
## Not run:

dataset_search("agua")
dataset_search("educação")


## End(Not run)
```

---

download   *Write the results of a query locally to a comma-separated file.*

Description

Write the results of a query locally to a comma-separated file.

Usage

```
download(
  query = NULL,
  table = NULL,
  path,
  billing_project_id = get_billing_id(),
  .na = " "
)
```

Arguments

query	a string containing a valid SQL query.
table	defaults to NULL. If a table name is provided then it'll be concatenated with "basedosdados." and the whole table will be returned.
path	String with the output file's name. If running an R Project relative location can be provided. Passed to readr::write_csv's file argument.
billing_project_id	
	a string containing your billing project id. If you've run set_billing_id then feel free to leave this empty.
.na	how should missing values be written in the resulting file? Value passed to na argument of readr::write_csv. Defaults to a whitespace.

Details

Currently there's only support for UTF-8 encoding. Users requiring more control over writing should use read_sql to get the data in memory and custom code from there.

Value

Invisibly returns the query's output in a tibble. Intended to be used for side-effects. If you simply want to load a query's result in memory, use read_sql.

Examples

```
## Not run:

path <- file.path(tempdir(), "pib_per_capita.csv")

bare_query <- "SELECT *
FROM basedosdados.br_tse_eleicoes.bens_candidato
WHERE ano = 2020
AND sigla_uf = \'TO\'"

download(query = bare_query, path = path)

# or download the entire table
download(table = "br_tse_eleicoes.bens_candidato", path = path)


## End(Not run)
```

---

get_billing_id   *Internal functions for project billing management*

Description

Retrieves the project's billing Id.

Usage

```
get_billing_id()
```

Value

a string with the project's billing id.

---

get_dataset_description

Describe a dataset

Description

Describe a dataset

Usage

```
get_dataset_description(dataset_id)
```

Arguments

dataset_id   a dataset name e.g. if addressing table "br_sp_alesp.deputado" then table_id is
br_sp_alesp

Value

A tibble describing the specified dataset

Examples

```
## Not run:

get_dataset_description("br_sp_alesp")

## End(Not run)
```

---

get_table_columns   *Get columns in a table*

Description

Get columns in a table

Usage

```
get_table_columns(dataset_id, table_id)
```

Arguments

dataset_id   a dataset name e.g. if addressing table "br_sp_alesp.deputado" then table_id is
br_sp_alesp

table_id   a table name e.g. if addressing table "br_sp_alesp.deputado" then table_id is
deputado

Value

A tibble describing all columns in a table

Examples

```
## Not run:
get_table_columns("br_sp_alesp", "deputado")

## End(Not run)
```

---

get_table_description   *Describe a table within a dataset*

Description

Describe a table within a dataset

Usage

```
get_table_description(
  dataset_id = `?`(typed::Character(1)),
  table_id = `?`(typed::Character(1))
)
```

Arguments

dataset_id	a dataset name e.g. if addressing table "br_sp_alesp.deputado" then table_id is br_sp_alesp
table_id	a table name e.g. if addressing table "br_sp_alesp.deputado" then table_id is deputado

Value

A tibble describing the specified table

Examples

```
## Not run:
get_table_description("br_sp_alesp", "deputado")

## End(Not run)
```

---

list_dataset_tables   *List tables in a dataset*

Description

List tables in a dataset

Usage

```
list_dataset_tables(dataset_id)
```

Arguments

dataset_id   a dataset name e.g. if addressing table "br_sp_alesp.deputado" then table_id is
               `br_sp_alesp`

Value

A tibble listing all tables in a given dataset

Examples

```
## Not run:
list_dataset_tables("br_sp_alesp")

## End(Not run)
```

---

partition_table   *Slice a big data frame into smaller csv files by grouping variables Still*
                    in development

Description

`partition_table` populates a folder

Usage

```
partition_table(.data, dir, ...)
```

Arguments

.data   a tibble.

dir   directory where to write the csv files. Must exist before function call.

...   comma-separated variables used to define groupings.

Value

invisibly returns all written files' addresses.

Examples

```
## Not run:

tibble(
  x = rnorm(1000),
  y = runif(1000) + x,
  group = sample(letters, 1000, replace = TRUE)) %>%
  partition_table(tempdir())



## End(Not run)
```

read_sql   *Query our datalake and get results in a tibble*

Description

read_sql is given either a fully-written SQL query through the query argument or a valid table
name through the table argument.

Usage

```
read_sql(query, billing_project_id = get_billing_id())
```

Arguments

query   a string containing a valid SQL query.

billing_project_id

                        a string containing your billing project id. If you've run set_billing_id then
                        feel free to leave this empty.

Value

A tibble containing the query's output.

Examples

```
## Not run:

set_billing_id("<your id here>")

query <- "SELECT
pib.id_municipio,
pop.ano,
pib.PIB / pop.populacao * 1000 as pib_per_capita
FROM `basedosdados.br_ibge_pib.municipio` as pib
JOIN `basedosdados.br_ibge_populacao.municipio` as pop
ON pib.id_municipio = pop.id_municipio
LIMIT 5 "

data <- read_sql(query)

# in case you want to write your data on disk as a .xlsx, .csv or .Rds file.

library(writexl)
library(readr)

dir <- tempdir()

write_xlsx(data, file.path(dir, "data.xlsx"))
write_csv(data, file.path(dir, "data.csv"))
saveRDS(data, file.path(dir, "data.Rds"))


## End(Not run)
```

---

set_billing_id   *Define your Project Id*

Description

Define your project billing ids here so all your queries are authenticated and return data, not errors. If using in production or leaving code available at public repositories, dotenv is highly recommended.

Usage

```
set_billing_id(billing_project_id = NULL)
```

Arguments

billing_project_id

                 a single character value containing the string. Vectors with longer lengths and non-vectors will trigger an error.

Value

No return.

Examples

```
## Not run:
set_billing_id("my_billing_project_id")

# or load from an .env file

library(dotenv)

load_dot_env("keys.env")
print(Sys.getenv("billing_project_id"))

set_billing_id(Sys.getenv("billing_project_id"))


## End(Not run)
```

Index