Package 'iterors'

May 18, 2023

Type Package

Title Fast, Compact Iterators and Tools

Version 1.0

Maintainer Peter Meilstrup <peter.meilstrup@gmail.com>

Description A fresh take on iterators in R. Designed to be cross-compatible with the 'iterators' package, but using the 'nextOr' method will offer better performance as well as more compact code. With batteries included: includes a collection of iterator constructors and combinators ported and refined from the 'iterators', 'itertools', and 'itertools2' packages.

Depends R (>= 3.6)

Imports rlang

Encoding UTF-8

Suggests reticulate, combinat, testthat (>= 3.0.0), foreach, iterators (>= 1.0.7), rmarkdown, knitr

URL <https://github.com/crowding/iterors>,
<https://crowding.github.io/iterors/>

License GPL (>= 3)

RoxygenNote 7.2.3

VignetteBuilder knitr

Config/testthat/edition 3

Config/testthat/parallel false

NeedsCompilation no

Author Peter Meilstrup [cre, aut, cph],
Folashade Daniel [aut],
Revolution Analytics [aut, cph],
Steve Weston [aut, cph],
John A. Ramey [aut, cph],
Kayla Schaefer [aut],
Hadley Wickham [aut]

Repository CRAN

Date/Publication 2023-05-18 08:40:02 UTC

R **topics documented:**

as.list.iteror	*Collect all (or some given number of) values from an iteror, returning a vector of the given type.*

Description

Collect all (or some given number of) values from an iteror, returning a vector of the given type.

Usage

```
## S3 method for class 'iteror'
as.list(x, n = as.integer(2^31 - 1), ...)

## S3 method for class 'iteror'
as.double(x, n = as.integer(2^31 - 1), ...)

## S3 method for class 'iteror'
as.numeric(x, n = as.integer(2^31 - 1), ...)

## S3 method for class 'iteror'
as.logical(x, n = as.integer(2^31 - 1), ...)

## S3 method for class 'iteror'
as.character(x, n = as.integer(2^31 - 1), ...)

## S3 method for class 'iteror'
as.vector(x, mode)
```

Arguments

x	an iterable object
n	the maximum number of elements to return.
...	Unused arguments will throw an error.
mode	What mode to use for the output vector.

Value

The returned value will be n elements long if the iterator did not stop.

See Also

concat take

---

concat   *Concatenate contents of multiple iterators into a vector.*

Description

concat collects all values from an iterable object, and pastes them end to end into one vector. In other words concat is to as.list.iteror as c is to list.

Usage

```
concat(obj, mode = "list", n = Inf, ...)

## Default S3 method:
concat(obj, mode = "list", n = as.integer(2^31 - 1), ...)

## S3 method for class 'iteror'
concat(obj, mode = "list", n = Inf, length.out = Inf, ...)
```

Arguments

obj	An iteror.
mode	The mode of vector to return.
n	The maximum number of times to call nextOr(obj).
...	passed along to [iteror](#) constructor.
length.out	The target size of the output vector (after results have been pasted together). If the iteror ends (or emits n results) before emitting this many elements, the result will be shorter than length.out. If the iterator does not end early, the output will have at least length.out elements, and possibly more, as the entire last chunk will be included.

Value

a vector with mode mode.

Examples

```
it <- i_apply(icount(), seq_len) # [1], [1, 2], [1, 2, 3], ...
concat(it, n=4, mode="numeric")  # [1, 1, 2, 1, 2, 3, 1, 2, 3, 4]
concat(it, length.out=4, mode="numeric")  # [1, 1, 2, 1, 2, 3, 1, 2, 3, 4]
```

---

consume   *Consumes the first n elements of an iterator*

Description

Advances the iterator n-steps ahead without returning anything.

Usage

```
consume(obj, n = Inf, ...)

## S3 method for class 'iteror'
consume(obj, n = Inf, ...)
```

Arguments

obj	an iterable object
n	The number of elements to consume.
...	passed along to iteror constructor.

Value

obj, invisibly.

See Also

take collect

Examples

```
it <- iteror(1:10)
# Skips the first 5 elements
consume(it, n=5)
# Returns 6
nextOr(it, NA)

it2 <- iteror(letters)
# Skips the first 4 elements
consume(it2, 4)
# Returns 'e'
nextOr(it2, NA)
```

---

count   *Consumes an iterator and computes its length*

Description

Counts the number of elements in an iterator. NOTE: The iterator is consumed in the process.

Usage

```
count(object, ...)
```

Arguments

object   an iterable object

...   passed along to iteror constructor.

Value

the number of elements in the iterator

See Also

take consume as.list.iteror

Examples

```
count(1:5) == length(1:5)

it <- iteror(1:5)
count(it) == length(1:5)

it2 <- i_chain(1:3, 4:5, 6)
count(it2)

it3 <- i_chain(1:3, levels(iris$Species))
count(it3)
```

---

dotproduct   *Computes the dot product of two iterable objects.*

Description

Returns the dot product of two numeric iterables of equal length

Usage

```
dotproduct(vec1, vec2)
```

Arguments

vec1	the first
vec2	the second iterable object

Value

the dot product of the iterators

Examples

```
it <- iteror(1:3)
it2 <- iteror(4:6)
dotproduct(it, it2) # 32

it <- iteror(1:4)
it2 <- iteror(7:10)
dotproduct(1:4, 7:10) # 90
```

---

hasNext   *Does This Iterator Have A Next Element*

Description

wrapped <- ihasnext(obj) wraps an iteror object with the ihasNext class. Then hasNext(wrapped) will indicate if the iterator has another element.

Usage

```
hasNext(obj, ...)

ihasNext(obj, ...)
```

Arguments

`obj`	an iterable
`...`	extra arguments may be passed along to iteror.

Details

A class ihasNext was introduced in the `itertools` package to try to reduce the boilerplate around extracting the next value using iterators::nextElem. ihasNext is included in `iterors` for backward compatibility with iterator code; however, it is less needed when using the nextOr iteration method, as you can directly give an action to take at end of iteration.

Value

Logical value indicating whether the iterator has a next element.

Examples

```
# The bad old style of consuming an iterator in a loop with `nextElem`:
  it <- ihasNext(iteror(c('a', 'b', 'c')))
  tryCatch(repeat {
    print(iterators::nextElem(it))
  }, error=function(err) {
    if (conditionMessage(err) != "StopIteration")
      stop(err)
  })

# with ihasNext, this became:
  it <- ihasNext(iteror(c('a', 'b', 'c')))
  while (hasNext(it))
    print(iterators::nextElem(it))

# But using `nextOr` all you need is:
  iteror(c('a', 'b', 'c'))
  repeat print(nextOr(it, break))
```

---

icombinations | *Iterator that generates all combinations of a vector taken m at a time.*

Description

Constructs an iterator generates all combinations of a vector taken m at a time. This function is similar to combn.

Usage

```
icombinations(object, m, replacement = FALSE)
```

Arguments

`object`	vector
`m`	the length of each combination
`replacement`	Generate combinations with replacement? Default: no.

Details

By default, the combinations are **without replacement** so that elements are not repeated. To generate combinations **with replacement**, set `replacement=TRUE`.

The function implementation is loosely based on the `combinations` function from Python's itertools. Combinations with replacement are based on `combinations_with_replacement` from the same Python library.

Value

iterator that generates all combinations of `object`

Examples

```
# Combinations without replacement
it <- icombinations(1:4, m=2)

nextOr(it, NA) # c(1, 2)
nextOr(it, NA) # c(1, 3)
nextOr(it, NA) # c(1, 4)
nextOr(it, NA) # c(2, 3)
nextOr(it, NA) # c(2, 4)
nextOr(it, NA) # c(3, 4)

# Combinations without replacement
it <- icombinations(1:4, m=2, replacement=TRUE)

nextOr(it, NA) # c(1, 1)
nextOr(it, NA) # c(1, 2)
nextOr(it, NA) # c(1, 3)
nextOr(it, NA) # c(1, 4)
nextOr(it, NA) # c(2, 2)
nextOr(it, NA) # c(2, 3)
nextOr(it, NA) # c(2, 4)
nextOr(it, NA) # c(3, 3)
nextOr(it, NA) # c(3, 4)
nextOr(it, NA) # c(4, 4)

it3 <- icombinations(1:5, m=2)
as.list(it3)
utils::combn(x=1:5, m=2, simplify=FALSE)
```

---

icount   *Counting Iterators*

Description

Returns an iterator that counts starting from one.

icountn(vn) takes a vector specifying an array size, and returns an iterator over array indices. Each returned element is a vector the same length as vn, with the first index varying fastest. If vn has a names attribute the output will have the same names.

Usage

```
icount(count = Inf, ..., recycle = FALSE, chunkSize, chunks)

icountn(vn, ..., recycle = FALSE, chunkSize, chunks, rowMajor = TRUE)
```

Arguments

count	number of times that the iterator will fire. Use NA or Inf to make an iterator that counts forever.
...	Undocumented
recycle	Whether to restart the count after finishing.
chunkSize	How many valies to return from each call to nextOr().
chunks	How many chunks to split the input. Either chunks or chunkSize may be given but not both.
vn	A vector of integers.
rowMajor	If TRUE (default), the earliest indices will cycle fastest; if FALSE, last indices cycle fastest.

Details

Originally from the iterators package.

Value

The counting iterator.

See Also

For more control over starting number and step size, see iseq.

Examples

```
# create an iterator that counts from 1 to 3.
it <- icount(3)
nextOr(it)
nextOr(it)
nextOr(it)
nextOr(it, NULL)  # expect NULL

x <- icount(5)
repeat print(nextOr(x, break))

it2 <- icount(100)
all.equal(as.numeric(it2), 1:100)
as.list(icountn(c(2, 3)))
```

---

idedup	*Drop duplicated items from an iterator.*

Description

Constructs an iterator that removes runs of repeated elements from the underlying iterator. Order of the elements is maintained. Only the element just seen is remembered for determining whether to drop.

Usage

```
idedup(object, cmp = identical, ...)
```

Arguments

object	an iterable object
cmp	A function to use for comparison.
...	passed along to `iteror(object, ...)`

Details

Originated as `itertools2::iunique_lastseen.` object.

Value

an iterator that skips over duplicate items from teh unterlying iterator.

See Also

i_rle

Examples

```
it <- i_chain(rep(1,4), rep(2, 5), 4:7, 2)
it_i_unique <- idedup(it)
as.list(it_i_unique) # 1 2 4 5 6 7 2

it2 <- iteror(c('a', 'a', "A", 'a', 'a', "V"))
i_dedupe <- idedup(it2)
as.list(idedup) # a A a V
```

---

idiv   *Dividing Iterator*

Description

Returns an iterator dividing a value into integer chunks, such that sum(idiv(n, ...)) == floor(n)

Usage

```
idiv(count, ..., recycle = FALSE, chunkSize, chunks)
```

Arguments

count	The total
...	Unused.
recycle	Whether to restart the count after finishing.
chunkSize	the maximum size of the pieces that n should be divided into. This is useful when you know the size of the pieces that you want. If specified, then chunks should not be.
chunks	the number of pieces that n should be divided into. This is useful when you know the number of pieces that you want. If specified, then chunkSize should not be.

Details

Originally from the iterators package.

Value

The dividing iterator.

Examples

```
# divide the value 10 into 3 pieces
it <- idiv(10, chunks = 3)
nextOr(it)
nextOr(it)
nextOr(it)
nextOr(it, NULL)  # expect NULL

# divide the value 10 into pieces no larger than 3
it <- idiv(10, chunkSize = 3)
nextOr(it)
nextOr(it)
nextOr(it)
nextOr(it)
nextOr(it, NULL)  # end of iterator
```

---

igrid   *Iterator that covers the Cartesian product of the arguments.*

Description

Given a number of vectors as arguments, constructs an iterator that enumerates the Cartesian product of all arguments.

Usage

```
igrid(
  ...,
  recycle = FALSE,
  chunkSize,
  chunks,
  simplify = FALSE,
  rowMajor = TRUE
)
```

Arguments

...	Named vectors to iterate over.
recycle	If TRUE, the iteror starts over on reaching the end.
chunkSize	Optional; how many rows to return in each step.
chunks	Optional; how many chunks to divide the input into.
simplify	If TRUE, inputs are coerced to a common data type and results are returned in a vector (or matrix if chunking is enabled). If FALSE, results are returned as a list (or data.frame if chunking).
rowMajor	If TRUE, the left-most indices change fastest. If FALSE the rightmost indices change fastest.

Details

Although they share the same end goal, igrid can yield drastic memory savings compared to
[expand.grid](#).

Value

an [iteror](#) that iterates through each element from the Cartesian product of its arguments.

Examples

```
# Simulate a doubly-nested loop with a single while loop
it <- igrid(a=1:3, b=1:2)
repeat {
  x <- nextOr(it, break)
  cat(sprintf('a = %d, b = %d\n', x$a, x$b))
}

it <- igrid(x=1:3, y=4:5)
nextOr(it, NA) # list(x=1, y=4)
nextOr(it, NA) # list(x=1, y=5)
nextOr(it, NA) # list(x=2, y=4)
nextOr(it, NA) # list(x=2, y=5)
nextOr(it, NA) # list(x=3, y=4)
nextOr(it, NA) # list(x=3, y=5)

# Second Cartesian product
nextOr(it, NA) # list(x=1, y=4)
nextOr(it, NA) # list(x=1, y=5)
nextOr(it, NA) # list(x=2, y=4)
nextOr(it, NA) # list(x=2, y=5)
nextOr(it, NA) # list(x=3, y=4)
nextOr(it, NA) # list(x=3, y=5)

# igrid is an iterator equivalent to base::expand.grid()
# Large data.frames are not created unless the iterator is manually consumed
a <- 1:2
b <- 3:4
c <- 5:6
it3 <- igrid(a=a, b=b, c=c)
df_igrid <- do.call(rbind, as.list(it3))
df_igrid <- data.frame(df_igrid)

# Compare df_igrid with the results from base::expand.grid()
base::expand.grid(a=a, b=b, c=c)
```

---

ipermutations   *Iterator that generates all permutations of a vector.*

Description

Constructs an iterator generates all permutations of an iterable object. By default, full-length permutations are generated. If `m` is specified, successive `m` length permutations are instead generated.

Usage

```
ipermutations(object, m = NULL)
```

Arguments

`object`	vector
`m`	length of permutations. By default, full-length permutations are generated.

Details

The implementation is loosely based on that of Python's itertools.

Value

iterator that generates all permutations of `object`

Examples

```
it <- ipermutations(1:3)

nextOr(it, NA) # c(1, 2, 3)
nextOr(it, NA) # c(1, 3, 2)
nextOr(it, NA) # c(3, 1, 2)
nextOr(it, NA) # c(3, 2, 1)
nextOr(it, NA) # c(2, 3, 1)
nextOr(it, NA) # c(2, 1, 3)

it2 <- ipermutations(letters[1:4])
# 24 = 4! permutations of the letters a, b, c, and d
as.list(it2)
```

---

iread.table	*Iterator over Rows of a Data Frame Stored in a File*

Description

Returns an iterator over the rows of a data frame stored in a file in table format. It is a wrapper around the standard `read.table` function.

Usage

```
iread.table(file, ..., verbose = FALSE)
```

Arguments

`file`	the name of the file to read the data from.
`...`	all additional arguments are passed on to the `read.table` function. See the documentation for `read.table` for more information.
`verbose`	logical value indicating whether or not to print the calls to `read.table`.

Details

Originally from the `iterators` package.

Value

The file reading iterator.

Note

In this version of `iread.table`, both the `read.table` arguments `header` and `row.names` must be specified. This is because the default values of these arguments depend on the contents of the beginning of the file. In order to make the subsequent calls to `read.table` work consistently, the user must specify those arguments explicitly. A future version of `iread.table` may remove this requirement.

See Also

read.table

`ireadBin`	*Create an iterator to read binary data from a connection*

Description

Create an iterator to read binary data from a connection.

Usage

```
ireadBin(
  con,
  what = "raw",
  n = 1L,
  size = NA_integer_,
  signed = TRUE,
  endian = .Platform$endian,
  ipos = NULL
)
```

Arguments

con	A connection object or a character string naming a file or a raw vector.
what	Either an object whose mode will give the mode of the vector to be read, or a character vector of length one describing the mode: one of "numeric", "double", "integer", "int", "logical", "complex", "character", "raw". Unlike readBin, the default value is "raw".
n	integer. The (maximal) number of records to be read each time the iterator is called.
size	integer. The number of bytes per element in the byte stream. The default, 'NA_integer_', uses the natural size.
signed	logical. Only used for integers of sizes 1 and 2, when it determines if the quantity on file should be regarded as a signed or unsigned integer.
endian	The endian-ness ('"big"' or '"little"') of the target system for the file. Using '"swap"' will force swapping endian-ness.
ipos	iterable. If not NULL, values from this iterable will be used to do a seek on the file before calling readBin.

Details

Originally from the itertools package.

Value

An [iteror](#) reading binary chunks from the connection.

Examples

```
zz <- file("testbin", "wb")
writeBin(1:100, zz)
close(zz)

it <- ihasNext(ireadBin("testbin", integer(), 10))
repeat print(nextOr(it, break))
unlink("testbin")
```

---

ireaddf | *Create an iterator to read data frames from files*

Description

Create an iterator to read data frames from files.

Usage

```
ireaddf(filenames, n, start = 1, col.names, chunkSize = 1000)
```

Arguments

filenames	Names of files contains column data.
n	Maximum number of elements to read from each column file.
start	Element to start reading from.
col.names	Names of the columns.
chunkSize	Number of rows to read at a time.

Details

Originally from the itertools package.

Value

An [iteror](#) yielding [data.frame](#) objects with up to n rows.

---

ireadLines   *Iterator over Lines of Text from a Connection*

Description

Returns an iterator over the lines of text from a connection. It is a wrapper around the standard
readLines function.

Usage

```
ireadLines(con, n = 1, ...)
```

Arguments

con	a connection object or a character string.
n	integer. The maximum number of lines to read. Negative values indicate that one should read up to the end of the connection. The default value is 1.
...	passed on to the readLines function.

Details

Originally from the iterators package.

Value

The line reading iterator.

See Also

[readLines](#)

Examples

```
# create an iterator over the lines of COPYING
it <- ireadLines(file.path(R.home(), "COPYING"))
nextOr(it)
nextOr(it)
nextOr(it)
```

---

iRNGStream   *Iterators returning distant random-number seeds.*

Description

The `iRNGStream` creates a sequence of random number seeds that are very "far apart" (2^127 steps) in the overall random number sequence, so that each can be used to make a parallel, psudo-independent random iterator. This uses parallel::nextRNGStream and the "L'Ecuyer-CMRG" generator.

Usage

```
iRNGStream(seed)
```

Arguments

seed   Either a single number to be passed to set.seed or a

Details

iRNGSubStream creates seeds that are somewhat less far apart (2^76 steps), which might be used as "substream" seeds.

Originally from the `itertools` package.

Value

An iteror which produces seed values. vector to be passed to `nextRNGStream` or `nextRNGSubStream`.

An iteror which yields successive seed values.

References

For more details on the L'Ecuyer-CMRG generator, see `vignette("parallel", package="parallel")`.

See Also

`set.seed`, `nextRNGStream`, `nextRNGSubStream`

Examples

```
global.seed <- .Random.seed

rng.seeds <- iRNGStream(313)
print(nextOr(rng.seeds))
print(nextOr(rng.seeds))

# create three pseudo-independent and
# reproducible random number streams
it1 <- isample(c(0, 1), 1, seed=nextOr(rng.seeds))
it2 <- isample(c(0, 1), 1, seed=nextOr(rng.seeds))
it3 <- isample(c(0, 1), 1, seed=nextOr(rng.seeds))

all(.Random.seed == global.seed)
take(it1, 5, "numeric") # 0 0 0 1 1
take(it2, 5, "numeric") # 0 1 1 1 1
take(it3, 5, "numeric") # 1 1 1 0 0

# none of this affects the global seed
all(global.seed == .Random.seed)


# Compute random numbers in three parallel processes with three
# well-separated seeds. Requires package "foreach"
library(foreach)
foreach(1:3, rseed=iRNGSubStream(1970), .combine='c') %dopar% {
  RNGkind("L'Ecuyer-CMRG") # would be better to initialize workers only once
  assign('.Random.seed', rseed, pos=.GlobalEnv)
  runif(1)
}
```

---

irnorm   *Random Number Iterators*

Description

These functions each construct an iterator that produces random numbers of various distributions.
Each one is a wrapper around a base R function.

Usage

```
irnorm(
  n,
  mean = 0,
  sd = 1,
  count = Inf,
  independent = !missing(seed) || !missing(kind),
```

```
  seed = NULL,
  kind = NULL,
  normal.kind = NULL,
  sample.kind = NULL
)

irbinom(
  n,
  size,
  prob,
  count = Inf,
  independent = !missing(seed) || !missing(kind),
  seed = NULL,
  kind = NULL,
  normal.kind = NULL,
  sample.kind = NULL
)

irnbinom(
  n,
  size,
  prob,
  mu,
  count = Inf,
  independent = !missing(seed) || !missing(kind),
  seed = NULL,
  kind = NULL,
  normal.kind = NULL,
  sample.kind = NULL
)

irpois(
  n,
  lambda,
  count = Inf,
  independent = !missing(seed) || !missing(kind),
  seed = NULL,
  kind = NULL,
  normal.kind = NULL,
  sample.kind = NULL
)

isample(
  x,
  size,
  replace = FALSE,
  prob = NULL,
  count = Inf,
```

```
  independent = !missing(seed) || !missing(kind),
  seed = NULL,
  kind = NULL,
  normal.kind = NULL,
  sample.kind = NULL
)

irunif(
  n,
  min = 0,
  max = 1,
  count = Inf,
  independent = !missing(seed) || !missing(kind),
  seed = NULL,
  kind = NULL,
  normal.kind = NULL,
  sample.kind = NULL
)
```

Arguments

n	How many samples to compute per call; see e.g. rnorm.
mean	see rnorm.
sd	see rnorm.
count	number of times that the iterator will fire. If not specified, it will fire values forever.
independent	If TRUE, this iterator will keep its own private random state, so that its output is reproducible and independent of anything else in the program; this comes at some performance cost. Default is FALSE *unless* seed or kind are given. If independent=TRUE but neither seed nor kind are specified, we will use the "L'Ecuyer-CMRG" generator with a seed value taken from a package-private instance of iRNGStream.
seed	A specific seed value for reproducibility. If given, independent=TRUE is implied. This can be a single number (which will be passed to set.seed(seed, kind, normal.kind, sample.kind); it can also be a vector containing a complete, valid state for .Random.seed. If the latter, arguments kind, etc. are ignored.
kind	Which random number algorithm to use; passed along to set.seed, If given, independent=TRUE is implied.
normal.kind	Passed along to set.seed.
sample.kind	Passed along to set.seed.
size	see e.g. rbinom.
prob	see e.g. rbinom.
mu	see rnbinom.
lambda	see rpois.

x	see isample.
replace	see isample.
min	see runif.
max	see runif.

Details

Originally from the iterators package.

Value

An iterator that is a wrapper around the corresponding random number generator function.

See Also

If you are creating multiple independent iterators, iRNGStream will create well-separated seed values, which may help avoid spurious correlations between iterators.

Examples

```
# create an iterator that returns three random numbers
it <- irnorm(1, count = 3)
nextOr(it)
nextOr(it)
nextOr(it)
nextOr(it, NULL)

# iterators created with a specific seed will make reproducible values
it <- irunif(n=1, seed=314, kind="L'Ecuyer-CMRG")
nextOr(it) # 0.4936700
nextOr(it) # 0.5103891
nextOr(it) # 0.2338745

# the iRNGStream produces a sequence of well separated seed values,
rng.seeds <- iRNGStream(313)
it1 <- isample(c(0, 1), 1, seed=nextOr(rng.seeds))
it2 <- isample(c(0, 1), 1, seed=nextOr(rng.seeds))
it3 <- isample(c(0, 1), 1, seed=nextOr(rng.seeds))
take(it1, 5, "numeric") # 0 1 0 0 1
take(it2, 5, "numeric") # 0 1 0 0 0
take(it3, 5, "numeric") # 0 0 0 1 1
```

---

is.iteror   is.iteror *indicates if an object is an iteror.*

Description

is.iteror indicates if an object is an iteror.

Usage

```
is.iteror(x)
```

Arguments

x   any object.

Value

TRUE if the object has class iteror.

Examples

```
it <- iteror(1:3)
stopifnot(is.iteror(it))
repeat {
  print(nextOr(it, break))
}
```

---

iseq   *Iterators for sequence generation*

Description

Constructs iterators that generate regular sequences that follow the [seq](#) family.

Usage

```
iseq(
  from = 1,
  to = NULL,
  by = NULL,
  length_out = NULL,
  along_with = NULL,
  ...,
  recycle = FALSE,
```

```
  chunkSize,
  chunks
)

iseq_along(along_with, ...)
```

Arguments

`from`	the starting value of the sequence.
`to`	the end value of the sequence.
`by`	increment of the sequence.
`length_out`	desired length of the sequence. A non-negative number, which for seq will be rounded up if fractional.
`along_with`	the length of the sequence will match the length of this
`...`	Unused.
`recycle`	Whether to restart the sequence after it reaches `to`.
`chunkSize`	Optional; return this many values per call.
`chunks`	Optional; return this many chunks.

Details

The `iseq` function generates a sequence of values beginning with `from` and ending with `to`. The sequence of values between are determined by the by, `length_out`, and `along_with` arguments. The by argument determines the step size of the sequence, whereas `length_out` and `along_with` determine the length of the sequence. If by is not given, then it is determined by either `length_out` or `along_with`. By default, neither are given, in which case by is set to 1 or -1, depending on whether `to` > `from`.

Value

an iteror.

See Also

icount icountn

Examples

```
it <- iseq(from=2, to=5)
unlist(as.list(it)) == 2:5
```

---

isplit   *Split Iterator*

Description

Returns an iterator that divides the data in the vector x into the groups defined by f.

Usage

```
isplit(x, f, drop = FALSE, ...)
```

Arguments

x	vector or data frame of values to be split into groups.
f	a factor or list of factors used to categorize x.
drop	logical indicating if levels that do not occur should be dropped.
...	current ignored.

Details

Originally from the iterators package.

Value

The split iterator.

See Also

[split](#)

Examples

```
x <- rnorm(200)
f <- factor(sample(1:10, length(x), replace = TRUE))

it <- isplit(x, f)
expected <- split(x, f)

for (i in expected) {
    actual <- nextOr(it, break)
    stopifnot(actual$value == i)
}
```

---

itabulate	*Iterator that maps a function to a sequence of numeric values*

Description

Constructs an iterator that maps a given function over an indefinite sequence of numeric values. The input the function f is expected to accept a single numeric argument. The sequence of arguments passed to f begin with start and are incremented by step.

Usage

```
itabulate(f, start = 1, step = 1)
```

Arguments

f	the function to apply
start	sequence's initial value
step	sequence's step size

Value

an iterator that returns the mapped values from the sequence

Examples

```
it <- itabulate(f=function(x) x + 1)
take(it, 4) # 2 3 4 5

it2 <- itabulate(f=function(x) x^2, start=-3)
take(it2, 6) # 9 4 1 0 1 4

it3 <- itabulate(abs, start=-5, step=2)
take(it3, 6) # 5 3 1 1 3 5

it4 <- itabulate(exp, start=6, step=-2)
take(it4, 4) # exp(c(6, 4, 2, 0))
```

---

iteror	*Make an iteror from a given object.*

Description

it <- iteror(obj, ...) is a generic constructor that creates objects of class "iteror" from its input. An iteror outputs a single element of a sequence each time you call nextOr(it). Different iteror methods exist for different data types and may take different optional arguments as listed in this page.

Usage

```
iteror(obj, ...)

## S3 method for class 'iter'
iteror(obj, ...)

## Default S3 method:
iteror(obj, ..., recycle = FALSE, chunkSize, chunks)

## S3 method for class 'connection'
iteror(obj, ...)
```

Arguments

`obj`	An object to iterate with.
`...`	Different `iteror` methods may take additional options depending on the class of `obj`.
`recycle`	a boolean describing whether the iterator should reset after running through all its values.
`chunkSize`	How many elements (or slices) to include in each chunk.
`chunks`	Split the input into this many chunks.

Details

When called, an iteror may either return a new value or stop. The way an iteror signals a stop is that it does whatever you write in the argument `or`. For instance you can write `or=break` to exit a loop. Summing over an iteror this way looks like:

```
sum <- 0
it <- iteror(iseq(0, 100, 7))
repeat {
  sum <- sum + nextOr(it, break)
}
```

Another way to use the "or" argument is to give it a sentinel value; that is, a special value that you will interpret as end of iteration. If the result of calling `nextOr` is `identical()` to the value you provided, then you know the iterator has ended. This pattern looks like:

```
sum <- 0
stopped <- new.env()
it <- iteror(iseq(0, 100, 7))
repeat {
  val <- nextOr(it, stopped)
  if (identical(val, stopped)) break
  sum <- sum + val
}
```

(Here I'm using new.env() as a sentinel value. In R it is commonplace to use NULL or NA as a kind of sentinel value, but that only works until you have an iterator that needs to yield NULL itself. A safer alternative is to use a local, one-shot sentinel value; new.env() is ideal, as it constructs an object that is not [identical](#) to any other object in the R session.)

Note that iteror objects are simply functions with a class attribute attached, and all nextOr.iteror does is call the function. So if you were in the mood, you could skip calling nextOr involving S3 dispatch and instead call the iteror directly. If you take this approach, make sure you have called iteror() first to ensure that you have a true iteror object.

```
sum <- 0
it <- iteror(iseq(0, 100, 7))
repeat sum <- sum + it(or=break)
sum
#> [1] 735
```

To create iterors with custom-defined behavior, see [iteror.function](#).

Value

an object of classes 'iteror' and 'iter'.

The method iteror.iter wraps an [iterators::iter](#) object and returns an iteror.

The default method iteror.default treats obj as a vector to yield values from.

See Also

iteror.array iteror.function iteror.data.frame

---

iteror.array   *Iterate over an array or data frame by a specified dimension.*

Description

Iterate over an array or data frame by a specified dimension.

Usage

```
## S3 method for class 'array'
iteror(
  obj,
  ...,
  by = c("cell", "row", "column"),
  chunkSize,
  chunks,
  recycle = FALSE,
  drop = FALSE,
  rowMajor = TRUE
```

```
)

## S3 method for class 'matrix'
iteror(
  obj,
  ...,
  by = c("cell", "row", "column"),
  chunkSize,
  chunks,
  recycle = FALSE,
  drop = FALSE,
  rowMajor = TRUE
)

## S3 method for class 'data.frame'
iteror(obj, ..., recycle = FALSE, chunkSize, chunks, by = c("column", "row"))
```

Arguments

`obj`	An object to iterate over.
`...`	Undocumented.
`by`	Which dimension to slice an array or data frame by. Can be "cell", "row", "column", or numeric dimensions.
`chunkSize`	The thickness of the slice to take along the specified dimension.
`chunks`	How many slices to take.
`recycle`	If TRUE, the iteror starts over on reaching the end.
`drop`	Whether to drop the array dimensions enumerated over.
`rowMajor`	If TRUE, will return slices in order with the first indices varying fastest (same as in i_enumerate).

Value

an iteror yielding from `obj` along the specified dimensions.

Examples

```
l <- iteror(letters, chunkSize=7)
as.list(l)

a <- array(1:8, c(2, 2, 2))

# iterate over all the slices
it <- iteror(a, by=3)
as.list(it)

# iterate over all the columns of each slice
it <- iteror(a, by=c(2, 3))
as.list(it)
```

```
# iterate over all the rows of each slice
it <- iteror(a, by=c(1, 3))
as.list(it)
```

---

iteror.function   *Construct an iteror object with custom-programmed behavior.*

Description

Pass `obj` a function that has a first argument named "or". In writing this function, you can maintain state by using enclosed variables and update using <<-, Whatever value `obj()` returns is the next element of the iteror. Treat argument `or` as a lazy value; do not touch it until until you need to signal end of iteration; to signal end of iteration, force and immediately return `or`.

Usage

```
## S3 method for class ``function`'
iteror(obj, ..., catch, sentinel, count)
```

Arguments

obj	A function. It should have having an argument named "or"
...	Undocumented.
catch	If obj does not have an or argument, specify e.g. catch="StopIteration" to interpret that an error with that message as end of iteration.
sentinel	If obj does not have an or argument, you can specify a special value to watch for end of iteration. Stop will be signaled if the function result is [identical()](#) to sentinel.
count	If obj does not have an or argument, you can specify how many calls before stop iteration, or give NA or Inf to never stop.

Details

You can also provide `obj` a simple function of no arguments, as long as you specify one of `catch`, `sentinel`, or `count` to specify how to detect end of iteration.

Value

An object of mode "function" and class "iteror".

An [iteror](#) which calls the given function to produce values.

Examples

```
# an iterator that counts from start to stop
irange <- function(from=1, to=Inf) {
  current <- from
  iteror(function(or) {
    if (current > to) {
      return(or)
    } else {
      tmp <- current
      current <<- current + 1
      tmp
    }
  })
}
it <- irange(5, 10)
as.vector(it, "numeric")

# an endless random number generator
irand <- function(min, max) {
 iteror(function() runif(1, min=min, max=max), count=Inf)
}
take(irand(5, 10), 10)
```

---

i_apply   *Apply a function to each element of an iterator.*

Description

`i_apply(obj, f)` returns the iteror that applies f to each element of the given iterable obj. It is an
iterator equivalent of `lapply`.

Usage

```
i_apply(obj, f, ...)
```

Arguments

obj   an iterable.

f   a function

...   Additional arguments will be passed along to f

Value

An iteror.

See Also

To apply a function of multiple arguments to multiple iterators, see i_map. To split an array over margins (like iterators::i_apply use iteror(obj, by=MARGIN

---

i_break   *Create an iterator that can be told to stop.*

Description

Create an iterator that iterates over another iterator until a specified function returns FALSE. This can be useful for breaking out of a foreach loop, for example.

Usage

```
i_break(iterable, finished, ...)
```

Arguments

iterable	Iterable to iterate over.
finished	Function that returns a logical value. The iterator stops when this function returns FALSE.
...	Further arguments forwarded to iteror.

Details

Originally from the itertools package.

Value

an iteror which will stop when finished() is TRUE

Examples

```
# See how high we can count in a tenth of a second
mkfinished <- function(time) {
  starttime <- proc.time()[3]
  function() proc.time()[3] > starttime + time
}
length(as.list(i_break(icount(), mkfinished(0.1))))
```

---

i_chunk   *Combine an iterator's values into chunks.*

Description

Create an iterator that issues lists of values from the underlying iterable. This is useful for manually "chunking" values from an iterable.

Usage

```
i_chunk(iterable, size, mode = "list", fill, ...)
```

Arguments

iterable	Iterable to iterate over.
size	Maximum number of values from iterable to return in each value issued by the resulting iterator.
mode	Mode of the objects returned by the iterator.
fill	Value to use to pad the last chunk to size, if it is short. If missing, no padding will be done.
...	Further arguments will be forwarded to iteror(iterable, ...).

Value

an iteror that yields items of length size and mode mode.

See Also

iteror.default

Argument size does not need to be an integer, for instance a chunk of 3.5 will produce chunks of sizes 3 and 4 alternating. The precise behavior will be subject to floating point precision.

Examples

```
# Split the vector 1:10 into "chunks" with a maximum length of three
it <- i_chunk(1:10, 3)
repeat print(unlist(nextOr(it, break)))

# Same as previous, but return integer vectors rather than lists
it <- i_chunk(1:10, 3, mode='integer')
repeat print(unlist(nextOr(it, break)))

it <- i_chunk(iterators::iter(1:5), 2, fill=NA)
# List: list(1, 2, 3)
nextOr(it, NULL)
# List: list(4, 5, NA)
```

```
nextOr(it, NULL)

it2 <- i_chunk(levels(iris$Species), 4, fill="weeee")
# Returns: list("setosa", "versicolor", "virginica", "weeee")
nextOr(it2, NA)
```

---

i_concat   *Iteror that chains multiple arguments together into a single iterator*

Description

i_concat(obj) takes an iterable that returns iterables, and chains together all inner values of iterables into one iterator. Analogous to unlist(recursive=FALSE).

i_chain for iterators is analogous to c() on vectors. i_chain constructs an iteror that returns elements from the first argument until it is exhausted, then elements from the next argument, and so on until all arguments have been exhausted.

Usage

```
i_concat(obj, ...)

i_chain(...)
```

Arguments

obj	an iterable.
...	multiple iterable arguments

Value

iteror that iterates through each argument in sequence

Author(s)

Peter Meilstrup

Examples

```
it <- i_chain(1:3, 4:5, 6)
as.list(it)

it2 <- i_chain(1:3, levels(iris$Species))
as.list(it2)
```

---

i_dropwhile *Iterator that drops elements until the predicate function returns FALSE*

Description

Constructs an iterator that drops elements from the iterable `object` as long as the `predicate` function is true; afterwards, every element of `iterable` object is returned.

Usage

```
i_dropwhile(object, predicate, ...)
```

Arguments

object	an iterable object
predicate	a function that determines whether an element is TRUE or FALSE. The function is assumed to take only one argument.
...	Further arguments forwarded to iteror.

Details

Because the iterator does not return any elements until the `predicate` first becomes false, there may have a lengthy start-up time before elements are returned.

Value

An iteror object.

Examples

```
# Filters out numbers exceeding 3
not_too_large <- function(x) {
  x <= 3
}
it <- i_dropwhile(1:8, not_too_large)
as.list(it)

# Same approach but uses an anonymous function
it2 <- i_dropwhile(seq(2, 20, by=2), function(x) x <= 10)
as.list(it2)
```

---

i_enumerate   *Iterator that returns the elements of an object along with their indices*

Description

Constructs an iterator that returns the elements of an object along with each element's indices. Enumeration is useful when looping through an `object` and a counter is required.

The `i_enumerate` method for arrays allows splitting an array by arbitrary margins, including by multiple margins. The `index` element returned will be a vector (or if chunking is used, a matrix) of indices.

Usage

```
i_enumerate(obj, ...)

ienumerate(obj, ...)

## Default S3 method:
i_enumerate(obj, ..., recycle = FALSE, chunkSize, chunks)

i_enum(obj, ...)

## S3 method for class 'array'
i_enumerate(
  obj,
  ...,
  recycle = FALSE,
  chunkSize,
  chunks,
  by = c("cell", "row", "column"),
  rowMajor = TRUE,
  drop = FALSE
)
```

Arguments

`obj`	object to return indefinitely.
`...`	Undocumented.
`recycle`	Whether to restart the iterator after finishing the array.
`chunkSize`	How large a chunk to take along the specified dimension.
`chunks`	How many chunks to divide the array into.
`by`	Which array margins to iterate over. Can be "row", "col", "cell", or a vector of numerical indices.
`rowMajor`	If TRUE, the first index varies fastest, if FALSE, the last index varies fastest.
`drop`	Whether to drop marginalized dimensions. If chunking is used, this has no effect.

Details

This function is intended to follow the convention used in Python's enumerate function where the primary difference is that a list is returned instead of Python's `tuple` construct.

Each call to [nextElem](#) returns a list with two elements:

index: a counter

value: the current value of `object`

`i_enum` is an alias to `i_enumerate` to save a few keystrokes.

First appeared in package `iterators2`.

These are two closely closely related functions: `i_enumerate` accepts an iterable, and will only emit a single index starting with 1. `ienumerate` is a generic with methods for vectors and arrays, supporting all chunking and recycling options, and returning multiple indices for arrays.

Value

iterator that returns the values of `obj` along with the index of the object.

Author(s)

Peter Meilstrup

Examples

```
set.seed(42)
it <- i_enumerate(rnorm(5))
as.list(it)

# Iterates through the columns of the iris data.frame
it2 <- i_enum(iris)
nextOr(it2, NA)
nextOr(it2, NA)
nextOr(it2, NA)
nextOr(it2, NA)
nextOr(it2, NA)

a <- array(1:27, c(3, 3, 3))
as.list(i_enumerate(a, by=c(1, 2), drop=TRUE))
as.list(i_enumerate(a, by=c(3), drop=FALSE))
as.list(i_enumerate(a, by=c(2, 3), chunkSize=7))
```

---

i_keep *Iterator that filters elements not satisfying a predicate function*

Description

i_keep(iterable, predicate) constructs an iterator that filters elements from iterable returning only those for which the predicate is TRUE.

Usage

```
i_keep(iterable, predicate, ...)

i_drop(iterable, predicate, ...)
```

Arguments

iterable	an iterable object.
predicate	a function that determines whether an element is TRUE or FALSE. The function is assumed to take only one argument.
...	passed along to iteror constructor.

Details

Originally called 'ifilter' from package itertools. Renamed because the order of arguments has changed to put the iterable in the first argument, the better to be used with the |> operator.

Value

iterator object

See Also

i_drop i_keepwhile i_dropwhile

Examples

```
# Filters out odd numbers and retains only even numbers
is_even <- function(x) {
  x %% 2 == 0
}
it <- i_keep(1:10, is_even)
as.list(it)

# Similar idea here but anonymous function is used to retain only odd
# numbers
it2 <- i_drop(1:10, function(x) x %% 2 == 0)
nextOr(it2, NA) # 1
nextOr(it2, NA) # 3
```

```
nextOr(it2, NA) # 5
nextOr(it2, NA) # 7
nextOr(it2, NA) # 9

is_vowel <- function(x) {
  x %in% c('a', 'e', 'i', 'o', 'u')
}
it3 <- i_keep(letters, is_vowel)
as.list(it3)
# Filters out even numbers and retains only odd numbers
is_even <- function(x) {
  x %% 2 == 0
}
it <- i_drop(1:10, is_even)
as.list(it)

# Similar idea here but anonymous function is used to filter out odd
# numbers
it2 <- i_drop(1:10, function(x) x %% 2 == 1)
as.list(it2)

is_vowel <- function(x) {
  x %in% c('a', 'e', 'i', 'o', 'u')
}
it3 <- i_drop(letters, is_vowel)
nextOr(it3, NA) # b
nextOr(it3, NA) # c
nextOr(it3, NA) # d
nextOr(it3, NA) # f
nextOr(it3, NA) # g
# nextOr(it, NA) continues through the rest of the consonants
```

---

i_keepwhile   *Iterator that returns elements while a predicate function returns TRUE*

Description

Constructs an iterator that returns elements from an iterable object as long as the given predicate function returns TRUE.

Usage

```
i_keepwhile(object, predicate, ...)
```

Arguments

object	an iterable object
predicate	a function that determines whether an element is TRUE or FALSE. The function is assumed to take only one argument.
...	passed along to iteror(object, ...)

Value

iterator object

Examples

```
# Filters out numbers exceeding 5
not_too_large <- function(x) {
  x <= 5
}
it <- i_keepwhile(1:100, not_too_large)
unlist(as.list(it)) == 1:5

# Same approach but uses an anonymous function
it2 <- i_keepwhile(seq(2, 100, by=2), function(x) x <= 10)
unlist(as.list(it2)) == c(2, 4, 6, 8, 10)
```

---

i_limit   *Limit the length of an iterator.*

Description

Create an iterator that limits the specified iterable to a specified number of items.

Usage

```
i_limit(iterable, n, ...)
```

Arguments

iterable	Iterable to iterate over.
n	Maximum number of values to return.
...	Extra arguments for iteror(iterable, ...)

Details

Originally from the itertools package.

Value

an [iteror](#) which will stop after yielding n values.

Examples

```
# Limit icount to only return three values
as.list(i_limit(icount(), 3))
```

i_map   *Iterator that applies a given function to several iterables concurrently.*

Description

Constructs an iterator that computes the given function f using the arguments from each of the iterables given in ....

Usage

```
i_map(f, ...)
```

Arguments

f   a function

...   multiple arguments to iterate through in sequence

Details

The iterator returned is exhausted when the shortest iterable in ... is exhausted. Note that i_map does not recycle arguments as [Map](#) does.

The primary difference between i_starmap and [i_map](#) is that the former expects an iterable object whose elements are already grouped together, while the latter case groups the arguments together before applying the given function. The choice is a matter of style and convenience.

Value

iterator that returns the values of object along with the index of the object.

Examples

```
pow <- function(x, y) {
  x^y
}
it <- i_map(pow, c(2, 3, 10), c(5, 2, 3))
as.list(it)

# Similar to the above, but because the second vector is exhausted after two
# calls to `nextElem`, the iterator is exhausted.
it2 <- i_map(pow, c(2, 3, 10), c(5, 2))
as.list(it2)

# Another similar example but with lists instead of vectors
it3 <- i_map(pow, list(2, 3, 10), list(5, 2, 3))
nextOr(it3, NA) # 32
nextOr(it3, NA) # 9
nextOr(it3, NA) # 1000
```

---

i_mask   *Iterator that filters elements where corresponding selector is false.*

Description

Constructs an iterator that filters elements from iterable returning only those for which the corresponding element from selectors is TRUE.

Usage

```
i_mask(object, selectors)
```

Arguments

object	an iterable object
selectors	an iterable that determines whether the corresponding element in object is returned.

Details

The iterator stops when either object or selectors has been exhausted.

Value

iterator object

Examples

```
# Filters out odd numbers and retains only even numbers
n <- 10
selectors <- rep(c(FALSE, TRUE), n)
it <- i_mask(seq_len(n), selectors)
as.list(it)

# Similar idea here but anonymous function is used to filter out even
# numbers
n <- 10
it2 <- i_mask(seq_len(10), rep(c(TRUE, FALSE), n))
as.list(it2)

it3 <- i_mask(letters, letters %in% c('a', 'e', 'i', 'o', 'u'))
as.list(it3)
```

---

i_pad   *Iterator that returns an object followed indefinitely by a fill value*

Description

Constructs an iterator that returns an iterable `object` before padding the iterator with the given `fill` value indefinitely.

Usage

```
i_pad(object, fill = NA, ...)
```

Arguments

`object`	an iterable object
`fill`	the value to pad the indefinite iterator after the initial `object` is consumed. Default: `NA`
`...`	Passed along to [iteror](#) constructor.

Value

iterator that returns `object` followed indefinitely by the `fill` value

Examples

```
it <- iteror(1:9)
it_i_pad <- i_pad(it)
as.list(i_slice(it_i_pad, end=9)) # Same as as.list(1:9)

it2 <- iteror(1:9)
it2_i_pad <- i_pad(it2)
as.list(i_slice(it2_i_pad, end=10)) # Same as as.list(c(1:9, NA))

it3 <- iteror(1:9)
it3_i_pad <- i_pad(it3, fill=TRUE)
as.list(i_slice(it3_i_pad, end=10)) # Same as as.list(c(1:9, TRUE))
```

---

i_recycle *Create a recycling iterator*

Description

Create an iterator that recycles a specified iterable. On the first repeat the iterable is buffered into memory until it finishes, then we repeat the same sequence of values.

Usage

```
i_recycle(iterable, times = Inf, ...)
```

Arguments

iterable	The iterable to recycle.
times	integer. Number of times to recycle the values . Default value of Inf means to recycle indefinitely.
...	Further arguments will be passed along to iteror.

Details

Originally from the itertools package.

Value

an iteror recycling the values from the underlying iterable.

Examples

```
# Recycle over 'a', 'b', and 'c' three times
i <- i_recycle(letters[1:3], 3)
as.character(i)

it <- i_recycle(1:3)
nextOr(it, NA) # 1
nextOr(it, NA) # 2
nextOr(it, NA) # 3
nextOr(it, NA) # 1
nextOr(it, NA) # 2
nextOr(it, NA) # 3
nextOr(it, NA) # 1

it2 <- i_recycle(1:3, times=2)
as.list(it2)
```

---

i_rep   *Repeat values from an iterator.*

Description

An analogue of the rep function operating on iterables.

Usage

```
i_rep(iterable, times = 1, length.out = NULL, each = 1, ...)
```

Arguments

iterable	The iterable to iterate over repeatedly.
times	How many times to recycle the underlying iteror (via i_recycle).
length.out	The maximum length of output. If this is given times is ignored.
each	The number of times to repeat each element. You can pass a vector (recycled), or another iterable, to repeat each element a varying number of times.
...	further arguments passed along to iteror(iterable, ...)

Details

Note that arguments times and each can work slightly differently from rep; times must always be of length 1; to repeat each element a specific number of times, provide a vector to each rather than times.

Originally from the itertools package.

Value

an iteror yilding and repeating values from iterable.

See Also

base::rep, i_recycle

Examples

```
as.numeric(i_rep(1:4, 2))
as.numeric(i_rep(1:4, each=2))
as.numeric(i_rep(1:4, each=c(2,2,2,2)))
as.numeric(i_rep(1:4, each=c(2,1,2,1)))
as.numeric(i_rep(1:4, each=2, len=4))
as.numeric(i_rep(1:4, each=2, len=10))
as.numeric(i_rep(1:4, each=2, times=3))

# Note `rep` makes `times` behave like `each` when given a vector.
```

```
# `i_rep` does not reproduce this behavior; give the vector to `each`.
# These are equivalent:
as.numeric(i_rep(1:4, each = 1:8, times=2))
rep(rep(1:4, times=2), times=1:8)
```

---

i_repeat   *Create a repeating iterator*

Description

Create an iterator that returns a value a specified number of times.

Usage

```
i_repeat(x, times)
```

Arguments

x	The value to return repeatedly.
times	The number of times to repeat the value. Default value is infinity.

Details

Originally from the itertools package.

Value

an iteror.

Examples

```
# Repeat a value 10 times
unlist(as.list(i_repeat(42, 10)))
```

---

i_rle   *Run-length encoding iterator.*

Description

This is an iterator equivalent of rle; it produces one output value for each run if identical values in
its input, along with the lenght of the run. i_rle_inverse() performs the inverse transformstion.

Usage

```
i_rle(obj, cmp = identical, ...)

i_rleinv(obj, ...)
```

Arguments

obj	An iterable
cmp	A function to use for comparison. It should take two arguments and return TRUE or FALSE.
...	further arguments forwarded to iteror(obj, ...).

Value

An iterator returning entries of the form list(length=n, value=X).

i_rleinv recreates the original data from the output of i_rle.

Author(s)

Peter Meilstrup

See Also

i_dedupe

Examples

```
it <- isample(c(TRUE, FALSE), 1, replace=TRUE)
rle <- i_rle(it)
x <- take(rle, 10)
as.logical(i_rleinv(x))
```

---

i_roundrobin   *Iteror that traverses each given iterable in a roundrobin order*

Description

Constructs an iterator that traverses each given iterable in a roundrobin order. That is, the iterables are traversed in an alternating fashion such that the each element is drawn from the next iterable. If an iterable has no more available elements, it is skipped, and the next element is taken from the next iterable having available elements.

Usage

```
i_roundrobin(...)
```

Arguments

...   multiple arguments to iterate through in roundrobin sequence

Value

iterator that alternates through each argument in roundrobin sequence

Examples

```
it <- iteror(c("A", "B", "C"))
it2 <- iteror("D")
it3 <- iteror(c("E", "F"))
as.list(i_roundrobin(it, it2, it3)) # A D E B F C

it_rr <- i_roundrobin(1:3, 4:5, 7:10)
as.list(it_rr) # 1 4 7 2 5 8 3 9 10
```

---

i_slice   *Iteror that returns selected elements from an iterable.*

Description

Constructs an iteror that returns elements from an iterable following the given sequence with starting value start and ending value end. The sequence's step size is given by step.

Usage

```
i_slice(object, start = 1, end = NULL, step = 1, ...)
```

Arguments

object	iterable object through which this function iterates
start	the index of the first element to return from object
end	the index of the last element to return from object
step	the step size of the sequence
...	passed along to iteror(object, ...)

Details

The iterable given in object is traversed beginning with element having index specified in start. If start is greater than 1, then elements from the object are skipped until start is reached. By default, elements are returned consecutively. However, if the step size is greater than 1, elements in object are skipped.

If stop is Inf (default), the iteration continues until the iteror is exhausted unless end is specified. In this case, end specifies the sequence position to stop iteration.

Originally from package itertools2.

Value

iteror that returns object in sequence

Examples

```
it <- i_slice(1:5, start=2)
nextOr(it, NULL) # 2
nextOr(it, NULL) # 3
nextOr(it, NULL) # 4
nextOr(it, NULL) # 5

it2 <- i_slice(1:10, start=2, end=5)
unlist(as.list(it2)) == 2:5

it3 <- i_slice(1:10, start=2, end=9, step=2)
unlist(as.list(it3)) == c(2, 4, 6, 8)
```

---

i_starmap   *Iteror that applies a given function to the elements of an iterable.*

Description

Constructs an iteror that applies the function f concurrently to the elements within the list x.

Usage

```
i_starmap(f, x)

i_star(f, x)
```

Arguments

f	a function to apply to the elements of x
x	an iterable object

Details

The iteror returned is exhausted when the shortest element in x is exhausted. Note that i_starmap does not recycle arguments as [Map](#) does.

The primary difference between i_starmap and [i_map](#) is that the former expects an iterable object whose elements are already grouped together, while the latter case groups the arguments together before applying the given function. The choice is a matter of style and convenience.

Value

iterator that returns the values of `object` along with the index of the object.

Examples

```
pow <- function(x, y) {
  x^y
}
it <- i_starmap(pow, list(c(2, 3, 10), c(5, 2, 3)))
unlist(as.list(it)) == c(32, 9, 1000)

# Similar to the above, but because the second vector is exhausted after two
# calls to `nextElem`, the iterator is exhausted.
it2 <- i_starmap(pow, list(c(2, 3, 10), c(5, 2)))
unlist(as.list(it2)) == c(32, 9)

# Another similar example but with lists instead of vectors
it3 <- i_starmap(pow, list(list(2, 3, 10), list(5, 2, 3)))
as.list(it3)

# Computes sum of each row in the iris data set
# Numerically equivalent to base::rowSums()
tolerance <- sqrt(.Machine$double.eps)
iris_x <- iris[, -5]
it4 <- i_starmap(sum, iris_x)
unlist(as.list(it4)) - rowSums(iris_x) < tolerance
```

---

i_tee	*Create multiple iterators from one source*

Description

`i_tee(obj, n)` consumes and buffers the output of a single iterator `obj` so that it can be read by `n` independent sub-iterators.

Usage

```
i_tee(obj, n, max = 2^16 - 1, ...)
```

Arguments

obj	an iterable object
n	the number of iterators to return
max	The maximum number of values to buffer.
...	passed along to `iteror(obj, ...)`

Details

It works by saving the output of source `obj` in a queue, while each sub-iterator has a "read pointer" indexing into the queue. Items are dropped from the queue after all sub-iterators have seen them.

This means that if one sub-iterator falls far behind the others, or equivalently if one sub-iterator reads far ahead its cohort the others, the intervening values will be kept in memory. The `max` argument gives a limit on how many items will be held. If this limit is exceeded due to one sub-iterator reading far ahead of the others, an error will be thrown when that sub-iterator attempts to read a new value.

Value

a list of `n` iterators.

Author(s)

Peter Meilstrup

---

i_timeout	*Create a timeout iterator*

Description

Create an iterator that iterates over another iterator for a specified period of time, and then stops. This can be useful when you want to search for something, or run a test for awhile, and then stop.

Usage

```
i_timeout(iterable, time, ...)
```

Arguments

iterable	Iterable to iterate over.
time	The time interval to iterate for, in seconds.
...	passed along to `iteror(iterable, ...)`

Details

Originally from the itertools package.

Value

an iteror yielding values from iterable so long as time is in the future

Examples

```
# See how high we can count in a tenth of a second
length(as.list(i_timeout(icount(), 0.1)))
```

---

i_unique   *Iterator that extracts the unique elements from an iterable object*

Description

Constructs an iterator that extracts each unique element in turn from an iterable object. Order of the elements is maintained. This function is an iterator analogue to unique.

Usage

```
i_unique(object, digest = rlang::hash, ...)
```

Arguments

object	an iterable object
digest	Optionally specify a custom hash function (e.g. digest::digest, rlang::hash). It should be a function returning a character value.
...	Extra arguments are forwarded to iteror.

Details

NOTE: In order to determine whether an element is unique, a list of previous unique elements is stored. In doing so, the list can potentially become large if there are a large number of unique elements.

Value

an iterator that returns only the unique elements from object

See Also

i_dedupe

Examples

```
it <- i_chain(rep(1, 4), rep(2, 5), 4:7, 2)
as.list(i_unique(it)) # 1 2 4 5 6 7

it2 <- iterators::iter(c('a', 'a', "A", "V"))
as.list(i_unique(it2)) # a A V

x <- as.character(gl(5, 10))
it_unique <- i_unique(x)
as.list(it_unique) # 1 2 3 4 5
```

---

i_window   *Construct a sliding window over an iterator*

Description

Each element returned by i_window(obj) consists of n consecutive elements from the underlying obj, with the window advancing forward by one element each iteration.

Usage

```
i_window(obj, n, tail, ...)
```

Arguments

obj	An iterable.
n	The width of the window to apply
tail	If a value is given, tails will be included at the beginning and end of iteration, filled with the given value.
...	passed along to iteror(object, ...)

Value

an iteror.

Author(s)

Peter Meilstrup

Examples

```
#' @examples
it <- i_window(iteror(letters[1:4]), 2)
nextOr(it, NA) # list("a", "b")
nextOr(it, NA) # list("b", "c")
nextOr(it, NA) # list("c", "d")
```

```
it2 <- i_window(icount(5), 2)
nextOr(it2, NA) # list(1, 2)
nextOr(it2, NA) # list(2, 3)
nextOr(it2, NA) # list(3, 4)
nextOr(it2, NA) # list(4, 5)

it <- i_window(letters[1:4], 2)
nextOr(it, NA) # list("a", "b")
nextOr(it, NA) # list("b", "c")
nextOr(it, NA) # list("c", "d")

it <- i_window(letters[1:4], 3)
nextOr(it) # list("a", "b", "c")
nextOr(it) # list("b", "c", "d")

it <- i_window(letters[1:4], 3, tail=" ")
nextOr(it) # list(" ", " ", "a")
nextOr(it) # list(" ", "a", "b")
nextOr(it) # list("a", "b", "c")
nextOr(it) # list("b", "c", "d")
nextOr(it) # list("c", "d", " ")
nextOr(it) # list("d", " ", " ")
```

---

i_zip   *Combine several iterables in parallel.*

Description

The resulting iterator aggregates one element from each of the iterables into a list for each iteration. Used for lock-step iteration over several iterables at a time.

Usage

```
i_zip(...)

i_zip_longest(..., fill = NA)
```

Arguments

...	multiple arguments to iterate through in parallel
fill	the value used to replace missing values when the iterables in ... are of uneven length

Details

For [i_zip], the output will finish when any of the underlying iterables finish.

Originally from the itertools package.

Originally from package itertools2.

Value

iterator that iterates through each argument in sequence

Examples

```
# Iterate over two iterables of different sizes
as.list(i_zip(a=1:2, b=letters[1:3]))

it <- i_zip_longest(x=1:3, y=4:6, z=7:9)
nextOr(it, NA) # list(x=1, y=4, z=7)
nextOr(it, NA) # list(x=2, y=5, z=8)
nextOr(it, NA) # list(x=3, y=6, z=9)

it2 <- i_zip_longest(1:3, 4:8)
nextOr(it2, NA) # list(1, 4)
nextOr(it2, NA) # list(2, 5)
nextOr(it2, NA) # list(3, 6)
nextOr(it2, NA) # list(NA, 7)
nextOr(it2, NA) # list(NA, 8)

it3 <- i_zip_longest(1:2, 4:7, levels(iris$Species), fill="w00t")
nextOr(it3, NA) # list(1, 4, "setosa")
nextOr(it3, NA) # list(2, 5, "versicolor")
nextOr(it3, NA) # list("w00t", 6, "virginica")
nextOr(it3, NA) # list("w00t", 7, "w00t")
```

---

makeIwrapper	*Iterator Constructor-Constructor Function Wrapper*

Description

The `makeIwrapper` function wraps an R function to produce an iterator constructor. It is used to construct random sampling iterators in this package; for instance `irnorm` is defined as `irnorm <- makeIwrapper(rnorm)`.

Usage

```
makeIwrapper(FUN)
```

Arguments

FUN   a function that generates different values each time it is called; typically one of
                the standard random number generator functions.

Details

The resulting iterator constructors all take an optional `count` argument which specifies the number of times the resulting iterator should fire. They also have an argument `independent` which enables independent tracking of the random number seed. The `isample` function is an example of one such iterator constructoe (as are `irnorm`, `irunif`, etc.).

Original version appeared in the `iterators` package.

Value

An iterator that is a wrapper around the corresponding function.

Examples

```
# create an iterator maker for the sample function
mysample <- makeIwrapper(sample)
# use this iterator maker to generate an iterator that will generate three five
# member samples from the sequence 1:100
it <- mysample(1:100, 5, count = 3)
nextOr(it)
nextOr(it)
nextOr(it)
nextOr(it, NULL)  # NULL
```

---

nextOr   *Retreive the next element from an iteror.*

Description

Retreive the next element from an iteror.

Usage

```
nextOr(obj, or, ...)
```

Arguments

`obj`	An iteror.
`or`	If the iterator has reached its end, this argument will be forced and returned.
`...`	Other arguments may be used by specific iterors.

Value

Either the next value of `iteror`, or the value of `or`.

---

nth   *Returns the nth item of an iteror*

Description

Returns the nth item of an `iteror` after advancing the iteror n steps ahead. If the `iteror` is entirely consumed, the argument `or` is returned instead. That is, if either `n > length(iteror)` or n is 0, then the `iteror` is consumed.

Usage

```
nth(obj, n, or, ...)
```

Arguments

obj	an iterable.
n	The index of the desired element to return.
or	If the iteror finishes before retuning n elements, this argument will be forced and returned.
...	passed along to [iteror](#) constructor.

Value

The nth element of the iteror or the result of forcing `or`.

See Also

take consume collect

Examples

```
it <- iteror(1:10)
# Returns 5
nth(it, 5, NA)

it2 <- iteror(letters)
# Returns 'e'
nth(it2, 5, NA)

it3 <- iteror(letters)
# Returns default value of NA
nth(it3, 42, NA)

it4 <- iteror(letters)
# Returns default value of "foo"
nth(it4, 42, or="foo")
```

---

quantify   *Count the number of times an iterable object is TRUE*

Description

Returns the number of elements from an iterable object that evaluate to TRUE.

Usage

```
quantify(obj, ...)
```

Arguments

obj   an iterable object

...   further arguments passed to iteror.

Value

the number of TRUE elements

See Also

reduce

Examples

```
it <- iteror(c(TRUE, FALSE, TRUE))
quantify(it) # 2

set.seed(42)
x <- sample(c(TRUE, FALSE), size=10, replace=TRUE)
quantify(x) # Equivalent to sum(x)
```

---

record   *Record and replay iterators*

Description

The record function records the values issued by a specified iterator to a file or connection object. The ireplay function returns an iterator that will replay those values. This is useful for iterating concurrently over multiple, large matrices or data frames that you can't keep in memory at the same time. These large objects can be recorded to files one at a time, and then be replayed concurrently using minimal memory.

Usage

```
record(iterable, con, ...)
```

Arguments

`iterable`	The iterable to record to the file.
`con`	A file path or open connection.
`...`	passed along to `iteror(iterable, ...)`

Details

Originally from the `itertools` package.

Value

NULL, invisibly.

Examples

```
suppressMessages(library(foreach))

m1 <- matrix(rnorm(70), 7, 10)
f1 <- tempfile()
record(iteror(m1, by='row', chunkSize=3), f1)

m2 <- matrix(1:50, 10, 5)
f2 <- tempfile()
record(iteror(m2, by='column', chunkSize=3), f2)

# Perform a simple out-of-core matrix multiply
p <- foreach(col=ireplay(f2), .combine='cbind') %:%
       foreach(row=ireplay(f1), .combine='rbind') %do% {
         row %*% col
       }

dimnames(p) <- NULL
print(p)
all.equal(p, m1 %*% m2)
unlink(c(f1, f2))
```

---

reduce   *Compute the sum, product, or general reduction of an iterator.*

Description

reduce(obj, fun) applies a 2-argument function fun between successive elements of obj. For example if fun is +, reduce(it, +, init=0) computes 0 + nextElem(it) + nextElem(it) + nextElem(it) + ... until the iterator finishes, and returns the final value.

i_accum(obj) returns the iterator containing each intermediate result. The default settings produce a cumulative sum.

sum.iteror(it) is equivalent to reduce(it, `+`)

prod.iteror(it) is equivalent to reduce(it, `*`).

Usage

```
reduce(obj, fun = `+`, init = 0, ...)

## S3 method for class 'iteror'
reduce(obj, fun = `+`, init = 0, ...)

i_accum(obj, fun = `+`, init = 0, ...)

## S3 method for class 'iteror'
sum(..., na.rm = FALSE)

## S3 method for class 'iteror'
prod(..., na.rm = FALSE)
```

Arguments

obj	an iterable object
fun	A function of as least two arguments.
init	A starting value.
...	Extra parameters will be passed to each call to fun.
na.rm	Whether to drop NA values when computing sum or prod.

Value

The result of accumulation.

Author(s)

Peter Meilstrup

Examples

```
it <- icount(5)
total <- reduce(it, `+`) # 15

it <- icount(5)
reduce(it, paste0, "") # "12345"

it <- icount(5)
reduce(it, `*`, init=1) # 120

# triangular numbers: 1, 1+2, 1+2+3, ...
take(i_accum(icount()), 10, 'numeric')
```

---

r_to_py.iteror   *Wrap an iteror to appear as a Python iterator or vice versa.*

Description

This requires the reticulate package to be installed.

Usage

```
## S3 method for class 'iteror'
r_to_py(x, convert = FALSE, ...)

## S3 method for class 'python.builtin.object'
iteror(obj, ...)
```

Arguments

x	An iterable object.
convert	does nothing.
...	Passed along to iteror(x, ...).
obj	A Python object (as viewed by package reticulate.)

Value

r_to_py(it) returns a Python iterator.

Method iteror.python.builtin.object returns an iteror.

Examples

```
pit <- reticulate::r_to_py(iseq(2, 11, 5))
reticulate::iter_next(pit, NULL)
reticulate::iter_next(pit, NULL)
reticulate::iter_next(pit, NULL)

# create an R iterator and ask Python to sum it
triangulars <- icount() |> i_accum() |> i_limit(10)
builtins <- reticulate::import_builtins()
builtins$sum(triangulars) # r_to_py is called automatically

# create a generator in Python and sum it in R
pit <- reticulate::py_eval("(n for n in range(1, 25) if n % 3 == 0)")
sum(iteror(pit))
```

---

take *Return the first n elements of an iterable object in a vector.*

Description

Returns the first n elements of an iterable object as a list. If n is larger than the number of elements in object, the entire iterator is consumed.

Usage

```
take(obj, n = 1, mode = "list", ...)

## Default S3 method:
take(obj, n = 1, mode = "list", ...)

## S3 method for class 'iteror'
take(obj, n = 1, mode = "list", ...)
```

Arguments

obj	An iterable object.
n	The maximum number of elements to extract from the iteror.
mode	The mode of vector to return.
...	Further arguments may be passed along to the iteror constructor.

Details

A function take first appeared in package itertools2. It is basically an alias for as.list but defaults to n=1.

Value

a list of the first n items of the iterable obj

See Also

concat as.vector.iteror

as.vector.iteror

Examples

```
take(1:10, 3) # 1 2 3
take(icount(), 10) # 1:10
take(icount(5), 10) # 1 2 3 4 5
```

Index

64