# Package 'ionet'

January 22, 2024

January 22, 2024
Type Package
Title Network Analysis for Input-Output Tables
Version 0.2.2
Maintainer Shiying Xiao <shiying.xiao@outlook.com></shiying.xiao@outlook.com>
<b>Description</b> Network functionalities specialized for data generated from input-output tables.
<b>Depends</b> R (>= 2.10)
License GPL (>= 3)
Encoding UTF-8
LazyData true
<b>Imports</b> Rcpp (>= 1.0.8.3)
LinkingTo Rcpp
<pre>URL https://github.com/Carol-seven/ionet</pre>
<pre>BugReports https://github.com/Carol-seven/ionet/issues</pre>
RoxygenNote 7.3.0
Suggests testthat (>= 3.0.0)
Config/testthat/edition 3
NeedsCompilation yes
Author Shiying Xiao [aut, cre] ( <a href="https://orcid.org/0000-0002-8846-3258">https://orcid.org/0000-0002-8846-3258</a> ),  Jun Yan [aut] ( <a href="https://orcid.org/0000-0002-8211-5930">https://orcid.org/0000-0002-8211-5930</a> )  Panpan Zhang [aut] ( <a href="https://orcid.org/0000-0002-8211-5930">https://orcid.org/0000-0002-8211-5930</a> )
Repository CRAN
<b>Date/Publication</b> 2024-01-22 17:30:03 UTC
R topics documented:
btw

2 btw

btw	Betweenness centrality	
Index		11
	OECD21ed_JPN_1995to2018	. 10
	OECD21ed_CHN_1995to2018	
	dijkstra	
	china_employment	
	china_2020_42	
	china_2020_153	
	china_2018_42	
	china_2018_153	. 7
	china_2017_42	. 6
	china_2017_149	. 6
	china_2015_42	. 5
	china_2012_139	. 5
	china_2010_41	. 4

## Description

Compute the betweenness centrality with auxiliary information based on strongest path (SP).

## Usage

```
btw(adjmat, gross, aux, alpha = 1, type = "consumption")
```

## Arguments

adjmat	An n-by-n numerical matrix representing the matrix of intermediate transactions in the input-output table.
gross	An n-dimensional numerical vector representing the gross input/output.
aux	An n-dimensional numerical vector representing the node-specific auxiliary information.
alpha	A scalar (default = 1) between 0 and 1, representing the tuning parameter that controls the weights for SP strength and auxiliary information.
type	A character string specifying the type of SP to calculate. Available options:  • type = "consumption" / type = "pull" (default)  • type = "distribution" / type = "push"

## Value

A list of betweeness score, associated SPs, SP distance and SP strength.

## References

Xiao, S., Yan, J. and Zhang, P. (2022). Incorporating Auxiliary Information in Betweenness Measure for Input-Output Networks. *Physica A: Statistical Mechanics and its Applications*, 607, 128200.

china\_2002\_122 3

china\_2002\_122

Input-output table for China, 2002, 122 sectors

## Description

The national input-output table of China for 2002, covering 122 sectors. Data are calculated at producers' prices in 2002. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2002_122)
```

## **Format**

A data frame with 129 rows and 139 columns.

#### Source

National Bureau of Statistics of China

china\_2005\_42

Input-output table for China, 2005, 42 sectors

## **Description**

The national input-output table of China for 2005, covering 42 sectors. Data are calculated at producers' prices in 2005. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2005_42)
```

## **Format**

A data frame with 49 rows and 55 columns.

## **Source**

china\_2010\_41

china\_2007\_135

Input-output table for China, 2007, 135 sectors

## **Description**

The national input-output table of China for 2007, covering 135 sectors. Data are calculated at producers' prices in 2007. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2007_135)
```

## **Format**

A data frame with 142 rows and 152 columns.

#### Source

National Bureau of Statistics of China

china\_2010\_41

Input-output table for China, 2010, 41 sectors

## **Description**

The national input-output table of China for 2010, covering 41 sectors. Data are calculated at producers' prices in 2010. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2010_41)
```

## **Format**

A data frame with 48 rows and 58 columns.

## **Source**

china\_2012\_139 5

china\_2012\_139

Input-output table for China, 2012, 139 sectors

## **Description**

The national input-output table of China for 2012, covering 139 sectors. Data are calculated at producers' prices in 2012. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2012_139)
```

## **Format**

A data frame with 146 rows and 155 columns.

#### Source

National Bureau of Statistics of China

china\_2015\_42

Input-output table for China, 2015, 42 sectors

## **Description**

The national input-output table of China for 2015, covering 42 sectors. Data are calculated at producers' prices in 2015. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2015_42)
```

## **Format**

A data frame with 49 rows and 59 columns.

## **Source**

6 china\_2017\_42

china\_2017\_149

Input-output table for China, 2017, 149 sectors

## **Description**

The national input-output table of China for 2017, covering 149 sectors. Data are calculated at producers' prices in 2017. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2017_149)
```

## **Format**

A data frame with 156 rows and 165 columns.

#### Source

National Bureau of Statistics of China

china\_2017\_42

Input-output table for China, 2017, 42 sectors

## **Description**

The national input-output table of China for 2017, covering 42 sectors. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2017_42)
```

## **Format**

A data frame with 91 rows and 53 columns.

## **Source**

china\_2018\_153

china\_2018\_153

Input-output table for China, 2018, 153 sectors

## **Description**

The national input-output table of China for 2018, covering 153 sectors. Data are calculated at producers' prices in 2018. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2018_153)
```

## **Format**

A data frame with 160 rows and 169 columns.

#### Source

National Bureau of Statistics of China

china\_2018\_42

Input-output table for China, 2018, 42 sectors

## **Description**

The national input-output table of China for 2018, covering 42 sectors. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2018_42)
```

## **Format**

A data frame with 91 rows and 53 columns.

## **Source**

china\_2020\_42

china\_2020\_153

Input-output table for China, 2020, 153 sectors

## **Description**

The national input-output table of China for 2020, covering 153 sectors. Data are calculated at producers' prices in 2020. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2020_153)
```

## **Format**

A data frame with 160 rows and 169 columns.

#### Source

National Bureau of Statistics of China

china\_2020\_42

Input-output table for China, 2020, 42 sectors

## **Description**

The national input-output table of China for 2020, covering 42 sectors. Values are denoted in 10 thousand Chinese Yuan (CNY).

## Usage

```
data(china_2020_42)
```

## **Format**

A data frame with 91 rows and 53 columns.

## **Source**

china\_employment 9

china_employment Sectoral employment data for China, 1990-2018
--

## **Description**

Number of employed persons (in the unit of 10 thousands) in China 1990-2018, by sector.

## Usage

```
data(china_employment)
```

#### **Format**

A data frame with 115 rows and 32 columns.

#### References

Wang, Y., Jia, X. and Wang, C. (2021). Research on Sectoral Employment Accounting of China. *Statistical Research*, 38(12), 3–18. URL

dijkstra	Dijkstra's algorithm	

## Description

Implement the Dijkstra's algorithm to find the shortest paths from the source node to all nodes in the given network.

## Usage

```
dijkstra(adjmat, src)
```

## **Arguments**

adjmat The adjacency matrix of a directed, weighted network.

src An integer specifying the given source node to find the shortest distance.

## Value

A list of distance and previous node.

#### References

Dijkstra, E. W. (1959). A Note on Two Problems in Connexion with Graphs. *Numerische Mathematik*, 1, 269–271.

OECD21ed\_CHN\_1995to2018

*Input-output tables of the OECD 2021 edition for China, 1995–2018,* 45 sectors

## **Description**

The national input-output tables of China for the period from 1995 to 2018, covering 45 sectors. Data are calculated in current prices. Values are denoted in millions of US dollars (USD).

## Usage

data(OECD21ed\_CHN\_1995to2018)

## **Format**

A list containing 24 data frames, each with 50 rows and 56 columns.

#### **Source**

Input-Output Tables (IOTs) 2021 ed. - OECD

OECD21ed\_JPN\_1995to2018

Input-output tables of the OECD 2021 edition for Japan, 1995–2018, 45 sectors

## Description

The national input-output tables of Japan for the period from 1995 to 2018, covering 45 sectors. Data are calculated in current prices. Values are denoted in millions of US dollars (USD).

## Usage

```
data(OECD21ed_JPN_1995to2018)
```

## **Format**

A list containing 24 data frames, each with 50 rows and 56 columns.

#### **Source**

Input-Output Tables (IOTs) 2021 ed. - OECD

## **Index**

```
* datasets
    china_2002_122, 3
    china_2005_42, 3
    china_2007_135,4
    china_2010_41,4
    china_2012_139, 5
    china_2015_42, 5
    china_2017_149,6
    china_2017_42,6
    china_2018_153,7
    china_2018_42, 7
    china_2020_153,8
    china_2020_42, 8
    china\_employment, 9
    OECD21ed_CHN_1995to2018, 10
    OECD21ed_JPN_1995to2018, 10
btw, 2
china_2002_122, 3
china_2005_42, 3
china_2007_135, 4
china_2010_41, 4
china_2012_139, 5
china_2015_42, 5
china_2017_149, 6
china_2017_42, 6
china_2018_153, 7
china_2018_42, 7
china_2020_153, 8
china_2020_42, 8
china_employment, 9
dijkstra, 9
OECD21ed_CHN_1995to2018, 10
OECD21ed_JPN_1995to2018, 10
```