Package 'box.linters'

September 10, 2024

Title Linters for 'box' Modules

Version 0.10.5

Description Static code analysis of 'box' modules.
The package enhances code quality by providing linters that check for common issues,
enforce best practices, and ensure consistent coding standards.

URL <https://appsilon.github.io/box.linters/>,

<https://github.com/Appsilon/box.linters>

License LGPL-3

Encoding UTF-8

RoxygenNote 7.3.2

Depends R (>= 2.10)

Imports cli, fs, glue, lintr (>= 3.1.0), purrr, rlang, stringr, withr,
xfun, xml2, xmlparsedata

Suggests box, covr, dplyr, knitr, prettycode, rcmdcheck, rmarkdown,
R6, rex, rhino, shiny, spelling, testthat (>= 3.0.0),
treesitter, treesitter.r (>= 1.1.0)

Config/testthat/edition 3

Config/testthat/parallel true

Language en-US

NeedsCompilation no

Author Ricardo Rodrigo Basa [aut, cre],
Jakub Nowicki [aut],
Mateusz Kołomański [ctb],
Appsilon Sp. z o.o. [cph]

Maintainer Ricardo Rodrigo Basa <opensource+rodrigo@appsilon.com>

Repository CRAN

Date/Publication 2024-09-10 11:00:01 UTC

Contents

```
box_alphabetical_calls_linter
```
               box *library alphabetical module and function imports linter*

Description

Checks that module and function imports are sorted alphabetically. Aliases are ignored. The sort check is on package/module names and attached function names.

Usage

```
box_alphabetical_calls_linter()
```

Details

For use in `rhino`, see the [Explanation: Rhino style guide](#) to learn about the details.

Value

A custom linter function for use with `r-lib/lintr`.

Examples

```
# will produce lints
lintr::lint(
  text = "box::use(packageB, packageA)",
  linters = box_alphabetical_calls_linter()
)

lintr::lint(
  text = "box::use(package[functionB, functionA])",
  linters = box_alphabetical_calls_linter()
)

lintr::lint(
  text = "box::use(path/to/B, path/to/A)",
  linters = box_alphabetical_calls_linter()
)

lintr::lint(
  text = "box::use(path/to/A[functionB, functionA])",
  linters = box_alphabetical_calls_linter()
)

lintr::lint(
  text = "box::use(path/to/A[alias = functionB, functionA])",
  linters = box_alphabetical_calls_linter()
)

# okay
lintr::lint(
  text = "box::use(packageA, packageB)",
  linters = box_alphabetical_calls_linter()
)

lintr::lint(
  text = "box::use(package[functionA, functionB])",
  linters = box_alphabetical_calls_linter()
)

lintr::lint(
  text = "box::use(path/to/A, path/to/B)",
  linters = box_alphabetical_calls_linter()
)

lintr::lint(
  text = "box::use(path/to/A[functionA, functionB])",
  linters = box_alphabetical_calls_linter()
)

lintr::lint(
  text = "box::use(path/to/A[functionA, alias = functionB])",
  linters = box_alphabetical_calls_linter()
)
```

box_default_linters	*Box-compatible default linters*

Description

A replacement for `lintr::object_usage_linter()` that works with box modules.

Usage

```
box_default_linters
```

Format

An object of class `list` of length 34.

Examples

```
linters <- lintr::linters_with_defaults(defaults = box.linters::box_default_linters)

names(linters)
```

box_func_import_count_linter	
	box *library function import count linter*

Description

Checks that function imports do not exceed the defined `max`.

Usage

```
box_func_import_count_linter(max = 8L)
```

Arguments

max	Maximum function imports allowed between `[` and `]`. Defaults to 8.

Details

For use in `rhino`, see the [Explanation: Rhino style guide](#) to learn about the details.

Value

A custom linter function for use with `r-lib/lintr`.

Examples

```
# will produce lints
lintr::lint(
  text = "box::use(package[one, two, three, four, five, six, seven, eight, nine])",
  linters = box_func_import_count_linter()
)

lintr::lint(
  text = "box::use(package[one, two, three, four])",
  linters = box_func_import_count_linter(3)
)

# okay
lintr::lint(
  text = "box::use(package[one, two, three, four, five])",
  linters = box_func_import_count_linter()
)

lintr::lint(
  text = "box::use(package[one, two, three])",
  linters = box_func_import_count_linter(3)
)
```

---

box_mod_fun_exists_linter

box *library attached function exists and exported by called module
linter*

Description

Checks that functions being attached exist and are exported by the local module being called.

Usage

```
box_mod_fun_exists_linter()
```

Details

For use in rhino, see the [Explanation: Rhino style guide](#) to learn about the details.

Value

A custom linter function for use with r-lib/lintr

Examples

```
## Not run:
# will produce lint
lintr::lint(
  text = "box::use(path/to/module_a[function_not_exists],)",
  linter = box_mod_fun_exists_linter()
)

# okay
lintr::lint(
  text = "box::use(path/to/module_a[function_exists],)",
  linter = box_mod_fun_exists_linter()
)

## End(Not run)
```

box_pkg_fun_exists_linter

box library attached function exists and exported by package linter

Description

Checks that functions being attached exist and are exported by the package/library being called.

Usage

```
box_pkg_fun_exists_linter()
```

Details

For use in rhino, see the [Explanation: Rhino style guide](#) to learn about the details.

Value

A custom linter function for use with r-lib/lintr

Examples

```
# will produce lint
lintr::lint(
  text = "box::use(stringr[function_not_exists],)",
  linter = box_pkg_fun_exists_linter()
)

# okay
lintr::lint(
  text = "box::use(stringr[str_pad],)",
  linter = box_pkg_fun_exists_linter()
)
```

```
box_separate_calls_linter
```
box library separate packages and module imports linter

Description

Checks that packages and modules are imported in separate box::use() statements.

Usage

```
box_separate_calls_linter()
```

Details

For use in rhino, see the Explanation: Rhino style guide to learn about the details.

Value

A custom linter function for use with r-lib/lintr

Examples

```
# will produce lints
lintr::lint(
  text = "box::use(package, path/to/file)",
  linters = box_separate_calls_linter()
)

lintr::lint(
  text = "box::use(path/to/file, package)",
  linters = box_separate_calls_linter()
)

# okay
lintr::lint(
  text = "box::use(package1, package2)
    box::use(path/to/file1, path/to/file2)",
  linters = box_separate_calls_linter()
)
```

---

box_trailing_commas_linter

box *library trailing commas linter*

Description

Checks that all box::use imports have a trailing comma. This applies to package or module imports between (and), and, optionally, function imports between [and]. Take note that lintr::commas_linter() may come into play.

Usage

```
box_trailing_commas_linter(check_functions = FALSE)
```

Arguments

check_functions

                         Boolean flag to include function imports between [and]. Defaults to FALSE.

Details

For use in rhino, see the Explanation: Rhino style guide to learn about the details.

Value

A custom linter function for use with r-lib/lintr

Examples

```
# will produce lints
lintr::lint(
  text = "box::use(base, rlang)",
  linters = box_trailing_commas_linter()
)

lintr::lint(
  text = "box::use(
   dplyr[select, mutate]
  )",
  linters = box_trailing_commas_linter()
)

# okay
lintr::lint(
  text = "box::use(base, rlang, )",
  linters = box_trailing_commas_linter()
)

lintr::lint(
```

```
  text = "box::use(
    dplyr[select, mutate],
  )",
  linters = box_trailing_commas_linter()
)
```

---

box_universal_import_linter

<div align="center">

box *library universal import linter*

</div>

Description

Checks that all function imports are explicit. package[...] is not used.

Usage

```
box_universal_import_linter()
```

Details

For use in rhino, see the Explanation: Rhino style guide to learn about the details.

Value

A custom linter function for use with r-lib/lintr

Examples

```
# will produce lints
lintr::lint(
  text = "box::use(base[...])",
  linters = box_universal_import_linter()
)

lintr::lint(
  text = "box::use(path/to/file[...])",
  linters = box_universal_import_linter()
)

# okay
lintr::lint(
  text = "box::use(base[print])",
  linters = box_universal_import_linter()
)

lintr::lint(
  text = "box::use(path/to/file[do_something])",
  linters = box_universal_import_linter()
)
```

---

box_unused_attached_mod_linter

box *library unused attached module linter*

Description

Checks that all attached modules are used within the source file. This also covers modules attached using the . . . .

Usage

```
box_unused_attached_mod_linter()
```

Details

For use in `rhino`, see the [Explanation: Rhino style guide](#) to learn about the details.

Value

A custom linter function for use with `r-lib/lintr`.

Examples

```
## Not run:
# will produce lints
code <- "
box::use(
  path/to/module
)
"

lintr::lint(code, linters = box_unused_attached_mod_linter())

code <- "
box::use(
  alias = path/to/module
)
"

lintr::lint(code, linters = box_unused_attached_mod_linter())

code <- "
box::use(
  path/to/module[...]
)
"

lintr::lint(code, linters = box_unused_attached_mod_linter())

# okay
```

```
code <- "
box::use(
  path/to/module
)

module$some_function()
"

lintr::lint(code, linters = box_unused_attached_mod_linter())

code <- "
box::use(
  alias = path/to/module
)

alias$some_function()
"

lintr::lint(code, linters = box_unused_attached_mod_linter())

code <- "
box::use(
  path/to/module[...]     # module exports some_function()
)

some_function()
"

lintr::lint(code, linters = box_unused_attached_mod_linter())

## End(Not run)
```

---

box_unused_attached_pkg_linter

box library unused attached package linter

Description

Checks that all attached packages are used within the source file. This also covers packages attached using the . . . .

Usage

```
box_unused_attached_pkg_linter()
```

Details

For use in rhino, see the Explanation: Rhino style guide to learn about the details.

Value

A custom linter function for use with `r-lib/lintr`.

Examples

```
# will produce lints
code <- "
box::use(
  stringr
)
"

lintr::lint(text = code, linters = box_unused_attached_pkg_linter())

code <- "
box::use(
  alias = stringr
)
"

lintr::lint(text = code, linters = box_unused_attached_pkg_linter())

code <- "
box::use(
  stringr[...]
)
"

lintr::lint(text = code, linters = box_unused_attached_pkg_linter())

# okay
code <- "
box::use(
  stringr
)

stringr$str_pad()
"

lintr::lint(text = code, linters = box_unused_attached_pkg_linter())

code <- "
box::use(
  alias = stringr
)

alias$str_pad()
"

lintr::lint(text = code, linters = box_unused_attached_pkg_linter())

code <- "
```

```
box::use(
  stringr[...]
)

str_pad()
"

lintr::lint(text = code, linters = box_unused_attached_pkg_linter())
```

---

box_unused_att_mod_obj_linter

box *library unused attached module object linter*

Description

Checks that all attached module functions and data objects are used within the source file.

Usage

```
box_unused_att_mod_obj_linter()
```

Details

For use in `rhino`, see the [Explanation: Rhino style guide](#) to learn about the details.

Value

A custom linter function for use with `r-lib/lintr`.

Examples

```
## Not run:
# will produce lints
code <- "
box::use(
  path/to/module[some_function, some_object],
)
"

lintr::lint(text = code, linters = box_unused_att_mod_obj_linter())

code <- "
box::use(
  path/to/module[alias_func = some_function, alias_obj = some_object],
)
"

lintr::lint(text = code, linters = box_unused_att_mod_obj_linter())
```

```
# okay
code <- "
box::use(
  path/to/module[some_function, some_object],
)

x <- sum(some_object)
some_function()
"

lintr::lint(text = code, linters = box_unused_att_mod_obj_linter())

code <- "
box::use(
  path/to/module[alias_func = some_function, alias_obj = some_object],
)

x <- sum(alias_obj)
alias_func()
"

lintr::lint(text = code, linters = box_unused_att_mod_obj_linter())

## End(Not run)
```

box_unused_att_pkg_fun_linter

box *library unused attached package function linter*

Description

Checks that all attached package functions are used within the source file.

Usage

```
box_unused_att_pkg_fun_linter()
```

Details

For use in rhino, see the Explanation: Rhino style guide to learn about the details.

Value

A custom linter function for use with r-lib/lintr.

Examples

```
# will produce lints
code <- "
box::use(
  stringr[str_pad],
)
"

lintr::lint(text = code, linters = box_unused_att_pkg_fun_linter())

code <- "
box::use(
  stringr[alias_func = str_pad],
)
"

lintr::lint(text = code, linters = box_unused_att_pkg_fun_linter())

# okay
code <- "
box::use(
  stringr[str_pad],
)

str_pad()
"

lintr::lint(text = code, linters = box_unused_att_pkg_fun_linter())

code <- "
box::use(
  stringr[alias_func = str_pad],
)

alias_func()
"

lintr::lint(text = code, linters = box_unused_att_pkg_fun_linter())
```

---

box_usage_linter   box *library-aware object usage linter*

Description

Checks that all function and data object calls made within a source file are valid. There are three ways for functions and data object calls to be come "valid". First is via base R packages. Second is via local declaration/definition. The third is via box::use() attachment.

Usage

```
box_usage_linter()
```

Details

For use in `rhino`, see the Explanation: Rhino style guide to learn about the details.

Value

A custom linter function for use with `r-lib/lintr`.

Examples

```
## Not run:
box::use(
  dplyr[`%>%`, filter, pull],
  stringr,
)

mpg <- mtcars %>%
  filter(mpg <= 10) %>%
  pull(mpg)

mpg <- mtcars %>%
  filter(mpg <= 10) %>%
  select(mpg)              # will lint

trimmed_string <- stringr$str_trim(" some string ")
trimmed_string <- stringr$strtrim(" some string ")     # will lint

existing_function <- function(x, y, z) {
  mean(c(x, y, z))
}

existing_function(1, 2, 3)
non_existing_function(1, 2, 3)     # will lint

average(1, 2, 3)       # will lint

## End(Not run)
```

---

is_treesitter_installed

Check if treesitter and dependencies are installed

Description

Treesitter required R >= 4.3.0. Treesitter is required by a few {box.linters} functions.

Usage

```
is_treesitter_installed()
```

Value

Logical TRUE/FALSE if the `treesitter` dependencies exist.

Examples

```
## Not run:

# Bare environment

is_treesitter_installed()
#> [1] FALSE

install.packages(c("treesitter", "treesitter.r"))
is_treesitter_installed()
#> [1] TRUE

## End(Not run)
```

---

namespaced_function_calls

Check that `namespace::function()` *calls except for* `box::*()` *are not made.*

Description

Check that `namespace::function()` calls except for `box::*()` are not made.

Usage

```
namespaced_function_calls(allow = NULL)
```

Arguments

allow   Character vector of `namespace` or `namespace::function` to allow in the source
               code. Take not that the () are not included. The box namespace will always be
               allowed

Examples

```
# will produce lints
code <- "box::use(package)
tidyr::pivot_longer()"

lintr::lint(text = code, linters = namespaced_function_calls())
```

```
## allow `tidyr::pivot_longer()`
code <- "box::use(package)
tidyr::pivot_longer()
tidyr::pivot_wider()"

lintr::lint(text = code, linters = namespaced_function_calls(allow = c("tidyr::pivot_longer")))

# okay
code <- "box::use(package)"

lintr::lint(text = code, linters = namespaced_function_calls())

## allow all `tidyr`
code <- "box::use(package)
tidyr::pivot_longer()
tidyr::pivot_wider()"

lintr::lint(text = code, linters = namespaced_function_calls(allow = c("tidyr")))

## allow `tidyr::pivot_longer()`
code <- "box::use(package)
tidyr::pivot_longer()"

lintr::lint(text = code, linters = namespaced_function_calls(allow = c("tidyr::pivot_longer")))
```

---

r6_usage_linter   *R6 class usage linter*

Description

Checks method and attribute calls within an R6 class. Covers public, private, and active objects. All internal calls should exist. All private methods and attributes should be used.

Usage

```
r6_usage_linter()
```

Details

For use in rhino, see the [Explanation: Rhino style guide](#) to learn about the details.

Value

A custom linter function for use with r-lib/lintr.

Examples

```
# will produce lints
code = ''
box::use(
  R6[R6Class],
)

badClass <- R6Class('badClass',
  public = list(
    initialize = function() {
      private$not_exists()
    }
  ),
  private = list(
    unused_attribute = 'private data',
    unused_method = function() {
      self$attribute_not_exists
      self$function_not_exists()
    }
  )
)
''

lintr::lint(
  text = code,
  linters = r6_usage_linter()
)

# okay
code = ''
box::use(
  R6[R6Class],
)

goodClass <- R6Class('goodClass',
  public = list(
    public_attr = NULL,
    initialize = function() {
      private$private_func()
    },
    some_function = function () {
      private$private_attr
    }
  ),
  private = list(
    private_attr = 'private data',
    private_func = function() {
      self$public_attr
    }
  )
)
''
```

```
lintr::lint(
  text = code,
  linters = r6_usage_linter()
)
```

---

rhino_default_linters   *Rhino default linters*

Description

See the Explanation: Rhino style guide to learn about the details.

Usage

```
rhino_default_linters
```

Format

An object of class list of length 39.

Examples

```
linters <- lintr::linters_with_defaults(defaults = box.linters::rhino_default_linters)

names(linters)
```

---

style_box_use_dir   *Style the box::use() calls for a directory*

Description

Style the box::use() calls for a directory

Usage

```
style_box_use_dir(
  path = ".",
  recursive = TRUE,
  exclude_files = c(),
  exclude_dirs = c("packrat", "renv"),
  indent_spaces = 2,
  trailing_commas_func = FALSE
)
```

Arguments

`path`	Path to a directory with files to style.
`recursive`	A logical value indicating whether or not files in sub-directories
`exclude_files`	A character vector of regular expressions to exclude files (not paths) from styling.
`exclude_dirs`	A character vector of directories to exclude.
`indent_spaces`	An integer scalar indicating tab width in units of spaces
`trailing_commas_func`	
	A boolean to activate adding a trailing comma to the end of the lists of functions to attach.

Details

Refer to [`style_box_use_text()`](style_box_use_text()) for styling details.

Examples

```
## Not run:
style_box_use_dir("path/to/dir")

# to exclude `__init__.R` files from styling
style_box_use_dir("path/to/dir", exclude_files = c("__init__\\.R"))

## End(Not run)
```

---

style_box_use_file   *Style the box::use() calls of a source code*

Description

Style the box::use() calls of a source code

Usage

```
style_box_use_file(filename, indent_spaces = 2, trailing_commas_func = FALSE)
```

Arguments

`filename`	A file path to style.
`indent_spaces`	An integer scalar indicating tab width in units of spaces
`trailing_commas_func`	
	A boolean to activate adding a trailing comma to the end of the lists of functions to attach.

Details

Refer to [`style_box_use_text()`](style_box_use_text()) for styling details.

Examples

```
code <- "box::use(stringr[str_trim, str_pad], dplyr)"
file <- tempfile("style", fileext = ".R")
writeLines(code, file)

style_box_use_file(file)
```

---

style_box_use_text   *Style the box::use() calls of source code text*

Description

Styles box::use() calls.

- All packages are called under one box::use().
- All modules are called under one box::use().
- Package and module levels are re-formatted to multiple lines. One package per line.
- Packages and modules are sorted alphabetically, ignoring the aliases.
- Functions attached in a single line retain the single line format.
- Functions attached in multiple lines retain the multiple line format.
- Functions are sorted alphabetically, ignoring the aliases.
- A trailing comma is added to packages, modules, and functions.

Usage

```
style_box_use_text(
  text,
  indent_spaces = 2,
  trailing_commas_func = FALSE,
  colored = getOption("styler.colored_print.vertical", default = FALSE),
  style = prettycode::default_style()
)
```

Arguments

text	Source code in text format
indent_spaces	Number of spaces per indent level
trailing_commas_func	
	A boolean to activate adding a trailing comma to the end of the lists of functions to attach.
colored	Boolean. For syntax highlighting using {prettycode}
style	A style from {prettycode}

Examples

```
code <- "box::use(stringr[str_trim, str_pad], dplyr)"

style_box_use_text(code)

code <- "box::use(stringr[
  str_trim,
  str_pad
],
shiny[...], # nolint
dplyr[alias = select, mutate], alias = tidyr
path/to/module)
"

style_box_use_text(code)

style_box_use_text(code, trailing_commas_func = TRUE)
```

---

unused_declared_object_linter

Unused declared function and data objects linter

Description

Checks that all defined/declared functions and data objects are used within the source file. Functions and data objects that are marked with @export are ignored.

Usage

```
unused_declared_object_linter()
```

Details

For use in rhino, see the Explanation: Rhino style guide to learn about the details.

Value

A custom linter function for use with r-lib/lintr.

Examples

```
# will produce lint
code <- "
#' @export
public_function <- function() {

}
```

```
private_function <- function() {

}

local_data <- \"A\"
"

lintr::lint(text = code, linters = unused_declared_object_linter())

# okay
code <- "
#' @export
public_function <- function() {
  some_variable <- local_data
  private_function()
}

private_function <- function() {

}

local_data <- \"A\"
"

lintr::lint(text = code, linters = unused_declared_object_linter())
```

---

use_box_lintr   *Use lintr with box.linters in your project*

Description

Create a minimal lintr config file with box modules support as a starting point for customization

Usage

```
use_box_lintr(path = ".", type = c("basic_box", "rhino"))
```

Arguments

path
: Path to project root where a `.lintr` file should be created. If the `.lintr` file already exists, an error will be thrown.

type
: The kind of configuration to create

  - `basic_box` creates a minimal lintr config based on the `tidyverse` configuration of `lintr`. This starts with `lintr::linters_with_defaults()` and is customized for box module compatibility
  - `rhino` creates a lintr config based on the [Rhino style guide](#)

Value

Path to the generated configuration, invisibly.

Examples

```
## Not run:
  # use default box-compatible set of linters
  box.linters::use_box_lintr()

  # use `rhino` set of linters
  box.linters::use_box_lintr(type = "rhino")

## End(Not run)
```

Index