# Package 'GroupSeq'

February 3, 2024

**Title** Group Sequential Design Probabilities - With Graphical User
Interface

**Version** 1.4.3

**Description** Computes probabilities related to group sequential designs for
normally distributed test statistics. Enables to derive critical
boundaries, power, drift, and confidence intervals of such designs.
Supports the alpha spending approach by Lan-DeMets (1994)
<doi:10.1002/sim.4780131308>.

**Imports** tcltk, tcltk2, mvtnorm

**Suggests** knitr, tinytest, rmarkdown, ggplot2, gridExtra

**VignetteBuilder** knitr

**License** GPL-3

**URL** https://rpahl.github.io/GroupSeq/

**BugReports** https://github.com/rpahl/GroupSeq/issues

**NeedsCompilation** no

**Author** Roman Pahl [aut, cre]

**Maintainer** Roman Pahl <roman.pahl@gmail.com>

**Repository** CRAN

**RoxygenNote** 7.2.1

**Encoding** UTF-8

**Date/Publication** 2024-02-03 16:30:02 UTC

# R topics documented:

---

start_gui *Start GroupSeq*

---

### Description

Starts the graphical user interface.

### Usage

```
start_gui()
```

### Value

No return value, called for side effects.

### Examples

```
start_gui()
```

# Index