Package 'LibOPF'

February 7, 2023

Type Package

Title Design of Optimum-Path Forest Classifiers

Version 2.6.2

Maintainer Rafael Junqueira Martarelli <rfel.jm@gmail.com>

Description
The 'LibOPF' is a framework to develop pattern recognition techniques based on optimum-path forests (OPF), João P. Papa and Alexandre X. Falcão (2008) <doi:10.1007/978-3-540-89639-5_89>, with methods for supervised learning and data clustering.

Imports methods

License BSD_2_clause + file LICENSE

Encoding UTF-8

URL https://github.com/RafaelJM/LibOPF-in-R,

https://github.com/jppbsi/LibOPF/wiki,

https://www.ic.unicamp.br/~afalcao/libopf/

BugReports https://github.com/RafaelJM/LibOPF-in-R/issues

RoxygenNote 7.0.2

NeedsCompilation yes

Author Rafael Junqueira Martarelli [aut, cre],
João Paulo Papa [aut],
Alexandre Xavier Falcão [cph]

Repository CRAN

Date/Publication 2023-02-07 17:42:31 UTC

R topics documented:

---

opf2svm   *Converts an OPF subGraph object to a LIBSVM file*

Description

Converts an OPF subGraph object to a LIBSVM file

Usage

```
opf2svm(data, outputFile)
```

Arguments

data   The subGraph object

outputFile   LIBSVM output file name

Value

'NULL'

Examples

```
dataset <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
File <- file.path(tempdir(), "boat.svm")
opf2svm(dataset,File)
opf_check(File)
```

---

opf2txt   *Converts an OPF subGraph object to a text file*

Description

Converts an OPF subGraph object to a text file

Usage

```
opf2txt(data, outputFile)
```

Arguments

data   OPF subGraph object

outputFile   Text output file name

Value

'NULL'

Examples

```
dataset <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
File <- file.path(tempdir(), "boat.txt")
opf2txt(dataset,File)
```

---

opf_accuracy *Computes the OPF accuracy*

Description

Computes the OPF accuracy

Usage

```
opf_accuracy(dataSet, classification)
```

Arguments

dataSet	Data object used in the opf_classify function (subGraph object), normaly is the testing object
classification	The output list produced by opf_classify function

Value

Returns the classification accuracy

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.5,0,0.5,0)
T <- X$training
T2 <- X$testing
Y <- opf_train(T)
class <- opf_classify(T2, Y$classifier)
acc <- opf_accuracy(T2, class)
```

---

opf_accuracy4label *Computes the OPF accuracy for each class of a given set*

Description

Computes the OPF accuracy for each class of a given set

Usage

```
opf_accuracy4label(dataSet, classification)
```

Arguments

dataSet   Data object used in in the opf_classify function (subGraph object), normaly is the testing object

classification The output list produced by opf_classify function

Value

Returns the classification accuracy for each class

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.5,0,0.5,0)
T <- X$training
T2 <- X$testing
Y <- opf_train(T)
class <- opf_classify(T2, Y$classifier)
acc <- opf_accuracy4label(T2, class)
```

---

opf_check   *Checks the OPF file for proper formatting purposes*

Description

Checks the OPF file for proper formatting purposes

Usage

```
opf_check(file)
```

Arguments

file   The text OPF file name

Details

usage opf_check <input ASCII file in the LibOPF format>: Note that the input file for opf_check must be a text file. Use opf2txt to convert your OPF binary file into a text file.

Value

'NULL'

Examples

```
dataset <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
File <- file.path(tempdir(), "boat.txt")
opf2txt(dataset,File)
opf_check(File)
```

---

opf_classify   *Executes the test phase of the OPF classifier*

Description

Executes the test phase of the OPF classifier

Usage

```
opf_classify(dataSet, classifier, precomputedDistance = NA)
```

Arguments

dataSet   The testing data object produced by the opf_split function (subGraph object)

classifier   The classifier object produced by one of the classification functions (model object)

precomputedDistance

The precomputed distance matrix produced by the opf_distance (leave it in blank if you are not using this resource)

Value

Returns the given subGraph classification list (predicted labels)

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.5,0,0.5,0)
T <- X$training
T2 <- X$testing
Y <- opf_train(T)
class <- opf_classify(T2, Y$classifier)
acc <- opf_accuracy(T2, class)
```

---

opf_cluster   *Computes clusters by unsupervised OPF*

Description

Computes clusters by unsupervised OPF

Usage

```
opf_cluster(dataSet, kmax, calculateOp, value, precomputedDistance = NA)
```

Arguments

dataSet	The training object produced by the opf_split function (subGraph object)
kmax	The kmax (maximum degree for the knn graph)
calculateOp	Clusters by: 0 for height, 1 for area and 2 for volume
value	Value of parameter "calculateOp" in [0-1]
precomputedDistance	
	The precomputed distance matrix produced by the opf_distance (leave it in blank if you are not using this resource)

Value

Returns a list which contains the classifier object and the classification list object (i.e., clusters' id)

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.8,0,0.2,0)
T <- X$training
T2 <- X$testing
Y <- opf_cluster(T,100,1,0.2)
class <- opf_knn_classify(T2, Y$classifier)
acc <- opf_accuracy(T2, class)
```

---

opf_create_subGraph   *Creates an empty subGraph structure*

Description

Creates an empty subGraph structure

Usage

```
opf_create_subGraph(nnodes)
```

Arguments

nnodes   Number of nodes

Value

Returns an empty subGraph

Examples

```
EmptySubgraph <- opf_create_subGraph(10)
```

---

opf_distance   *Generates the precomputed distance file for the OPF classifier*

Description

Generates the precomputed distance file for the OPF classifier

Usage

```
opf_distance(dataSet, distanceOp, normalize = 0)
```

Arguments

dataSet   The subGraph object, normaly is the whole data

distanceOp   Distance calculation option

normalize   Distance normalization? 1- yes 0 - no

Details

Options for distance calculation:
1 - Euclidean
2 - Chi-Square
3 - Manhattan (L1)
4 - Canberra
5 - Squared Chord
6 - Squared Chi-Squared
7 - BrayCurtis

Value

Returns the distance matrix

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
dist <- opf_distance(dat,3,0)
X <- opf_split(dat,0.5,0,0.5,0)
T <- X$training
T2 <- X$testing
Y <- opf_train(T,dist)
class <- opf_classify(T2, Y$classifier,dist)
acc <- opf_accuracy(T2, class)
```

---

opf_fold   *Generates k folds (objects) for the OPF classifier*

Description

Generates k folds (objects) for the OPF classifier

Usage

```
opf_fold(dataSet, k, normalize = 0)
```

Arguments

dataSet	The subGraph object
k	Number of folds
normalize	Distance normalization? 1- yes 0 - no

Value

Returns a list of subGraph objects

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
folds <- opf_fold(dat, 4)
```

---

opf_info   *Gives information about the OPF file*

Description

Gives information about the OPF file

Usage

```
opf_info(dataSet)
```

Arguments

dataSet   The OPF file

Value

'NULL'

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
opf_info(dat)
```

---

opf_knn_classify   *Executes the test phase of the OPF classifier with knn adjacency*

Description

Executes the test phase of the OPF classifier with knn adjacency

Usage

```
opf_knn_classify(dataSet, classifier, precomputedDistance = NA)
```

Arguments

dataSet   The testing object produced by the opf_split (subGraph object)

classifier   The classifier object produced by one of the classification functions (model object)

precomputedDistance

The precomputed distance matrix produced by the opf_distance (leave it in blank if you are not using this resource)

Value

Returns the given subGraph classification list

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.8,0,0.2,0)
T <- X$training
T2 <- X$testing
Y <- opf_cluster(T,100,1,0.2)
class <- opf_knn_classify(T2, Y$classifier)
acc <- opf_accuracy(T2, class)
```

---

opf_knn_train *Executes the training phase of the OPF classifier with knn adjacency*

Description

Executes the training phase of the OPF classifier with knn adjacency

Usage

```
opf_knn_train(trainFile, evaluatFile, kmax, precomputedDistance = NA)
```

Arguments

trainFile	The training object produced by the opf_split (subGraph object)
evaluatFile	The evaluation object produced by the opf_split (subGraph object)
kmax	The kmax (maximum degree for the knn graph)
precomputedDistance	
	The precomputed distance matrix produced by the opf_distance (leave it in blank if you are not using this resource)

Details

Returns a list which contains the classifier object and the classification list object

Value

Returns a list which contains the classifier object and the classification list object (i.e., clusters' id)

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.3,0.2,0.5,0)
T <- X$training
T2 <- X$testing
E <- X$evaluating
Y <- opf_knn_train(T,E,100)
class <- opf_knn_classify(T2, Y$classifier)
acc <- opf_accuracy(T2, class)
```

---

opf_learn   *Executes the learning phase of the OPF classifier*

Description

Executes the learning phase of the OPF classifier

Usage

```
opf_learn(trainFile, evaluatFile, precomputedDistance = NA)
```

Arguments

trainFile   The training object produced by the opf_split (subGraph object)

evaluatFile   The evaluation produced object by the opf_split (subGraph object)

precomputedDistance

                   The precomputed distance matrix produced by the opf_distance (leave it in blank
                   if you are not using this resource)

Details

Executes the training phase

Value

Returns a list which contains the classifier model object

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.3,0.2,0.5,0)
T <- X$training
T2 <- X$testing
E <- X$evaluating
Y <- opf_learn(T,E)
class <- opf_classify(T2, Y$classifier)
acc <- opf_accuracy(T2, class)
```

---

opf_merge *Merge subGraphs*

Description

Merge subGraphs

Usage

```
opf_merge(dataSets)
```

Arguments

dataSets   An array of subGraph objects

Value

Returns the merged subGraph object

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
dat2 <- opf_read_subGraph(system.file("extdata/Z1LINE.dat",package = "LibOPF"))
dataSet <- opf_merge(c(dat,dat2))
```

---

opf_normalize *Normalizes data for the OPF classifier*

Description

Normalizes data for the OPF classifier

Usage

```
opf_normalize(dataSet)
```

Arguments

dataSet   The subGraph object

Value

Returns the normalized subGraph

Examples

```
dataset <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
dat <- opf_normalize(dataset)
```

---

opf_pruning   *Executes the pruning algorithm*

Description

Executes the pruning algorithm

Usage

```
opf_pruning(
  dataTraining,
  dataEvaluating,
  percentageAccuracy,
  precomputedDistance = NA
)
```

Arguments

dataTraining   The training object produced by the opf_split (subGraph object)

dataEvaluating   The evaluating object produced by the opf_split (subGraph object)

percentageAccuracy
                 Max percentage of lost accuracy [0,1]

precomputedDistance
                 The precomputed distance matrix produced by the opf_distance (leave it in blank
                 if you are not using this resource)

Value

Returns a list which contains the classifier model object

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.3,0.2,0.5,0)
T <- X$training
T2 <- X$testing
E <- X$evaluating
Y <- opf_pruning(T,E,0.8)
class <- opf_classify(T2, Y$classifier)
acc <- opf_accuracy(T2, class)
```

---

opf_read_classification

Reads a file which contains the nodes' predicted labels

Description

Reads a file which contains the nodes' predicted labels

Usage

```
opf_read_classification(file)
```

Arguments

file   The file which contains the nodes' predicted labels

Value

Returns the predicted labels list

Examples

```
File <- system.file("extdata/classification.txt",package = "LibOPF")
classification <- opf_read_classification(File)
```

---

opf_read_distances   *Reads a file which contains the precalculated distances*

Description

Reads a file which contains the precalculated distances

Usage

```
opf_read_distances(file)
```

Arguments

file   The file which contains the distances matrix

Value

Returns the precalculated distances matrix

Examples

```
distances <- opf_read_distances(system.file("extdata/distances.dat",package = "LibOPF"))
```

---

opf_read_modelfile   *Reads a file which contains the learned model*

Description

Reads a file which contains the learned model

Usage

```
opf_read_modelfile(file)
```

Arguments

file   The file which contains the learned model

Value

Returns the learned model object

Examples

```
classifier <- opf_read_modelfile(system.file("extdata/classifier.opf",package = "LibOPF"))
```

---

opf_read_subGraph   *Reads a file which contains the subGraph*

Description

Reads a file which contains the subGraph

Usage

```
opf_read_subGraph(file)
```

Arguments

file   The file name

Value

Returns the subGraph object

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.5,0,0.5,0)
T <- X$training
T2 <- X$testing
Y <- opf_train(T)
class <- opf_classify(T2, Y$classifier)
acc <- opf_accuracy(T2, class)
```

---

opf_run_example   *Runs an usage example*

Description

This function will run this example:

dat <- opf_read_subGraph(dataset) (dataset is the subgraph file)
X <- opf_split(dat,0.5,0,0.5,0)
T <- X$training
T2 <- X$testing
Y <- opf_train(T)
class <- opf_classify(T2, Y$classifier)
acc <- opf_accuracy(T2, class)

Usage

```
opf_run_example(dataset)
```

Arguments

dataset   A dataset folder for the test

Value

Returns the accuracy

---

opf_semi   *Executes the semi supervised training phase*

Description

Executes the semi supervised training phase

Usage

```
opf_semi(
  labeledTrainSubGraph,
  unLabeledTrainSubGraph,
  evaluatFile = NA,
  precomputedDistance = NA
)
```

Arguments

labeledTrainSubGraph

                The labeled training object (subGraph object)

unLabeledTrainSubGraph

                The unlabeled training object (subGraph object)

evaluatFile   The evaluation object produced by the opf_split (subGraph object)

precomputedDistance

                The precomputed distance matrix produced by the opf_distance (leave it in blank
                if you are not using this resource)

Details

Returns the learned model object

Value

Returns a list which contains the classifier object and the classification list object

Examples

```
Training <- opf_read_subGraph(system.file("extdata/Z1LINE.dat",package = "LibOPF"))
TUnlabeled <- opf_read_subGraph(system.file("extdata/Z1DOUBLELINE.dat",package = "LibOPF"))
Testing <- opf_read_subGraph(system.file("extdata/Z3.dat",package = "LibOPF"))
Y <- opf_semi(Training,TUnlabeled)
class <- opf_classify(Testing, Y$classifier)
acc <- opf_accuracy(Testing, class)
```

---

opf_split   *Generates training, evaluation and test sets for the OPF classifier*

Description

Generates training, evaluation and test sets for the OPF classifier

Usage

```
opf_split(dataSet, training_p, evaluating_p, testing_p, normalize = 0)
```

Arguments

dataSet	The data (subGraph object)
training_p	Percentage for the training set size [0,1]
evaluating_p	Percentage for the evaluation set size [0,1] (leave 0 in the case of no learning)
testing_p	Percentage for the test set size [0,1]
normalize	Distance normalization? 1- yes 0 - no

Value

Returns the training, evaluating and the testing objects

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.5,0,0.5,0)
T <- X$training
T2 <- X$testing
Y <- opf_train(T)
class <- opf_classify(T2, Y$classifier)
acc <- opf_accuracy(T2, class)
```

---

opf_train   *Executes the training phase of the OPF classifier*

Description

Executes the training phase of the OPF classifier

Usage

```
opf_train(dataSet, precomputedDistance = NA)
```

Arguments

dataSet   The training object produced by the opf_split (subGraph object)

precomputedDistance

The precomputed distance matrix produced by the opf_distance (leave it in blank if you are not using this resource)

Value

Returns a list which contains the classifier object and the classification list object

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.5,0,0.5,0)
T <- X$training
T2 <- X$testing
Y <- opf_train(T)
class <- opf_classify(T2, Y$classifier)
acc <- opf_accuracy(T2, class)
```

---

opf_write_classification

Writes into a file the predicted labels produced by the opf classificator

---

Description

Writes into a file the predicted labels produced by the opf classificator

Usage

```
opf_write_classification(classes, file)
```

Arguments

classes   The classification list (i.e.,predicted labels) produced by the classifier

file   Where you want to save the classification vector

Value

'NULL'

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.5,0,0.5,0)
T <- X$training
T2 <- X$testing
Y <- opf_train(T)
opf_write_classification(Y$classification, file.path(tempdir(), "classification.txt"))
```

---

opf_write_distances	*Writes into a file the precalculated distances computed by opf_distances function*

Description

Writes into a file the precalculated distances computed by opf_distances function

Usage

```
opf_write_distances(distances, file)
```

Arguments

distances	The matrix produced by the opf distances function
file	The file name where you want to save the distances

Value

'NULL'

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
dist <- opf_distance(dat,3,0)
opf_write_distances(dist, file.path(tempdir(), "distances.dat"))
```

---

opf_write_modelfile   *Writes into a file the trained OPF classifier*

Description

Writes into a file the trained OPF classifier

Usage

```
opf_write_modelfile(g, file)
```

Arguments

g	The classifier object
file	The file name to save the classifier

Value

'NULL'

Examples

```
dat <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
X <- opf_split(dat,0.5,0,0.5,0)
T <- X$training
T2 <- X$testing
Y <- opf_train(T)
opf_write_modelfile(Y$classifier, file.path(tempdir(), "classifier.opf"))
```

---

opf_write_subGraph   *Writes into a file a subGraph*

Description

Writes into a file a subGraph

Usage

```
opf_write_subGraph(g, file)
```

Arguments

g	The subGraph object
file	The file name to save the subGraph

Value

'NULL'

Examples

```
dataset <- opf_read_subGraph(system.file("extdata/boat.dat",package = "LibOPF"))
opf_write_subGraph(dataset, file.path(tempdir(), "boat.dat"))
```

SNode-class   *Subgraphs' node class*

Description

Subgraphs' node class

---

subGraph-class   *Subgraph class*

Description

Subgraph class

---

svm2opf   *Converts a LIBSVM file to an OPF subGraph object*

Description

Converts a LIBSVM file to an OPF subGraph object

Usage

```
svm2opf(inputFile)
```

Arguments

inputFile   LIBSVM input file

Value

Returns the OPF object

Examples

```
dataset <- svm2opf(system.file("extdata/boat.svm",package = "LibOPF"))
```

txt2opf

Converts a text file to an OPF subGraph object

Description

Converts a text file to an OPF subGraph object

Usage

```
txt2opf(inputFile)
```

Arguments

inputFile   Text input file

Value

Returns the OPF object

Examples

```
dataset <- txt2opf(system.file("extdata/boat.txt",package = "LibOPF"))
```

Index