Package 'poissonreg'

October 14, 2022

```
Title Model Wrappers for Poisson Regression
Version 1.0.1
Description Bindings for Poisson regression models for use with the
     'parsnip' package. Models include simple generalized linear models,
     Bayesian models, and zero-inflated Poisson models (Zeileis, Kleiber,
     and Jackman (2008) <doi:10.18637/jss.v027.i08>).
License MIT + file LICENSE
URL https://github.com/tidymodels/poissonreg,
     https://poissonreg.tidymodels.org/
BugReports https://github.com/tidymodels/poissonreg/issues
Depends parsnip (>= 0.2.0), R (>= 3.4)
Imports dplyr, generics, glue, purrr, rlang, stats, tibble, tidyr
Suggests covr, pscl, spelling, testthat (>= 3.0.0)
Config/Needs/website tidyverse/tidytemplate
Config/testthat/edition 3
Encoding UTF-8
Language en-US
LazyData true
RoxygenNote 7.2.1
NeedsCompilation no
Author Max Kuhn [aut] (<a href="https://orcid.org/0000-0003-2402-136X">https://orcid.org/0000-0003-2402-136X</a>),
     Hannah Frick [aut, cre] (<https://orcid.org/0000-0002-6049-5258>),
     RStudio [cph, fnd]
Maintainer Hannah Frick <hannah@rstudio.com>
Repository CRAN
```

Date/Publication 2022-08-22 16:30:02 UTC

2 tidy_zip

R topics documented:

seniors .						 											 						2
tidy_zip					•	 																	2

Index 4

seniors

Alcohol, Cigarette, and Marijuana Use for High School Seniors

Description

Alcohol, Cigarette, and Marijuana Use for High School Seniors

Details

Data are from Table 7.3 of Agresti (2007). The first three columns make up data from a 3-way contingency table.

Value

```
seniors a tibble
```

Source

Agresti, A (2007). An Introduction to Categorical Data Analysis.

Examples

```
data(seniors)
str(seniors)
```

tidy_zip

Turn zero-inflated model results into a tidy tibble

Description

Turn zero-inflated model results into a tidy tibble

Usage

```
## $3 method for class 'zeroinfl'
tidy(x, type = "count", ...)
## $3 method for class 'hurdle'
tidy(x, type = "count", ...)
```

tidy_zip 3

Arguments

x A hurdle or zeroinfl model object.

type A character string for which model coefficients to return: "all", "count", or

"zero".

... Not currently used.

Value

A tibble

Index