Package 'dtplyr'

March 22, 2023

Title Data Table Back-End for 'dplyr'

Version 1.3.1

Description Provides a data.table backend for 'dplyr'. The goal of
'dtplyr' is to allow you to write 'dplyr' code that is automatically
translated to the equivalent, but usually much faster, data.table
code.

License MIT + file LICENSE

URL <https://dtplyr.tidyverse.org>, <https://github.com/tidyverse/dtplyr>

BugReports <https://github.com/tidyverse/dtplyr/issues>

Depends R (>= 3.3)

Imports cli (>= 3.4.0), data.table (>= 1.13.0), dplyr (>= 1.1.0),
glue, lifecycle, rlang (>= 1.0.4), tibble, tidyselect (>=
1.2.0), vctrs (>= 0.4.1)

Suggests bench, covr, knitr, rmarkdown, testthat (>= 3.1.2), tidyr (>=
1.1.0), waldo (>= 0.3.1)

VignetteBuilder knitr

Config/Needs/website tidyverse/tidytemplate

Config/testthat/edition 3

Encoding UTF-8

RoxygenNote 7.2.3

NeedsCompilation no

Author Hadley Wickham [cre, aut],
Maximilian Girlich [aut],
Mark Fairbanks [aut],
Ryan Dickerson [aut],
Posit Software, PBC [cph, fnd]

Maintainer Hadley Wickham <hadley@posit.co>

Repository CRAN

Date/Publication 2023-03-22 13:10:05 UTC

R **topics documented:**

---

arrange.dtplyr_step   *Arrange rows by column values*

Description

This is a method for dplyr generic arrange(). It is translated to an order() call in the i argument of [.data.table.

Usage

```
## S3 method for class 'dtplyr_step'
arrange(.data, ..., .by_group = FALSE)
```

Arguments

`.data`	A [lazy_dt()](#).
`...`	<[data-masking](#)> Variables, or functions of variables. Use [desc()](#) to sort a variable in descending order.
`.by_group`	If `TRUE`, will sort first by grouping variable. Applies to grouped data frames only.

Examples

```
library(dplyr, warn.conflicts = FALSE)

dt <- lazy_dt(mtcars)
dt %>% arrange(vs, cyl)
dt %>% arrange(desc(vs), cyl)
dt %>% arrange(across(mpg:disp))
```

---

collect.dtplyr_step   *Force computation of a lazy data.table*

Description

- `collect()` returns a tibble, grouped if needed.
- `compute()` generates an intermediate assignment in the translation.
- `as.data.table()` returns a data.table.
- `as.data.frame()` returns a data frame.
- `as_tibble()` returns a tibble.

Usage

```
## S3 method for class 'dtplyr_step'
collect(x, ...)

## S3 method for class 'dtplyr_step'
compute(x, name = unique_name(), ...)

## S3 method for class 'dtplyr_step'
as.data.table(x, keep.rownames = FALSE, ...)

## S3 method for class 'dtplyr_step'
as.data.frame(x, ...)

## S3 method for class 'dtplyr_step'
as_tibble(x, ..., .name_repair = "check_unique")
```

Arguments

x	A [lazy_dt]
...	Arguments used by other methods.
name	Name of intermediate data.table.
keep.rownames	Ignored as dplyr never preserves rownames.
.name_repair	Treatment of problematic column names

Examples

```
library(dplyr, warn.conflicts = FALSE)

dt <- lazy_dt(mtcars)

# Generate translation
avg_mpg <- dt %>%
  filter(am == 1) %>%
  group_by(cyl) %>%
  summarise(mpg = mean(mpg))

# Show translation and temporarily compute result
avg_mpg

# compute and return tibble
avg_mpg_tb <- as_tibble(avg_mpg)
avg_mpg_tb

# compute and return data.table
avg_mpg_dt <- data.table::as.data.table(avg_mpg)
avg_mpg_dt

# modify translation to use intermediate assignment
compute(avg_mpg)
```

---

complete.dtplyr_step   *Complete a data frame with missing combinations of data*

Description

This is a method for the tidyr `complete()` generic. This is a wrapper around dtplyr translations for `expand()`, `full_join()`, and `replace_na()` that's useful for completing missing combinations of data.

Usage

```
## S3 method for class 'dtplyr_step'
complete(data, ..., fill = list())
```

Arguments

data	A [lazy_dt()](#).
...	<[data-masking](#)> Specification of columns to expand or complete. Columns can be atomic vectors or lists.

- To find all unique combinations of x, y and z, including those not present in the data, supply each variable as a separate argument: expand(df, x, y, z) or complete(df, x, y, z).
- To find only the combinations that occur in the data, use nesting: expand(df, nesting(x, y, z)).
- You can combine the two forms. For example, expand(df, nesting(school_id, student_id), date) would produce a row for each present school-student combination for all possible dates.

When used with factors, [expand()](#) and [complete()](#) use the full set of levels, not just those that appear in the data. If you want to use only the values seen in the data, use forcats::fct_drop().

When used with continuous variables, you may need to fill in values that do not appear in the data: to do so use expressions like year = 2010:2020 or year = full_seq(year,1).

fill	A named list that for each variable supplies a single value to use instead of NA for missing combinations.

Examples

```
library(tidyr)
tbl <- tibble(x = 1:2, y = 1:2, z = 3:4)
dt <- lazy_dt(tbl)

dt %>%
  complete(x, y)

dt %>%
  complete(x, y, fill = list(z = 10L))
```

---

count.dtplyr_step	*Count observations by group*

Description

This is a method for the dplyr [count()](#) generic. It is translated using .N in the j argument, and supplying groups to keyby as appropriate.

Usage

```
## S3 method for class 'dtplyr_step'
count(x, ..., wt = NULL, sort = FALSE, name = NULL)
```

Arguments

x	A [lazy_dt()](#)
...	<[data-masking](#)> Variables to group by.
wt	<[data-masking](#)> Frequency weights. Can be NULL or a variable:

- If NULL (the default), counts the number of rows in each group.
- If a variable, computes sum(wt) for each group.

sort	If TRUE, will show the largest groups at the top.
name	The name of the new column in the output.
	If omitted, it will default to n. If there's already a column called n, it will use nn. If there's a column called n and nn, it'll use nnn, and so on, adding ns until it gets a new name.

Examples

```
library(dplyr, warn.conflicts = FALSE)

dt <- lazy_dt(dplyr::starwars)
dt %>% count(species)
dt %>% count(species, sort = TRUE)
dt %>% count(species, wt = mass, sort = TRUE)
```

---

distinct.dtplyr_step   *Subset distinct/unique rows*

Description

This is a method for the dplyr [distinct()](#) generic. It is translated to [data.table::unique.data.table()](#).

Usage

```
## S3 method for class 'dtplyr_step'
distinct(.data, ..., .keep_all = FALSE)
```

Arguments

.data	A [lazy_dt()](#)
...	<[data-masking](#)> Optional variables to use when determining uniqueness. If there are multiple rows for a given combination of inputs, only the first row will be preserved. If omitted, will use all variables in the data frame.
.keep_all	If TRUE, keep all variables in .data. If a combination of ... is not distinct, this keeps the first row of values.

Examples

```
library(dplyr, warn.conflicts = FALSE)
df <- lazy_dt(data.frame(
  x = sample(10, 100, replace = TRUE),
  y = sample(10, 100, replace = TRUE)
))

df %>% distinct(x)
df %>% distinct(x, y)
df %>% distinct(x, .keep_all = TRUE)
```

---

drop_na.dtplyr_step   *Drop rows containing missing values*

Description

This is a method for the tidyr drop_na() generic. It is translated to data.table::na.omit()

Usage

```
## S3 method for class 'dtplyr_step'
drop_na(data, ...)
```

Arguments

data   A [lazy_dt()](#).

...   <[tidy-select](#)> Columns to inspect for missing values. If empty, all columns
                are used.

Examples

```
library(dplyr)
library(tidyr)

dt <- lazy_dt(tibble(x = c(1, 2, NA), y = c("a", NA, "b")))
dt %>% drop_na()
dt %>% drop_na(x)

vars <- "y"
dt %>% drop_na(x, any_of(vars))
```

expand.dtplyr_step | *Expand data frame to include all possible combinations of values.*

Description

This is a method for the tidyr expand() generic. It is translated to data.table::CJ().

Usage

```
## S3 method for class 'dtplyr_step'
expand(data, ..., .name_repair = "check_unique")
```

Arguments

data   A lazy_dt().

...   Specification of columns to expand. Columns can be atomic vectors or lists.

- To find all unique combinations of x, y and z, including those not present in the data, supply each variable as a separate argument: expand(df, x, y, z).
- To find only the combinations that occur in the data, use nesting: expand(df, nesting(x, y, z)).
- You can combine the two forms. For example, expand(df, nesting(school_id, student_id), date) would produce a row for each present school-student combination for all possible dates.

Unlike the data.frame method, this method does not use the full set of levels, just those that appear in the data.

When used with continuous variables, you may need to fill in values that do not appear in the data: to do so use expressions like year = 2010:2020 or year = full_seq(year,1).

.name_repair Treatment of problematic column names:

- "minimal": No name repair or checks, beyond basic existence,
- "unique": Make sure names are unique and not empty,
- "check_unique": (default value), no name repair, but check they are unique,
- "universal": Make the names unique and syntactic
- a function: apply custom name repair (e.g., .name_repair = make.names for names in the style of base R).
- A purrr-style anonymous function, see rlang::as_function()

This argument is passed on as repair to vctrs::vec_as_names(). See there for more details on these terms and the strategies used to enforce them.

Examples

```
library(tidyr)

fruits <- lazy_dt(tibble(
  type  = c("apple", "orange", "apple", "orange", "orange", "orange"),
  year  = c(2010, 2010, 2012, 2010, 2010, 2012),
  size  = factor(
    c("XS", "S",  "M", "S", "S", "M"),
    levels = c("XS", "S", "M", "L")
  ),
  weights = rnorm(6, as.numeric(size) + 2)
))

# All possible combinations -------------------------------------
# Note that only present levels of the factor variable `size` are retained.
fruits %>% expand(type)
fruits %>% expand(type, size)

# This is different from the data frame behaviour:
fruits %>% dplyr::collect() %>% expand(type, size)

# Other uses -----------------------------------------------------
fruits %>% expand(type, size, 2010:2012)

# Use `anti_join()` to determine which observations are missing
all <- fruits %>% expand(type, size, year)
all
all %>% dplyr::anti_join(fruits)

# Use with `right_join()` to fill in missing rows
fruits %>% dplyr::right_join(all)
```

---

fill.dtplyr_step   *Fill in missing values with previous or next value*

Description

This is a method for the tidyr fill() generic. It is translated to data.table::nafill(). Note that data.table::nafill() currently only works for integer and double columns.

Usage

```
## S3 method for class 'dtplyr_step'
fill(data, ..., .direction = c("down", "up", "downup", "updown"))
```

Arguments

data	A data frame.
...	<tidy-select> Columns to fill.

.direction   Direction in which to fill missing values. Currently either "down" (the default),
                    "up", "downup" (i.e. first down and then up) or "updown" (first up and then
                    down).

Examples

```
library(tidyr)

# Value (year) is recorded only when it changes
sales <- lazy_dt(tibble::tribble(
  ~quarter, ~year, ~sales,
  "Q1",    2000,    66013,
  "Q2",      NA,    69182,
  "Q3",      NA,    53175,
  "Q4",      NA,    21001,
  "Q1",    2001,    46036,
  "Q2",      NA,    58842,
  "Q3",      NA,    44568,
  "Q4",      NA,    50197,
  "Q1",    2002,    39113,
  "Q2",      NA,    41668,
  "Q3",      NA,    30144,
  "Q4",      NA,    52897,
  "Q1",    2004,    32129,
  "Q2",      NA,    67686,
  "Q3",      NA,    31768,
  "Q4",      NA,    49094
))

# `fill()` defaults to replacing missing data from top to bottom
sales %>% fill(year)

# Value (n_squirrels) is missing above and below within a group
squirrels <- lazy_dt(tibble::tribble(
  ~group,    ~name,        ~role,       ~n_squirrels,
  1,       "Sam",      "Observer",    NA,
  1,      "Mara", "Scorekeeper",     8,
  1,     "Jesse",      "Observer",    NA,
  1,       "Tom",      "Observer",    NA,
  2,      "Mike",      "Observer",    NA,
  2,   "Rachael",      "Observer",    NA,
  2,   "Sydekea", "Scorekeeper",    14,
  2, "Gabriela",      "Observer",    NA,
  3,   "Derrick",      "Observer",    NA,
  3,      "Kara", "Scorekeeper",     9,
  3,     "Emily",      "Observer",    NA,
  3, "Danielle",      "Observer",    NA
))

# The values are inconsistently missing by position within the group
# Use .direction = "downup" to fill missing values in both directions
squirrels %>%
  dplyr::group_by(group) %>%
```

```
    fill(n_squirrels, .direction = "downup") %>%
    dplyr::ungroup()

  # Using `.direction = "updown"` accomplishes the same goal in this example
```

| filter.dtplyr_step | *Subset rows using column values* |

Description

This is a method for the dplyr [arrange()](#) generic. It is translated to the i argument of [.data.table

Usage

```
## S3 method for class 'dtplyr_step'
filter(.data, ..., .by = NULL, .preserve = FALSE)
```

Arguments

.data	A [lazy_dt()](#).
...	<[data-masking](#)> Expressions that return a logical value, and are defined in terms of the variables in .data. If multiple expressions are included, they are combined with the & operator. Only rows for which all conditions evaluate to TRUE are kept.
.by	**[Experimental]** <[tidy-select](#)> Optionally, a selection of columns to group by for just this operation, functioning as an alternative to [group_by()](#). For details and examples, see [?dplyr_by](#).
.preserve	Ignored

Examples

```
library(dplyr, warn.conflicts = FALSE)

dt <- lazy_dt(mtcars)
dt %>% filter(cyl == 4)
dt %>% filter(vs, am)

dt %>%
  group_by(cyl) %>%
  filter(mpg > mean(mpg))
```

---

group_by.dtplyr_step   *Group and ungroup*

Description

These are methods for dplyr's group_by() and ungroup() generics. Grouping is translated to the either keyby and by argument of [.data.table depending on the value of the arrange argument.

Usage

```
## S3 method for class 'dtplyr_step'
group_by(.data, ..., .add = FALSE, arrange = TRUE)

## S3 method for class 'dtplyr_step'
ungroup(x, ...)
```

Arguments

.data	A lazy_dt()
...	In group_by(), variables or computations to group by. Computations are always done on the ungrouped data frame. To perform computations on the grouped data, you need to use a separate mutate() step before the group_by(). Computations are not allowed in nest_by(). In ungroup(), variables to remove from the grouping.
.add, add	When FALSE, the default, group_by() will override existing groups. To add to the existing groups, use .add = TRUE.
	This argument was previously called add, but that prevented creating a new grouping variable called add, and conflicts with our naming conventions.
arrange	If TRUE, will automatically arrange the output of subsequent grouped operations by group. If FALSE, output order will be left unchanged. In the generated data.table code this switches between using the keyby (TRUE) and by (FALSE) arguments.
x	A tbl()

Examples

```
library(dplyr, warn.conflicts = FALSE)
dt <- lazy_dt(mtcars)

# group_by() is usually translated to `keyby` so that the groups
# are ordered in the output
dt %>%
 group_by(cyl) %>%
 summarise(mpg = mean(mpg))

# use `arrange = FALSE` to instead use `by` so the original order
# or groups is preserved
```

```
dt %>%
 group_by(cyl, arrange = FALSE) %>%
 summarise(mpg = mean(mpg))
```

---

group_modify.dtplyr_step

Apply a function to each group

Description

These are methods for the dplyr group_map() and group_modify() generics. They are both trans-
lated to [.data.table.

Usage

```
## S3 method for class 'dtplyr_step'
group_modify(.data, .f, ..., keep = FALSE)

## S3 method for class 'dtplyr_step'
group_map(.data, .f, ..., keep = FALSE)
```

Arguments

.data	A lazy_dt()
.f	The name of a two argument function. The first argument is passed .SD,the data.table representing the current group; the second argument is passed .BY, a list giving the current values of the grouping variables. The function should return a list or data.table.
...	Additional arguments passed to .f
keep	Not supported for lazy_dt.

Value

group_map() applies .f to each group, returning a list. group_modify() replaces each group with
the results of .f, returning a modified lazy_dt().

Examples

```
library(dplyr)

dt <- lazy_dt(mtcars)

dt %>%
  group_by(cyl) %>%
  group_modify(head, n = 2L)

dt %>%
  group_by(cyl) %>%
  group_map(head, n = 2L)
```

head.dtplyr_step   *Subset first or last rows*

Description

These are methods for the base generics [head()](#) and [tail()](#). They are not translated.

Usage

```
## S3 method for class 'dtplyr_step'
head(x, n = 6L, ...)

## S3 method for class 'dtplyr_step'
tail(x, n = 6L, ...)
```

Arguments

x	A [lazy_dt()](#)
n	Number of rows to select. Can use a negative number to instead drop rows from the other end.
...	Passed on to [head()](#)/[tail()](#).

Examples

```
library(dplyr, warn.conflicts = FALSE)
dt <- lazy_dt(data.frame(x = 1:10))

# first three rows
head(dt, 3)
# last three rows
tail(dt, 3)

# drop first three rows
tail(dt, -3)
```

intersect.dtplyr_step   *Set operations*

Description

These are methods for the dplyr generics [intersect()](#), [union()](#), [union_all()](#), and [setdiff()](#).
They are translated to [data.table::fintersect()](#), [data.table::funion()](#), and [data.table::fsetdiff()](#).

Usage

```
## S3 method for class 'dtplyr_step'
intersect(x, y, ...)

## S3 method for class 'dtplyr_step'
union(x, y, ...)

## S3 method for class 'dtplyr_step'
union_all(x, y, ...)

## S3 method for class 'dtplyr_step'
setdiff(x, y, ...)
```

Arguments

x, y   A pair of [lazy_dt()](#)s.

...   Ignored

Examples

```
dt1 <- lazy_dt(data.frame(x = 1:4))
dt2 <- lazy_dt(data.frame(x = c(2, 4, 6)))

intersect(dt1, dt2)
union(dt1, dt2)
setdiff(dt1, dt2)
```

---

lazy_dt   *Create a "lazy" data.table for use with dplyr verbs*

Description

A lazy data.table lazy captures the intent of dplyr verbs, only actually performing computation when requested (with [collect()](#), [pull()](#), [as.data.frame()](#), [data.table::as.data.table()](#), or [tibble::as_tibble()](#)). This allows dtplyr to convert dplyr verbs into as few data.table expressions as possible, which leads to a high performance translation.

See `vignette("translation")` for the details of the translation.

Usage

```
lazy_dt(x, name = NULL, immutable = TRUE, key_by = NULL)
```

Arguments

x	A data table (or something can can be coerced to a data table).
name	Optionally, supply a name to be used in generated expressions. For expert use only.
immutable	If TRUE, x is treated as immutable and will never be modified by any code generated by dtplyr. Alternatively, you can set immutable = FALSE to allow dtplyr to modify the input object.
key_by	Set keys for data frame, using select() semantics (e.g. key_by = c(key1, key2).
	This uses data.table::setkey() to sort the table and build an index. This will considerably improve performance for subsets, summaries, and joins that use the keys.
	See vignette("datatable-keys-fast-subset") for more details.

Examples

```
library(dplyr, warn.conflicts = FALSE)

# If you have a data.table, using it with any dplyr generic will
# automatically convert it to a lazy_dt object
dt <- data.table::data.table(x = 1:10, y = 10:1)
dt %>% filter(x == y)
dt %>% mutate(z = x + y)

# Note that dtplyr will avoid mutating the input data.table, so the
# previous translation includes an automatic copy(). You can avoid this
# with a manual call to lazy_dt()
dt %>%
  lazy_dt(immutable = FALSE) %>%
  mutate(z = x + y)

# If you have a data frame, you can use lazy_dt() to convert it to
# a data.table:
mtcars2 <- lazy_dt(mtcars)
mtcars2
mtcars2 %>% select(mpg:cyl)
mtcars2 %>% select(x = mpg, y = cyl)
mtcars2 %>% filter(cyl == 4) %>% select(mpg)
mtcars2 %>% select(mpg, cyl) %>% filter(cyl == 4)
mtcars2 %>% mutate(cyl2 = cyl * 2, cyl4 = cyl2 * 2)
mtcars2 %>% transmute(cyl2 = cyl * 2, vs2 = vs * 2)
mtcars2 %>% filter(cyl == 8) %>% mutate(cyl2 = cyl * 2)

# Learn more about translation in vignette("translation")
by_cyl <- mtcars2 %>% group_by(cyl)
by_cyl %>% summarise(mpg = mean(mpg))
by_cyl %>% mutate(mpg = mean(mpg))
by_cyl %>%
  filter(mpg < mean(mpg)) %>%
  summarise(hp = mean(hp))
```

left_join.dtplyr_step   *Join data tables*

Description

These are methods for the dplyr generics left_join(), right_join(), inner_join(), full_join(), anti_join(), and semi_join(). Left, right, inner, and anti join are translated to the [.data.table equivalent, full joins to data.table::merge.data.table(). Left, right, and full joins are in some cases followed by calls to data.table::setcolorder() and data.table::setnames() to ensure that column order and names match dplyr conventions. Semi-joins don't have a direct data.table equivalent.

Usage

```
## S3 method for class 'dtplyr_step'
left_join(x, y, ..., by = NULL, copy = FALSE, suffix = c(".x", ".y"))
```

Arguments

x, y	A pair of lazy_dt()s.
...	Other parameters passed onto methods.
by	A join specification created with join_by(), or a character vector of variables to join by.
	If NULL, the default, *_join() will perform a natural join, using all variables in common across x and y. A message lists the variables so that you can check they're correct; suppress the message by supplying by explicitly.
	To join on different variables between x and y, use a join_by() specification. For example, join_by(a == b) will match x$a to y$b.
	To join by multiple variables, use a join_by() specification with multiple expressions. For example, join_by(a == b, c == d) will match x$a to y$b and x$c to y$d. If the column names are the same between x and y, you can shorten this by listing only the variable names, like join_by(a, c).
	join_by() can also be used to perform inequality, rolling, and overlap joins. See the documentation at ?join_by for details on these types of joins.
	For simple equality joins, you can alternatively specify a character vector of variable names to join by. For example, by = c("a", "b") joins x$a to y$a and x$b to y$b. If variable names differ between x and y, use a named character vector like by = c("x_a" = "y_a", "x_b" = "y_b").
	To perform a cross-join, generating all combinations of x and y, see cross_join().
copy	If x and y are not from the same data source, and copy is TRUE, then y will be copied into the same src as x. This allows you to join tables across srcs, but it is a potentially expensive operation so you must opt into it.
suffix	If there are non-joined duplicate variables in x and y, these suffixes will be added to the output to disambiguate them. Should be a character vector of length 2.

Examples

```
library(dplyr, warn.conflicts = FALSE)

band_dt <- lazy_dt(dplyr::band_members)
instrument_dt <- lazy_dt(dplyr::band_instruments)

band_dt %>% left_join(instrument_dt)
band_dt %>% right_join(instrument_dt)
band_dt %>% inner_join(instrument_dt)
band_dt %>% full_join(instrument_dt)

band_dt %>% semi_join(instrument_dt)
band_dt %>% anti_join(instrument_dt)
```

---

mutate.dtplyr_step   *Create and modify columns*

Description

This is a method for the dplyr [mutate()](#) generic. It is translated to the j argument of [.data.table, using := to modify "in place". If .before or .after is provided, the new columns are relocated with a call to [data.table::setcolorder()](#).

Usage

```
## S3 method for class 'dtplyr_step'
mutate(
  .data,
  ...,
  .by = NULL,
  .keep = c("all", "used", "unused", "none"),
  .before = NULL,
  .after = NULL
)
```

Arguments

.data   A [lazy_dt()](#).

...   <[data-masking](#)> Name-value pairs. The name gives the name of the column in the output.

               The value can be:

               • A vector of length 1, which will be recycled to the correct length.
               • A vector the same length as the current group (or the whole data frame if ungrouped).
               • NULL, to remove the column.
               • A data frame or tibble, to create multiple columns in the output.

.by   **[Experimental]**

             <tidy-select> Optionally, a selection of columns to group by for just this op-
             eration, functioning as an alternative to group_by(). For details and examples,
             see ?dplyr_by.

.keep   Control which columns from .data are retained in the output. Grouping columns
             and columns created by ... are always kept.

             - "all" retains all columns from .data. This is the default.
             - "used" retains only the columns used in ... to create new columns. This
               is useful for checking your work, as it displays inputs and outputs side-by-
               side.
             - "unused" retains only the columns *not* used in ... to create new columns.
               This is useful if you generate new columns, but no longer need the columns
               used to generate them.
             - "none" doesn't retain any extra columns from .data. Only the grouping
               variables and columns created by ... are kept.

             Note: With dtplyr .keep will only work with column names passed as symbols,
             and won't work with other workflows (e.g. eval(parse(text = "x + 1")))

.before, .after

             <tidy-select> Optionally, control where new columns should appear (the de-
             fault is to add to the right hand side). See relocate() for more details.

Examples

```
library(dplyr, warn.conflicts = FALSE)

dt <- lazy_dt(data.frame(x = 1:5, y = 5:1))
dt %>%
  mutate(a = (x + y) / 2, b = sqrt(x^2 + y^2))

# It uses a more sophisticated translation when newly created variables
# are used in the same expression
dt %>%
  mutate(x1 = x + 1, x2 = x1 + 1)
```

---

nest.dtplyr_step   *Nest*

Description

This is a method for the tidyr tidyr::nest() generic. It is translated using the non-nested variables
in the by argument and .SD in the j argument.

Usage

```
## S3 method for class 'dtplyr_step'
nest(.data, ..., .names_sep = NULL, .key = deprecated())
```

Arguments

`.data`	A data frame.
`...`	`<tidy-select>` Columns to nest, specified using name-variable pairs of the form `new_col = c(col1, col2, col3)`. The right hand side can be any valid tidy select expression.
`.names_sep`	If `NULL`, the default, the inner names will come from the former outer names. If a string, the new inner names will use the outer names with `names_sep` automatically stripped. This makes `names_sep` roughly symmetric between nesting and unnesting.
`.key`	Not supported.
`data`	A `lazy_dt()`.

Examples

```
if (require("tidyr", quietly = TRUE)) {
  dt <- lazy_dt(tibble(x = c(1, 2, 1), y = c("a", "a", "b")))
  dt %>% nest(data = y)

  dt %>% dplyr::group_by(x) %>% nest()
}
```

---

pivot_longer.dtplyr_step

Pivot data from wide to long

Description

This is a method for the tidyr `pivot_longer()` generic. It is translated to `data.table::melt()`

Usage

```
## S3 method for class 'dtplyr_step'
pivot_longer(
  data,
  cols,
  names_to = "name",
  names_prefix = NULL,
  names_sep = NULL,
  names_pattern = NULL,
  names_ptypes = NULL,
  names_transform = NULL,
  names_repair = "check_unique",
  values_to = "value",
  values_drop_na = FALSE,
  values_ptypes = NULL,
  values_transform = NULL,
  ...
)
```

Arguments

data	A [lazy_dt()]().
cols	<[tidy-select]()> Columns to pivot into longer format.
names_to	A character vector specifying the new column or columns to create from the information stored in the column names of data specified by cols.

- If length 0, or if NULL is supplied, no columns will be created.
- If length 1, a single column will be created which will contain the column names specified by cols.
- If length >1, multiple columns will be created. In this case, one of names_sep or names_pattern must be supplied to specify how the column names should be split. There are also two additional character values you can take advantage of:
    - NA will discard the corresponding component of the column name.
    - ".value" indicates that the corresponding component of the column name defines the name of the output column containing the cell values, overriding values_to entirely.

names_prefix	A regular expression used to remove matching text from the start of each variable name.
names_sep, names_pattern	
	If names_to contains multiple values, these arguments control how the column name is broken up.
	names_sep takes the same specification as [separate()](), and can either be a numeric vector (specifying positions to break on), or a single string (specifying a regular expression to split on).
	names_pattern takes the same specification as [extract()](), a regular expression containing matching groups (()).
	If these arguments do not give you enough control, use pivot_longer_spec() to create a spec object and process manually as needed.
names_ptypes, names_transform, values_ptypes, values_transform	
	Not currently supported by dtplyr.
names_repair	What happens if the output has invalid column names? The default, "check_unique" is to error if the columns are duplicated. Use "minimal" to allow duplicates in the output, or "unique" to de-duplicated by adding numeric suffixes. See [vctrs::vec_as_names()]() for more options.
values_to	A string specifying the name of the column to create from the data stored in cell values. If names_to is a character containing the special .value sentinel, this value will be ignored, and the name of the value column will be derived from part of the existing column names.
values_drop_na	If TRUE, will drop rows that contain only NAs in the value_to column. This effectively converts explicit missing values to implicit missing values, and should generally be used only when missing values in data were created by its structure.
...	Additional arguments passed on to methods.

Examples

```
library(tidyr)

# Simplest case where column names are character data
relig_income_dt <- lazy_dt(relig_income)
relig_income_dt %>%
  pivot_longer(!religion, names_to = "income", values_to = "count")

# Slightly more complex case where columns have common prefix,
# and missing missings are structural so should be dropped.
billboard_dt <- lazy_dt(billboard)
billboard %>%
 pivot_longer(
   cols = starts_with("wk"),
   names_to = "week",
   names_prefix = "wk",
   values_to = "rank",
   values_drop_na = TRUE
 )

# Multiple variables stored in column names
lazy_dt(who) %>%
  pivot_longer(
    cols = new_sp_m014:newrel_f65,
    names_to = c("diagnosis", "gender", "age"),
    names_pattern = "new_?(.*)_(.)(.*)",
    values_to = "count"
  )

# Multiple observations per row
anscombe_dt <- lazy_dt(anscombe)
anscombe_dt %>%
 pivot_longer(
   everything(),
   names_to = c(".value", "set"),
   names_pattern = "(.)(.)"
 )
```

---

pivot_wider.dtplyr_step

Pivot data from long to wide

Description

This is a method for the tidyr pivot_wider() generic. It is translated to data.table::dcast()

Usage

```
## S3 method for class 'dtplyr_step'
```

```
pivot_wider(
  data,
  id_cols = NULL,
  names_from = name,
  names_prefix = "",
  names_sep = "_",
  names_glue = NULL,
  names_sort = FALSE,
  names_repair = "check_unique",
  values_from = value,
  values_fill = NULL,
  values_fn = NULL,
  ...
)
```

Arguments

`data`	A `lazy_dt()`.
`id_cols`	`<tidy-select>` A set of columns that uniquely identify each observation. Typically used when you have redundant variables, i.e. variables whose values are perfectly correlated with existing variables.
	Defaults to all columns in `data` except for the columns specified through `names_from` and `values_from`. If a tidyselect expression is supplied, it will be evaluated on `data` after removing the columns specified through `names_from` and `values_from`.
`names_from, values_from`	
	`<tidy-select>` A pair of arguments describing which column (or columns) to get the name of the output column (`names_from`), and which column (or columns) to get the cell values from (`values_from`).
	If `values_from` contains multiple values, the value will be added to the front of the output column.
`names_prefix`	String added to the start of every variable name. This is particularly useful if `names_from` is a numeric vector and you want to create syntactic variable names.
`names_sep`	If `names_from` or `values_from` contains multiple variables, this will be used to join their values together into a single string to use as a column name.
`names_glue`	Instead of `names_sep` and `names_prefix`, you can supply a glue specification that uses the `names_from` columns (and special `.value`) to create custom column names.
`names_sort`	Should the column names be sorted? If `FALSE`, the default, column names are ordered by first appearance.
`names_repair`	What happens if the output has invalid column names? The default, `"check_unique"` is to error if the columns are duplicated. Use `"minimal"` to allow duplicates in the output, or `"unique"` to de-duplicated by adding numeric suffixes. See `vctrs::vec_as_names()` for more options.
`values_fill`	Optionally, a (scalar) value that specifies what each `value` should be filled in with when missing.

	This can be a named list if you want to apply different fill values to different value columns.
values_fn	A function, the default is length(). Note this is different behavior than tidyr::pivot_wider(), which returns a list column by default.
...	Additional arguments passed on to methods.

Examples

```
library(tidyr)

fish_encounters_dt <- lazy_dt(fish_encounters)
fish_encounters_dt
fish_encounters_dt %>%
  pivot_wider(names_from = station, values_from = seen)
# Fill in missing values
fish_encounters_dt %>%
  pivot_wider(names_from = station, values_from = seen, values_fill = 0)

# Generate column names from multiple variables
us_rent_income_dt <- lazy_dt(us_rent_income)
us_rent_income_dt
us_rent_income_dt %>%
  pivot_wider(names_from = variable, values_from = c(estimate, moe))

# When there are multiple `names_from` or `values_from`, you can use
# use `names_sep` or `names_glue` to control the output variable names
us_rent_income_dt %>%
  pivot_wider(
    names_from = variable,
    names_sep = ".",
    values_from = c(estimate, moe)
  )

# Can perform aggregation with values_fn
warpbreaks_dt <- lazy_dt(as_tibble(warpbreaks[c("wool", "tension", "breaks")]))
warpbreaks_dt
warpbreaks_dt %>%
  pivot_wider(
    names_from = wool,
    values_from = breaks,
    values_fn = mean
  )
```

---

relocate.dtplyr_step   *Relocate variables using their names*

Description

This is a method for the dplyr relocate() generic. It is translated to the j argument of [.data.table.

Usage

```
## S3 method for class 'dtplyr_step'
relocate(.data, ..., .before = NULL, .after = NULL)
```

Arguments

`.data`	A `lazy_dt()`.
`...`	`<tidy-select>` Columns to move.
`.before, .after`	
	`<tidy-select>` Destination of columns selected by `...`. Supplying neither will move columns to the left-hand side; specifying both is an error.

Examples

```
library(dplyr, warn.conflicts = FALSE)

dt <- lazy_dt(data.frame(x = 1, y = 2, z = 3))

dt %>% relocate(z)
dt %>% relocate(y, .before = x)
dt %>% relocate(y, .after = y)
```

---

rename.dtplyr_step	*Rename columns using their names*

Description

These are methods for the dplyr generics `rename()` and `rename_with()`. They are both translated to `data.table::setnames()`.

Usage

```
## S3 method for class 'dtplyr_step'
rename(.data, ...)

## S3 method for class 'dtplyr_step'
rename_with(.data, .fn, .cols = everything(), ...)
```

Arguments

`.data`	A `lazy_dt()`
`...`	For `rename()`: `<tidy-select>` Use new_name = old_name to rename selected variables.
	For `rename_with()`: additional arguments passed onto `.fn`.
`.fn`	A function used to transform the selected `.cols`. Should return a character vector the same length as the input.
`.cols`	`<tidy-select>` Columns to rename; defaults to all columns.

Examples

```
library(dplyr, warn.conflicts = FALSE)
dt <- lazy_dt(data.frame(x = 1, y = 2, z = 3))
dt %>% rename(new_x = x, new_y = y)
dt %>% rename_with(toupper)
```

---

replace_na.dtplyr_step

Replace NAs with specified values

Description

This is a method for the tidyr replace_na() generic. It is translated to `data.table::fcoalesce()`.

Note that unlike `tidyr::replace_na()`, `data.table::fcoalesce()` cannot replace NULL values in lists.

Usage

```
## S3 method for class 'dtplyr_step'
replace_na(data, replace = list())
```

Arguments

data   A `lazy_dt()`.

replace   If data is a data frame, replace takes a named list of values, with one value for
                each column that has missing values to be replaced. Each value in replace will
                be cast to the type of the column in data that it being used as a replacement in.

                If data is a vector, replace takes a single value. This single value replaces all
                of the missing values in the vector. replace will be cast to the type of data.

Examples

```
library(tidyr)

# Replace NAs in a data frame
dt <- lazy_dt(tibble(x = c(1, 2, NA), y = c("a", NA, "b")))
dt %>% replace_na(list(x = 0, y = "unknown"))

# Replace NAs using `dplyr::mutate()`
dt %>% dplyr::mutate(x = replace_na(x, 0))
```

select.dtplyr_step   *Subset columns using their names*

Description

This is a method for the dplyr select() generic. It is translated to the j argument of [.data.table.

Usage

```
## S3 method for class 'dtplyr_step'
select(.data, ...)
```

Arguments

.data   A lazy_dt().

...   <tidy-select> One or more unquoted expressions separated by commas. Variable names can be used as if they were positions in the data frame, so expressions like x:y can be used to select a range of variables.

Examples

```
library(dplyr, warn.conflicts = FALSE)

dt <- lazy_dt(data.frame(x1 = 1, x2 = 2, y1 = 3, y2 = 4))

dt %>% select(starts_with("x"))
dt %>% select(ends_with("2"))
dt %>% select(z1 = x1, z2 = x2)
```

separate.dtplyr_step   *Separate a character column into multiple columns with a regular expression or numeric locations*

Description

This is a method for the tidyr::separate() generic. It is translated to data.table::tstrsplit() in the j argument of [.data.table.

Usage

```
## S3 method for class 'dtplyr_step'
separate(
  data,
  col,
  into,
  sep = "[^[:alnum:]]+",
```

```
  remove = TRUE,
  convert = FALSE,
  ...
)
```

Arguments

data	A [lazy_dt()]().
col	Column name or position.
	This argument is passed by expression and supports quasiquotation (you can unquote column names or column positions).
into	Names of new variables to create as character vector. Use NA to omit the variable in the output.
sep	Separator between columns. The default value is a regular expression that matches any sequence of non-alphanumeric values.
remove	If TRUE, remove the input column from the output data frame.
convert	If TRUE, will run type.convert() with as.is = TRUE on new columns. This is useful if the component columns are integer, numeric or logical.
	NB: this will cause string "NA"s to be converted to NAs.
...	Arguments passed on to methods

Examples

```
library(tidyr)
# If you want to split by any non-alphanumeric value (the default):
df <- lazy_dt(data.frame(x = c(NA, "x.y", "x.z", "y.z")), "DT")
df %>% separate(x, c("A", "B"))

# If you just want the second variable:
df %>% separate(x, c(NA, "B"))

# Use regular expressions to separate on multiple characters:
df <- lazy_dt(data.frame(x = c(NA, "x?y", "x.z", "y:z")), "DT")
df %>% separate(x, c("A","B"), sep = "([.?:])")

# convert = TRUE detects column classes:
df <- lazy_dt(data.frame(x = c("x:1", "x:2", "y:4", "z", NA)), "DT")
df %>% separate(x, c("key","value"), ":") %>% str
df %>% separate(x, c("key","value"), ":", convert = TRUE) %>% str
```

---

slice.dtplyr_step   *Subset rows using their positions*

Description

These are methods for the dplyr [slice()](), slice_head(), slice_tail(), slice_min(), slice_max() and slice_sample() generics. They are translated to the i argument of [.data.table.

Unlike dplyr, slice() (and slice() alone) returns the same number of rows per group, regardless of whether or not the indices appear in each group.

Usage

```
## S3 method for class 'dtplyr_step'
slice(.data, ..., .by = NULL)

## S3 method for class 'dtplyr_step'
slice_head(.data, ..., n, prop, by = NULL)

## S3 method for class 'dtplyr_step'
slice_tail(.data, ..., n, prop, by = NULL)

## S3 method for class 'dtplyr_step'
slice_min(.data, order_by, ..., n, prop, by = NULL, with_ties = TRUE)

## S3 method for class 'dtplyr_step'
slice_max(.data, order_by, ..., n, prop, by = NULL, with_ties = TRUE)
```

Arguments

.data	A [lazy_dt()]().
...	For slice(): <[data-masking]()> Integer row values.
	Provide either positive values to keep, or negative values to drop. The values provided must be either all positive or all negative. Indices beyond the number of rows in the input are silently ignored.
	For slice_*(), these arguments are passed on to methods.
.by, by	**[Experimental]**
	<[tidy-select]()> Optionally, a selection of columns to group by for just this operation, functioning as an alternative to [group_by()](). For details and examples, see [?dplyr_by]().
n, prop	Provide either n, the number of rows, or prop, the proportion of rows to select. If neither are supplied, n = 1 will be used. If n is greater than the number of rows in the group (or prop > 1), the result will be silently truncated to the group size. prop will be rounded towards zero to generate an integer number of rows.
	A negative value of n or prop will be subtracted from the group size. For example, n = -2 with a group of 5 rows will select 5 - 2 = 3 rows; prop = -0.25 with 8 rows will select 8 * (1 - 0.25) = 6 rows.
order_by	<[data-masking]()> Variable or function of variables to order by. To order by multiple variables, wrap them in a data frame or tibble.
with_ties	Should ties be kept together? The default, TRUE, may return more rows than you request. Use FALSE to ignore ties, and return the first n rows.

Examples

```
library(dplyr, warn.conflicts = FALSE)

dt <- lazy_dt(mtcars)
dt %>% slice(1, 5, 10)
dt %>% slice(-(1:4))

# First and last rows based on existing order
dt %>% slice_head(n = 5)
dt %>% slice_tail(n = 5)

# Rows with minimum and maximum values of a variable
dt %>% slice_min(mpg, n = 5)
dt %>% slice_max(mpg, n = 5)

# slice_min() and slice_max() may return more rows than requested
# in the presence of ties. Use with_ties = FALSE to suppress
dt %>% slice_min(cyl, n = 1)
dt %>% slice_min(cyl, n = 1, with_ties = FALSE)

# slice_sample() allows you to random select with or without replacement
dt %>% slice_sample(n = 5)
dt %>% slice_sample(n = 5, replace = TRUE)

# you can optionally weight by a variable - this code weights by the
# physical weight of the cars, so heavy cars are more likely to get
# selected
dt %>% slice_sample(weight_by = wt, n = 5)
```

---

summarise.dtplyr_step   *Summarise each group to one row*

Description

This is a method for the dplyr summarise() generic. It is translated to the j argument of [.data.table.

Usage

```
## S3 method for class 'dtplyr_step'
summarise(.data, ..., .by = NULL, .groups = NULL)
```

Arguments

.data	A lazy_dt().
...	<data-masking> Name-value pairs of summary functions. The name will be the name of the variable in the result.
	The value can be:
	• A vector of length 1, e.g. min(x), n(), or sum(is.na(y)).

- A data frame, to add multiple columns from a single expression.

[**Deprecated**] Returning values with size 0 or >1 was deprecated as of 1.1.0. Please use [reframe()](#) for this instead.

.by [**Experimental**]

<[tidy-select](#)> Optionally, a selection of columns to group by for just this operation, functioning as an alternative to [group_by()](#). For details and examples, see [?dplyr_by](#).

.groups [**Experimental**] Grouping structure of the result.

- "drop_last": dropping the last level of grouping. This was the only supported option before version 1.0.0.
- "drop": All levels of grouping are dropped.
- "keep": Same grouping structure as .data.
- "rowwise": Each row is its own group.

When .groups is not specified, it is chosen based on the number of rows of the results:

- If all the results have 1 row, you get "drop_last".
- If the number of rows varies, you get "keep" (note that returning a variable number of rows was deprecated in favor of [reframe()](#), which also unconditionally drops all levels of grouping).

In addition, a message informs you of that choice, unless the result is ungrouped, the option "dplyr.summarise.inform" is set to FALSE, or when summarise() is called from a function in a package.

Examples

```
library(dplyr, warn.conflicts = FALSE)

dt <- lazy_dt(mtcars)

dt %>%
  group_by(cyl) %>%
  summarise(vs = mean(vs))

dt %>%
  group_by(cyl) %>%
  summarise(across(disp:wt, mean))
```

---

transmute.dtplyr_step   *Create new columns, dropping old*

Description

This is a method for the dplyr [transmute()](#) generic. It is translated to the j argument of [.data.table.

Usage

```
## S3 method for class 'dtplyr_step'
transmute(.data, ...)
```

Arguments

.data	A [lazy_dt()](#).
...	<[data-masking](#)> Name-value pairs. The name gives the name of the column in the output.

The value can be:

- A vector of length 1, which will be recycled to the correct length.
- A vector the same length as the current group (or the whole data frame if ungrouped).
- NULL, to remove the column.
- A data frame or tibble, to create multiple columns in the output.

Examples

```
library(dplyr, warn.conflicts = FALSE)

dt <- lazy_dt(dplyr::starwars)
dt %>% transmute(name, sh = paste0(species, "/", homeworld))
```

---

unite.dtplyr_step	*Unite multiple columns into one by pasting strings together.*

Description

This is a method for the tidyr unite() generic.

Usage

```
## S3 method for class 'dtplyr_step'
unite(data, col, ..., sep = "_", remove = TRUE, na.rm = FALSE)
```

Arguments

data	A data frame.
col	The name of the new column, as a string or symbol.
	This argument is passed by expression and supports [quasiquotation](#) (you can unquote strings and symbols). The name is captured from the expression with [rlang::ensym()](#) (note that this kind of interface where symbols do not represent actual objects is now discouraged in the tidyverse; we support it here for backward compatibility).
...	<[tidy-select](#)> Columns to unite

sep	Separator to use between values.
remove	If TRUE, remove input columns from output data frame.
na.rm	If TRUE, missing values will be removed prior to uniting each value.

Examples

```
library(tidyr)

df <- lazy_dt(expand_grid(x = c("a", NA), y = c("b", NA)))
df

df %>% unite("z", x:y, remove = FALSE)

# Separate is almost the complement of unite
df %>%
  unite("xy", x:y) %>%
  separate(xy, c("x", "y"))
# (but note `x` and `y` contain now "NA" not NA)
```

Index