Package 'IPEC'

January 13, 2024

Type Package

Title Root Mean Square Curvature Calculation

Version 1.1.0

Date 2024-01-13

Author Peijian Shi [aut, cre],
Peter M. Ridland [aut],
David A. Ratkowsky [aut],
Yang Li [aut]

Maintainer Peijian Shi <pjshi@njfu.edu.cn>

Imports numDeriv (>= 2016.8-1.1), MASS

Description Calculates the RMS intrinsic and parameter-effects curvatures of a nonlinear regression model. The curvatures are global measures of assessing whether a model/data set combination is close-to-linear or not. See Bates and Watts (1980) <doi:10.1002/9780470316757> and Ratkowsky and Reddy (2017) <doi:10.1093/ae tails.

Depends R (>= 4.2.0)

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2024-01-13 16:50:02 UTC

R topics documented:

IPEC-package   *Root Mean Square Curvature Calculation*

Description

Calculates the RMS intrinsic and parameter-effects curvatures of a nonlinear regression model. The
curvatures are global measures of assessing whether a model/data set combination is close-to-linear
or not. See Bates and Watts (1980) and Ratkowsky and Reddy (2017) for details.

Details

The DESCRIPTION file:

Package:	IPEC
Type:	Package
Title:	Root Mean Square Curvature Calculation
Version:	1.1.0
Date:	2024-01-13
Authors@R:	c(person(given="Peijian", family="Shi", email="pjshi@njfu.edu.cn", role=c("aut", "cre")), person(given=c("Pe
Author:	Peijian Shi [aut, cre], Peter M. Ridland [aut], David A. Ratkowsky [aut], Yang Li [aut]
Maintainer:	Peijian Shi <pjshi@njfu.edu.cn>
Imports:	numDeriv (>= 2016.8-1.1), MASS
Description:	Calculates the RMS intrinsic and parameter-effects curvatures of a nonlinear regression model. The curvatures
Depends:	R (>= 4.2.0)
License:	GPL (>= 2)

Index of help topics:

```
IPEC-package          Root Mean Square Curvature Calculation
aic                   Akaike Information Criterion (AIC) Calculation
                      Function
biasIPEC              Bias Calculation Function
bic                   Bayesian Information Criterion (BIC)
                      Calculation Function
bootIPEC              Bootstrap Function for Nonlinear Regression
confcurves            Wald Confidence Curves and the Likelihood
                      Confidence Curves
crops                 Whole-plant biomass Data of 12 Species of Crops
```

curvIPEC	RMS Curvature Calculation Function
derivIPEC	Derivative Calculation Function
fitIPEC	Nonlinear Fitting Function
isom	Data on Biochemical Oxygen Demand
leaves	Leaf Data of _Parrotia subaequalis_ (Hamamelidaceae)
parinfo	Detailed Information of Estimated Model Parameters
shoots	Height Growth Data of Bamboo Shoots
skewIPEC	Skewness Calculation Function

Note

We are deeply thankful to Paul Gilbert and Jinlong Zhang for their invaluable help during creating this package. We also thank Linli Deng, Kurt Hornik and Lin Wang for their statistical and technical guidance in updating the package.

Author(s)

Peijian Shi [aut, cre], Peter Ridland [aut], David A. Ratkowsky [aut], Yang Li [aut]

Maintainer: Peijian Shi <pjshi@njfu.edu.cn>

References

Bates, D.M and Watts, D.G. (1988) *Nonlinear Regression Analysis and its Applications*. Wiley, New York. doi:10.1002/9780470316757

Ratkowsky, D.A. (1983) *Nonlinear Regression Modeling: A Unified Practical Approach*. Marcel Dekker, New York.

Ratkowsky, D.A. (1990) *Handbook of Nonlinear Regression Models*, Marcel Dekker, New York.

Ratkowsky, D.A. & Reddy, G.V.P. (2017) Empirical model with excellent statistical properties for describing temperature-dependent developmental rates of insects and mites. *Ann. Entomol. Soc. Am.* 110, 302−309. doi:10.1093/aesa/saw098

See Also

hessian in package **numDeriv**, jacobian in package **numDeriv**, rms.curv in package **MASS**

Examples

```
#### Example 1 ##############################################################################
graphics.off()
# The velocity of the reaction (counts/min^2) under different substrate concentrations
#   in parts per million (ppm) (Page 269 of Bates and Watts 1988)

x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)

# Define the Michaelis-Menten model
MM <- function(theta, x){
```

```
    theta[1]*x / ( theta[2] + x )
}

res0 <- fitIPEC( MM, x=x1, y=y1, ini.val=c(200, 0.05),
                 xlim=c( 0, 1.5 ), ylim=c(0, 250), fig.opt=TRUE )
par1 <- res0$par
par1

res1 <- derivIPEC( MM, theta=par1, z=x1[1], method="Richardson",
                   method.args=list(eps=1e-4, d=0.11,
                    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
res1

# To calculate curvatures
res2 <- curvIPEC( MM, theta=par1, x=x1, y=y1, alpha=0.05, method="Richardson",
                  method.args=list(eps=1e-4, d=0.11,
                   zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
res2

# To calculate bias
res3 <- biasIPEC(MM, theta=par1, x=x1, y=y1, tol= 1e-20)
res3


  set.seed(123)
  res4 <- bootIPEC( MM, x=x1, y=y1, ini.val=par1,
                    control=list(reltol=1e-20, maxit=40000),
                    nboot=2000, CI=0.95, fig.opt=TRUE )
  res4
  set.seed(NULL)


# To calculate skewness
res5 <- skewIPEC(MM, theta=par1, x=x1, y=y1, tol= 1e-20)
res5
##############################################################################

#### Example 2 ###############################################################
graphics.off()
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
#   Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
#       properties for describing temperature-dependent developmental rates of insects
#       and mites. Ann. Entomol. Soc. Am. 110, 302-309.
#   Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
#       Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
#       alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)
```

```r
x2 <- seq(15, 37, by=1)
D2 <- c(41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
         11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03)
y2 <- 1/D2
y2 <- sqrt( y2 )

ini.val1 <- c(0.14, 30, 10, 40)

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
    temp <- Inf
  if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
    temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin
      )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
  }
  return( temp )
}

myfun <- sqrt.LRF
xlab1 <- expression( paste("Temperature (", degree, "C)", sep="" ) )
ylab1 <- expression( paste("Developmental rate"^{1/2}, " (", d^{"-1"}, ")", sep="") )
resu0 <- fitIPEC( myfun, x=x2, y=y2, ini.val=ini.val1, xlim=NULL, ylim=NULL,
                  xlab=xlab1, ylab=ylab1, fig.opt=TRUE,
                  control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par2  <- resu0$par
par2

resu1 <- derivIPEC( myfun, theta=par2, z=x2[1], method="Richardson",
                     method.args=list(eps=1e-4, d=0.11,
                      zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
resu1

# To calculate curvatures
resu2 <- curvIPEC( myfun, theta=par2, x=x2, y=y2, alpha=0.05, method="Richardson",
                    method.args=list(eps=1e-4, d=0.11,
                     zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
resu2

# To calculate bias
resu3 <- biasIPEC(myfun, theta=par2, x=x2, y=y2, tol= 1e-20)
resu3
```

```
  set.seed(123)
  resu4 <- bootIPEC( myfun, x=x2, y=y2, ini.val=ini.val1,
                     nboot=2000, CI=0.95, fig.opt=TRUE )
  resu4
  set.seed(NULL)


# To calculate skewness
resu5 <- skewIPEC(myfun, theta=par2, x=x2, y=y2, tol= 1e-20)
resu5
####################################################################################


#### Example 3 #####################################################################
graphics.off()
# Height growth data of four species of bamboo (Gramineae: Bambusoideae)
# Reference(s):
# Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L., Fang, S. and
#    Zhang, C. (2017) Comparison of two ontogenetic growth equations for animals and plants.
#      Ecol. Model. 349, 1-10.

data(shoots)
# Choose a species
# 1: Phyllostachys iridescens; 2: Phyllostachys mannii;
# 3: Pleioblastus maculatus; 4: Sinobambusa tootsik.
# 'x3' is the vector of the investigation times from a specific starting time of growth
# 'y3' is the vector of the aboveground height values of bamboo shoots at 'x3'

ind <- 4
x3  <- shoots$x[shoots$Code == ind]
y3  <- shoots$y[shoots$Code == ind]

# Define the beta sigmoid model (bsm)
bsm <- function(P, x){
  P  <- cbind(P)
  if(length(P) !=4 ) {stop("The number of parameters should be 4!")}
  ropt <- P[1]
  topt <- P[2]
  tmin <- P[3]
  tmax <- P[4]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)

  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*(
    (x-tmin)/(topt-tmin) )^((topt-tmin)/(tmax-topt))
}

# Define the simplified beta sigmoid model (simp.bsm)
```

```
simp.bsm <- function(P, x, tmin=0){
  P   <- cbind(P)
  ropt  <- P[1]
  topt  <- P[2]
  tmax  <- P[3]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*
       ((x-tmin)/(topt-tmin))^((topt-tmin)/(tmax-topt))
}

# For the original beta sigmoid model
ini.val2 <- c(40, 30, 5, 50)
xlab2     <- "Time (d)"
ylab2     <- "Height (cm)"

re0 <- fitIPEC( bsm, x=x3, y=y3, ini.val=ini.val2, xlim=NULL, ylim=NULL,
                xlab=xlab2, ylab=ylab2, fig.opt=TRUE,
                control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par3 <- re0$par
par3

re1 <- derivIPEC( bsm, theta=par3, x3[15], method="Richardson",
                  method.args=list(eps=1e-4, d=0.11, zero.tol=
                  sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
re1

re2 <- curvIPEC( bsm, theta=par3, x=x3, y=y3, alpha=0.05, method="Richardson",
                 method.args=list(eps=1e-4, d=0.11, zero.tol=
                 sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
re2

re3 <- biasIPEC( bsm, theta=par3, x=x3, y=y3, tol= 1e-20 )
re3


  re4 <- bootIPEC( bsm, x=x3, y=y3, ini.val=ini.val2,
                   control=list(trace=FALSE, reltol=1e-20, maxit=50000),
                   nboot=2000, CI=0.95, fig.opt=TRUE, fold=3.5 )
  re4


re5 <- skewIPEC( bsm, theta=par3, x=x3, y=y3, tol= 1e-20 )
re5

# For the simplified beta sigmoid model
#  (in comparison with the original beta sigmoid model)
ini.val7 <- c(40, 30, 50)
```

```
RESU0 <- fitIPEC( simp.bsm, x=x3, y=y3, ini.val=ini.val7,
                  xlim=NULL, ylim=NULL, xlab=xlab2, ylab=ylab2,
                  fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par7  <- RESU0$par
par7

RESU1 <- derivIPEC( simp.bsm, theta=par7, x3[15], method="Richardson",
                    method.args=list(eps=1e-4, d=0.11,
                    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
RESU1

RESU2 <- curvIPEC( simp.bsm, theta=par7, x=x3, y=y3, alpha=0.05, method="Richardson",
                   method.args=list(eps=1e-4, d=0.11,
                   zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
RESU2

RESU3 <- biasIPEC( simp.bsm, theta=par7, x=x3, y=y3, tol= 1e-20 )
RESU3


  set.seed(123)
  RESU4 <- bootIPEC( simp.bsm, x=x3, y=y3, ini.val=ini.val7,
                     control=list(trace=FALSE, reltol=1e-20, maxit=50000),
                     nboot=2000, CI=0.95, fig.opt=TRUE, fold=3.5 )
  RESU4
  set.seed(NULL)


RESU5 <- skewIPEC( simp.bsm, theta=par7, x=x3, y=y3, tol= 1e-20 )
RESU5
###############################################################################################


#### Example 4 ################################################################################
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References:
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
#      52, 391-396.

graphics.off()
data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1     <- x[,1]
```

```
   x2     <- x[,2]
   x3     <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
}

ini.val8 <- c(35, 0.1, 0.05, 0.2)
cons1    <- fitIPEC( isom.fun, x=X, y=Y, ini.val=ini.val8, control=list(
                     trace=FALSE, reltol=1e-20, maxit=50000) )
par8     <- cons1$par
cons2    <- curvIPEC( isom.fun, theta=par8, x=X, y=Y, alpha=0.05, method="Richardson",
                      method.args=list(eps=1e-4, d=0.11,
                      zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2))
cons2
cons3    <- biasIPEC( isom.fun, theta=par8, x=X, y=Y, tol= 1e-20 )
cons3


  set.seed(123)
  cons4 <- bootIPEC( isom.fun, x=X, y=Y, ini.val=ini.val8,
                     control=list(trace=FALSE, reltol=1e-20, maxit=50000),
                     nboot=2000, CI=0.95, fig.opt=TRUE, fold=10000 )
  cons4
  set.seed(NULL)


cons5    <- skewIPEC( isom.fun, theta=par8, x=X, y=Y, tol= 1e-20 )
cons5
################################################################################
```

| aic | *Akaike Information Criterion (AIC) Calculation Function* |

Description

Calculates the AIC value(s) of the object(s) obtained from using the fitIPEC function.

Usage

```
aic( object, ... )
```

Arguments

object	A fitted model object for which there exists the sample size (sample.size or n), estimate(s) of model parameter(s) (par), and residual sum of squares (RSS)
...	Optionally more fitted model objects

Details

AIC = 2 *p* - 2 ln(*L*), where *p* represents the number of model parameter(s) plus 1 for the error, and ln(*L*) represents the maximum log-likelihood of the estimated model (Spiess and Neumeyer, 2010).

Value

There is an AIC value corresponding to one object, and there is a vector of AIC values corresponding to the multiple objects.

Note

When there are `sample.size` and `n` in `object` at the same time, the default of the sample size is `sample.size`, which is superior to `n`. With the sample size increasing, the number of model parameter(s) has a weaker influence on the value of AIC assuming that ln(RSS/n) is a constant.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Spiess, A-N and Neumeyer, N. (2010) An evaluation of R squared as an inadequate measure for nonlinear models in pharmacological and biochemical research: a Monte Carlo approach. *BMC Pharmacol.* 10, 6. doi:10.1186/14712210106

See Also

bic, AIC in package **stats**, and BIC in package **stats**

Examples

```
#### Example ###################################################################
data(leaves)
attach(leaves)
# Choose a geographical population (see Table S1 in Wang et al. [2018] for details)
# Wang, P., Ratkowsky, D.A., Xiao, X., Yu, X., Su, J., Zhang, L. and Shi, P.
#  (2018) Taylor's power law for leaf bilateral symmetry. Forests 9, 500. doi: 10.3390/f9080500
# 1: AJ; 2: HN; 3: HW; 4: HZ; 5: JD;
# 6: JS; 7: SC; 8: TC; 9: TT; 10: TX
ind <- 1
L    <- Length[PopuCode == ind]
W    <- Width[PopuCode == ind]
A    <- Area[PopuCode == ind]

# Define a model y = a*(x1*x2), where a is a parameter to be estimated
propor <- function(theta, x){
    a  <- theta[1]
    x1 <- x[,1]
    x2 <- x[,2]
    a*x1*x2
```

```
    }

    # Define a model y = a*(x1^b)*(x2^c), where a, b and c are parameters to be estimated
    threepar <- function(theta, x){
        a  <- theta[1]
        b  <- theta[2]
        c  <- theta[3]
        x1 <- x[,1]
        x2 <- x[,2]
        a*x1^b*x2^c
    }

    # Define a model y = a*x^b, where a and b are parameters to be estimated
    twopar <- function(theta, x){
        a  <- theta[1]
        b  <- theta[2]
        a*x^b
    }


  A1 <- fitIPEC(propor, x=cbind(L, W), y=A, fig.opt=FALSE,
           ini.val=list(seq(0.1, 1.5, by=0.1)))
  B1 <- curvIPEC(propor, theta=A1$par, x=cbind(L, W), y=A)
  A2 <- fitIPEC(threepar, x=cbind(L, W), y=A, fig.opt=FALSE,
           ini.val=list(A1$par, seq(0.5, 1.5, by=0.1), seq(0.5, 1.5, by=0.1)))
  B2 <- curvIPEC(threepar, theta=A2$par, x=cbind(L, W), y=A)
  A3 <- fitIPEC(twopar, x=L, y=A, fig.opt=FALSE,
              ini.val=list(1, seq(0.5, 1.5, by=0.05)))
  B3 <- curvIPEC(twopar, theta=A3$par, x=L, y=A)
  A4 <- fitIPEC(twopar, x=W, y=A, fig.opt=FALSE,
              ini.val=list(1, seq(0.5, 1.5, by=0.05)))
  B4 <- curvIPEC(twopar, theta=A4$par, x=W, y=A)
  aic(A1, A2, A3, A4)
  bic(A1, A2, A3, A4)

##############################################################################################
```

---

biasIPEC   *Bias Calculation Function*

Description

Calculates the bias in the estimates of the parameters of a given nonlinear regression model.

Usage

```
biasIPEC(expr, theta, x, y, tol = 1e-16, method = "Richardson",
         method.args = list(eps = 1e-04, d = 0.11,
         zero.tol = sqrt(.Machine$double.eps/7e-07), r = 6, v = 2,
         show.details = FALSE), side = NULL)
```

Arguments

expr	A given nonlinear regression model
theta	A vector of parameters of the model
x	A vector or matrix of observations of independent variable(s)
y	A vector of observations of response variable
tol	The tolerance for detecting linear dependencies in the columns of a matrix for calculating its inverse. See the input argument of tol of the [solve](#) function in package **base**
method	It is the same as the input argument of method of the [hessian](#) function in package **numDeriv**
method.args	It is the same as the input argument of method.args of the [hessian](#) function in package **numDeriv**
side	It is the same as the input argument of side of the [jacobian](#) function in package **numDeriv**

Details

The defined model should have two input arguments: a parameter vector and an independent variable vector or matrix, e.g. myfun <- function(P, x){...}, where P represents the parameter vector and x represents the independent variable vector or matrix.

An absolute value of percent.bias (see below) in excess of **1%** appears to be a good rule of thumb for indicating nonlinear behavior (Ratkowsky 1983).

Value

bias	The bias
percent.bias	The percentage bias that is equal to bias/estimate * 100%

Note

The current function can be applicable to nonlinear models with multiple independent variables.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Box, M.J. (1971) Bias in nonlinear estimation. *J. R. Statist. Soc., Ser. B* 33, 171−201. doi:10.1111/j.25176161.1971.tb00871.x

Ratkowsky, D.A. (1983) *Nonlinear Regression Modeling: A Unified Practical Approach*. Marcel Dekker, New York.

See Also

[derivIPEC](#), [hessian](#) in package **numDeriv**, [jacobian](#) in package **numDeriv**

Examples

```
#### Example 1 ##############################################################################
# The velocity of the reaction (counts/min^2) under different substrate concentrations
#   in parts per million (ppm) (Page 269 of Bates and Watts 1988)
x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)

# Define the Michaelis-Menten (MM) model
MM <- function(theta, x){
    theta[1]*x / ( theta[2] + x )
}

par1 <- c(212.68490865, 0.06412421)
res3 <- biasIPEC(MM, theta=par1, x=x1, y=y1, tol= 1e-20)
res3
##############################################################################################


#### Example 2 ##############################################################################
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
#   Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
#       properties for describing temperature-dependent developmental rates of insects
#       and mites. Ann. Entomol. Soc. Am. 110, 302-309.
#   Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
#       Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
#       alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)

x2 <- seq(15, 37, by=1)
D2 <- c(41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
        11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03)
y2 <- 1/D2
y2 <- sqrt( y2 )

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
    temp <- Inf
```

```
  if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
    temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin
      )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
  }
  return( temp )
}

myfun <- sqrt.LRF
par2  <- c(0.1382926, 33.4575663, 5.5841244, 38.8282021)

# To calculate bias
resu3 <- biasIPEC(myfun, theta=par2, x=x2, y=y2, tol= 1e-20)
resu3
############################################################################################


#### Example 3 ##############################################################################
# Weight of cut grass data (Pattinson 1981)
# References:
#  Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
#       regression. J. Am. Stat. Assoc. 82, 221-230.
#   Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
#       New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
#       http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
#   Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
#       Response to Herbage on Offer. unpublished M.Sc. thesis, University
#       of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c(3.183, 3.059, 2.871, 2.622, 2.541, 2.184, 2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550)

# Define the first case of Mitscherlich equation
MitA <- function(P1, x){
    P1[3] + P1[2]*exp(P1[1]*x)
}

# Define the second case of Mitscherlich equation
MitB <- function(P2, x){
    log( P2[3] ) + exp(P2[2] + P2[1]*x)
}

# Define the third case of Mitscherlich equation
MitC <- function(P3, x, x1=1, x2=13){
    theta1 <- P3[1]
    beta2  <- P3[2]
    beta3  <- P3[3]
    theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
    theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
    theta3 + theta2*exp(theta1*x)
}
```

```
ini.val3 <- c(-0.1, 2.5, 1)
r0       <- fitIPEC( MitA, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
                     fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parA     <- r0$par
parA
r3       <- biasIPEC( MitA, theta=parA, x=x4, y=y4, tol=1e-20 )
r3

ini.val4 <- c(exp(-0.1), log(2.5), 1)
R0       <- fitIPEC( MitB, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
                     fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parB     <- R0$par
parB
R3       <- biasIPEC( MitB, theta=parB, x=x4, y=y4, tol=1e-20 )
R3

ini.val6 <- c(-0.15, 2.52, 1.09)
RES0     <- fitIPEC( MitC, x=x4, y=y4, ini.val=ini.val6, xlim=NULL, ylim=NULL,
                     fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parC     <- RES0$par
parC
RES3     <- biasIPEC(MitC, theta=parC, x=x4, y=y4, tol=1e-20)
RES3
##############################################################################################


#### Example 4 ###############################################################################
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
#     52, 391-396.

data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1     <- x[,1]
  x2     <- x[,2]
  x3     <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
```

```
}

par8  <- c(35.92831619, 0.07084811, 0.03772270, 0.16718384)
cons3 <- biasIPEC( isom.fun, theta=par8, x=X, y=Y, tol= 1e-20 )
cons3
###############################################################################
```

---

bic   *Bayesian Information Criterion (BIC) Calculation Function*

Description

Calculates the BIC value(s) of the object(s) obtained from using the [fitIPEC](#) function.

Usage

```
bic( object, ... )
```

Arguments

object	A fitted model object for which there exists the sample size (sample.size or n), estimate(s) of model parameter(s) (par), and residual sum of squares (RSS)
...	Optionally more fitted model objects

Details

BIC = $p \ln(n)$ - $2 \ln(L)$, where p represents the number of model parameter(s) plus 1 for the error, n represents the sample size, and $\ln(L)$ represents the maximum log-likelihood of the estimated model (Spiess and Neumeyer, 2010).

Value

There is a BIC value corresponding to one object, and there is a vector of BIC values corresponding to the multiple objects.

Note

When there are sample.size and n in object at the same time, the default of the sample size is sample.size, which is superior to n. The BIC gives a higher penalty on the number of model parameters than the AIC.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Spiess, A-N and Neumeyer, N. (2010) An evaluation of R squared as an inadequate measure for nonlinear models in pharmacological and biochemical research: a Monte Carlo approach. *BMC Pharmacol.* 10, 6. doi:10.1186/14712210106

See Also

aic, AIC in package **stats**, and BIC in package **stats**

Examples

```
#### Example ##################################################################
data(leaves)
attach(leaves)
# Choose a geographical population (see Table S1 in Wang et al. [2018] for details)
# Wang, P., Ratkowsky, D.A., Xiao, X., Yu, X., Su, J., Zhang, L. and Shi, P.
#  (2018) Taylor's power law for leaf bilateral symmetry. Forests 9, 500. doi: 10.3390/f9080500
# 1: AJ; 2: HN; 3: HW; 4: HZ; 5: JD;
# 6: JS; 7: SC; 8: TC; 9: TT; 10: TX
ind <- 1
L    <- Length[PopuCode == ind]
W    <- Width[PopuCode == ind]
A    <- Area[PopuCode == ind]

# Define a model y = a*(x1*x2), where a is a parameter to be estimated
propor <- function(theta, x){
    a  <- theta[1]
    x1 <- x[,1]
    x2 <- x[,2]
    a*x1*x2
}

# Define a model y = a*(x1^b)*(x2^c), where a, b and c are parameters to be estimated
threepar <- function(theta, x){
    a  <- theta[1]
    b  <- theta[2]
    c  <- theta[3]
    x1 <- x[,1]
    x2 <- x[,2]
    a*x1^b*x2^c
}

# Define a model y = a*x^b, where a and b are parameters to be estimated
twopar <- function(theta, x){
    a  <- theta[1]
    b  <- theta[2]
    a*x^b
}


  A1 <- fitIPEC(propor, x=cbind(L, W), y=A, fig.opt=FALSE,
          ini.val=list(seq(0.1, 1.5, by=0.1)))
```

```
    B1 <- curvIPEC(propor, theta=A1$par, x=cbind(L, W), y=A)
    A2 <- fitIPEC(threepar, x=cbind(L, W), y=A, fig.opt=FALSE,
              ini.val=list(A1$par, seq(0.5, 1.5, by=0.1), seq(0.5, 1.5, by=0.1)))
    B2 <- curvIPEC(threepar, theta=A2$par, x=cbind(L, W), y=A)
    A3 <- fitIPEC(twopar, x=L, y=A, fig.opt=FALSE,
                ini.val=list(1, seq(0.5, 1.5, by=0.05)))
    B3 <- curvIPEC(twopar, theta=A3$par, x=L, y=A)
    A4 <- fitIPEC(twopar, x=W, y=A, fig.opt=FALSE,
                ini.val=list(1, seq(0.5, 1.5, by=0.05)))
    B4 <- curvIPEC(twopar, theta=A4$par, x=W, y=A)
    aic(A1, A2, A3, A4)
    bic(A1, A2, A3, A4)


    #################################################################################################
```

---

bootIPEC	*Bootstrap Function for Nonlinear Regression*

Description

Generates the density distributions, standard errors, confidence intervals, covariance matrices and correlation matrices of parameters based on bootstrap replications.

Usage

```
bootIPEC( expr, x, y, ini.val, weights = NULL, control = list(),
          nboot = 200, CI = 0.95, fig.opt = TRUE, fold = 3.5,
          unique.num = 2, prog.opt = TRUE )
```

Arguments

expr	A given parametric model
x	A vector or matrix of observations of independent variable(s)
y	A vector of observations of response variable
ini.val	A vector or list of initial values of model parameters
weights	An optional vector of weights to be used in the fitting process. weights should be NULL or a numeric vector. If non-NULL, weighted least squares is used with weights weights; otherwise ordinary least squares is used.
control	A list of control parameters for using the optim function in package **stats**
nboot	The number of bootstrap replications
CI	The confidence level(s) of the required interval(s)
fig.opt	An option of drawing figures of the distributions of bootstrap values of parameters and figures of pairwise comparisons of bootstrap values
fold	A parameter removing the extreme bootstrap values of parameters
unique.num	The least number of sampled non-overlapping data points for carrying out a bootstrap nonlinear regression
prog.opt	An option of showing the running progress of bootstrap

Details

ini.val can be a vector or a list that has saved initial values for model parameters,

e.g. y = beta0 + beta1 * x + beta2 * x^2,

ini.val = list(beta0=seq(5, 15, len=2), beta1=seq(0.1, 1, len=9),beta2=seq(0.01, 0.05, len=5)), which is similar to the usage of the input argument of start of [nls] in package **stats**.

In the weights argument option, the default is weights = NULL. In that case, ordinary least squares is used. The residual sum of squares (RSS) between the observed and predicted y values is minimized to estimate a model's parameters, i.e.,

$$\mathrm{RSS} = \sum_{i=1}^{n} \left(y_i - \hat{y}_i \right)^2$$

where y_i and $\hat{y}_i$ represent the observed and predicted y values, respectively; and n represents the sample size. If weights is a numeric vector, the weighted residual sum of squares is minimized, i.e.,

$$\mathrm{RSS} = \sum_{i=1}^{n} w_i \left(y_i - \hat{y}_i \right)^2$$

where w_i is the i elements of weights.

CI determines the width of confidence intervals.

fold is used to delete the data whose differences from the median exceed a certain fold of the difference between 3/4 and 1/4 quantiles of the bootstrap values of a model parameter.

The default of unique.num is 2. That is, at least two non-overlapping data points randomly sampled from (x, y) are needed for carrying out a bootstrap nonlinear regression.

Value

M	The matrix saving the fitted results of all nboot bootstrap values of model parameters and goodness of fit
perc.ci.mat	The matrix saving the estimate, standard error, median, mean, and the calculated lower and upper limits of confidence interval based on the bootstrap percentile method
bca.ci.mat	The matrix saving the estimate, standard error, median, mean, and the calculated lower and upper limits of confidence interval based on the bootstrap BC_a method
covar.mat	The covariance matrix of parameters based on the bootstrap values when nboot > 1
cor.mat	The correlation matrix of parameters based on the bootstrap values when nboot > 1

Note

To obtain reliable confidence intervals of model parameters, more than **2000** bootstrap replications are recommended; whereas to obtain a reliable standard error of the estimate of a parameter, more than **30** bootstrap replications are sufficient (Efron and Tibshirani 1993). bca.ci.mat is recommended to show better confidence intervals of parameters than those in perc.ci.mat.

The outputs of model parameters will all be represented by θ_i, i from 1 to p, where p represents the number of model parameters. The letters of model parameters defined by users such as β_i will be automatically replaced by θ_i.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Efron, B. and Tibshirani, R.J. (1993) *An Introduction to the Bootstrap*. Chapman and Hall (CRC), New York. doi:10.2307/2532810

Sandhu, H.S., Shi, P., Kuang, X., Xue, F. and Ge, F. (2011) Applications of the bootstrap to insect physiology. *Fla. Entomol.* 94, 1036−1041. doi:10.1653/024.094.0442

See Also

fitIPEC

Examples

```
#### Example 1 ###############################################################################
graphics.off()
# The velocity of the reaction (counts/min^2) under different substrate concentrations
#   in parts per million (ppm) (Page 269 of Bates and Watts 1988)

x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)

# Define the Michaelis-Menten (MM) model
MM <- function(theta, x){
    theta[1]*x / ( theta[2] + x )
}


  set.seed(123)
  res4 <- bootIPEC( MM, x=x1, y=y1, ini.val=c(200, 0.05),
                    control=list(reltol=1e-20, maxit=40000), nboot=2000, CI=0.95,
                    fig.opt=TRUE )
  res4
  set.seed(NULL)

###############################################################################################


#### Example 2 ###############################################################################
graphics.off()
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
#   Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
#       properties for describing temperature-dependent developmental rates of insects
```

```
#        and mites. Ann. Entomol. Soc. Am. 110, 302-309.
#   Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
#        Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
#        alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)

x2 <- seq(15, 37, by=1)
D2 <- c(41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
        11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03)
y2 <- 1/D2
y2 <- sqrt( y2 )
ini.val1 <- c(0.14, 30, 10, 40)

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
    temp <- Inf
  if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
    temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin
      )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
  }
  return( temp )
}

myfun <- sqrt.LRF

  set.seed(123)
  resu4 <- bootIPEC( myfun, x=x2, y=y2, ini.val=ini.val1,
                     nboot=2000, CI=0.95, fig.opt=TRUE )
  resu4
  set.seed(NULL)

#############################################################################################


#### Example 3 ##############################################################################
graphics.off()
# Height growth data of four species of bamboo (Gramineae: Bambusoideae)
# Reference(s):
# Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L., Fang, S. and
```

```
#    Zhang, C. (2017) Comparison of two ontogenetic growth equations for animals and plants.
#       Ecol. Model. 349, 1-10.

data(shoots)
# Choose a species
# 1: Phyllostachys iridescens; 2: Phyllostachys mannii;
# 3: Pleioblastus maculatus; 4: Sinobambusa tootsik.
# 'x3' is the vector of the observation times from a specific starting time of growth
# 'y3' is the vector of the aboveground height values of bamboo shoots at 'x3'

ind <- 4
x3  <- shoots$x[shoots$Code == ind]
y3  <- shoots$y[shoots$Code == ind]

# Define the beta sigmoid model (bsm)
bsm <- function(P, x){
  P  <- cbind(P)
  if(length(P) !=4 ) {stop(" The number of parameters should be 4!")}
  ropt <- P[1]
  topt <- P[2]
  tmin <- P[3]
  tmax <- P[4]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  return(ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-
          2*tmax)*( (x-tmin)/(topt-tmin) )^((topt-tmin)/(tmax-topt)))
}

# Define the simplified beta sigmoid model (simp.bsm)
simp.bsm <- function(P, x, tmin=0){
  P  <- cbind(P)
  ropt  <- P[1]
  topt  <- P[2]
  tmax  <- P[3]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  return(ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-
          2*tmax)*((x-tmin)/(topt-tmin) )^((topt-tmin)/(tmax-topt)))
}

# For the original beta sigmoid model
ini.val2 <- c(40, 30, 5, 50)
xlab2    <- "Time (d)"
ylab2    <- "Height (cm)"
```

```
  set.seed(123)
  re4 <- bootIPEC( bsm, x=x3, y=y3, ini.val=ini.val2,
                   control=list(trace=FALSE, reltol=1e-20, maxit=50000),
                   nboot=2000, CI=0.95, fig.opt=TRUE, fold=10 )
  re4
  set.seed(NULL)


# For the simplified beta sigmoid model (in comparison with the original beta sigmoid model)
ini.val7 <- c(40, 30, 50)


  set.seed(123)
  RESU4 <- bootIPEC( simp.bsm, x=x3, y=y3, ini.val=ini.val7,
                     control=list(trace=FALSE, reltol=1e-20, maxit=50000),
                     nboot=2000, CI=0.95, fig.opt=TRUE, fold=10 )
  RESU4
  set.seed(NULL)

###########################################################################################


#### Example 4 ############################################################################
graphics.off()
# Weight of cut grass data (Pattinson 1981)
# References:
#  Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
#        regression. J. Am. Stat. Assoc. 82, 221-230.
#   Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
#        New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
#        http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
#   Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
#        Response to Herbage on Offer. unpublished M.Sc. thesis, University
#        of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c( 3.183, 3.059, 2.871, 2.622, 2.541, 2.184,
         2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550 )

# Define the first case of Mitscherlich equation
MitA <- function(P1, x){
    P1[3] + P1[2]*exp(P1[1]*x)
}

# Define the second case of Mitscherlich equation
MitB <- function(P2, x){
    log( P2[3] ) + exp(P2[2] + P2[1]*x)
}
```

```
# Define the third case of Mitscherlich equation
MitC <- function(P3, x, x1=1, x2=13){
    theta1 <- P3[1]
    beta2  <- P3[2]
    beta3  <- P3[3]
    theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
    theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
    theta3 + theta2*exp(theta1*x)
}


  set.seed(123)
  ini.val3 <- c(-0.1, 2.5, 1.0)
  r4       <- bootIPEC( MitA, x=x4, y=y4, ini.val=ini.val3,
                        nboot=2000, CI=0.95, fig.opt=TRUE )
  r4

  ini.val4 <- c(exp(-0.1), log(2.5), 1)
  R4       <- bootIPEC( MitB, x=x4, y=y4, ini.val=ini.val4,
                        nboot=2000, CI=0.95, fig.opt=TRUE )
  R4

  # ini.val6 <- c(-0.15, 2.52, 1.09)
  iv.list2 <- list(seq(-2, -0.05, len=5), seq(1, 4, len=8), seq(0.05, 3, by=0.5))
  RES0 <- fitIPEC( MitC, x=x4, y=y4, ini.val=iv.list2,
                   control=list(trace=FALSE, reltol=1e-10, maxit=5000) )
  RES0$par
  RES4 <- bootIPEC( MitC, x=x4, y=y4, ini.val=iv.list2,
                    control=list(trace=FALSE, reltol=1e-10, maxit=5000),
                    nboot=5000, CI=0.95, fig.opt=TRUE, fold=3.5, unique.num=2 )
  RES4
  set.seed(NULL)

  ###########################################################################################
```

---

confcurves	*Wald Confidence Curves and the Likelihood Confidence Curves*

Description

Calculates the Wald confidence curves and the likelihood confidence curves of model parameters.

Usage

```
confcurves( expr, x, y, ini.val, weights = NULL, control=list(),
            fig.opt = TRUE, fold = 5, np = 20, alpha = seq(1, 0.001, by=-0.001),
            show.CI = NULL, method = "Richardson", method.args =
          list(eps = 1e-04, d = 0.11, zero.tol = sqrt(.Machine$double.eps/7e-07),
            r = 6, v = 2, show.details = FALSE), side = NULL )
```

Arguments

expr	A given parametric model
x	A vector or matrix of observations of independent variable(s)
y	A vector of observations of response variable
ini.val	A vector or list of initial values of model parameters
weights	An optional vector of weights to be used in the fitting process. weights should be NULL or a numeric vector. If non-NULL, weighted least squares is used with weights weights; otherwise ordinary least squares is used.
control	A list of control parameters for using the optim function in package **stats**
fig.opt	An option to determine whether to draw the confidence curves of each parameter
fold	The fold of SE $\left(\hat{\theta}_i\right)$ for controlling the width of the confidence interval of $\hat{\theta}_i$ that represents the estimate of the ith parameter
np	The number of data points for forming the lower or upper bounds of a likelihood confidence interval of $\hat{\theta}_i$, which controlls the step size (i.e., δ) in the y coordinates of the likelihood confidence curves
alpha	The significance level(s) for calculating the x coordinate(s) of the $(1-\alpha)100\%$ Wald confidence curves, which equals to $t_{\alpha/2}\left(n-p\right)$
show.CI	The $t_{\alpha/2}\left(n-p\right)$ value(s) associated with the confidence level(s) of each parameter to be showed, i.e., c(0.80, 0.90, 0.95, 0.99)
method	It is the same as the input argument of method of the hessian function in package **numDeriv**
method.args	It is the same as the input argument of method.args of the hessian function in package **numDeriv**
side	It is the same as the input argument of side of the jacobian function in package **numDeriv**

Details

For the $(1-\alpha)100\%$ Wald confidence curves, the corresponding x and y coordinates are:

$$x = t_{\alpha/2}\left(n-p\right),$$

and

$$y = \hat{\theta}_i \pm t_{\alpha/2}\left(n-p\right) \text{ SE}\left(\hat{\theta}_i\right),$$

where n denotes the number of the observations, p denotes the number of model parameters, and SE $\left(\hat{\theta}_i\right)$ denotes the standard error of the ith model parameter's estimate.

For the likelihood confidence curves (Cook and Weisberg, 1990), the corresponding x and y coordinates are:

$$x = \sqrt{\frac{\text{RSS}\left(\hat{\theta}^{(-i)}\right) - \text{RSS}\left(\hat{\theta}\right)}{\text{RSS}\left(\hat{\theta}\right)/(n-p)}},$$

where RSS $\left(\hat{\theta}\right)$ represents the residual sum of squares for fitting the model with all model parameters; RSS $\left(\hat{\theta}^{(-i)}\right)$ represents the residual sum of squares for fitting the model with the ith model parameter being fixed to be $\hat{\theta}_i \pm k\,\delta$. Here, k denotes the kth iteration, and δ denotes the step size, which equals

$$\delta = \frac{\hat{\theta}_i \pm \mathrm{fold}\,\mathrm{SE}\left(\hat{\theta}_i\right)}{\mathrm{np}}.$$

$$y = \hat{\theta}_i \pm k\,\delta.$$

Here, `fold` and `np` are defined by the user in the arguments.

For other arguments, please see the [`fitIPEC`](fitIPEC) and [`parinfo`](parinfo) functions for details.

Value

`partab`	The estimates, standard errors and confidence intervals of model parameters; also see the [`parinfo`](parinfo) function
`parlist`	A list for the estimate, Wald interval curves and likelihood interval curves of each model parameter.

Note

In the value of `parlist`, there are the estimate (`pari`), the Wald interval curves (`WaldCI`), and the likelihood interval curves (`lhCI`) of the ith model parameter. In `WaldCI`, there are three columns. The first column, `tc`, represents $t_{\alpha/2}\,(n - p)$, the second and third columns, `LCI` and `UCI`, represent the lower and upper bounds of the $(1 - \alpha)100\%$ Wald confidence intervals, respectively. In `lhCI`, there are six columns. The first and second columns, `x.lower` and `lhLCI`, represent the lower bounds of the likelihood confidence intervals the and corresponding x values, respectively; the third and fourth columns, `x.upper` and `lhUCI`, represent the upper bounds of the likelihood confidence intervals and the corresponding x values, respectively; the fifth and sixth columns, `RSS.lower` and `RSS.upper`, represent the values of the residual sum of squares of the lower bounds and those of the upper bounds, respectively. Please see Cook and Weisberg (1990) for details.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Cook, R.D. and Weisberg, S. (1990) Confidence curves in nonlinear regression. *J. Am. Statist. Assoc.* 82, 221−230. doi:10.1080/01621459.1990.10476233

Nelder, J.A. and Mead, R. (1965) A simplex method for function minimization. *Comput. J.* 7, 308−313. doi:10.1093/comjnl/7.4.308

Ratkowsky, D.A. (1990) *Handbook of Nonlinear Regression Models*, Marcel Dekker, New York.

See Also

[`parinfo`](parinfo), [`fitIPEC`](fitIPEC), [`optim`](optim) in package **stats**

Examples

```
#### Example 1 #################################################################
# Weight of cut grass data (Pattinson 1981)
# References:
#  Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
#        regression. J. Am. Stat. Assoc. 82, 221-230.
#   Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
#        New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
#        http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
#   Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
#        Response to Herbage on Offer. unpublished M.Sc. thesis, University
#        of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c(3.183, 3.059, 2.871, 2.622, 2.541, 2.184,
        2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550)

# Define the first case of Mitscherlich equation
MitA <- function(P, x){
    P[3] + P[2]*exp(P[1]*x)
}

# Define the second case of Mitscherlich equation
MitB <- function(P2, x){
    if(P2[3] <= 0)
        temp <- mean(y4)
    if(P2[3] > 0)
        temp <- log(P2[3]) + exp(P2[2] + P2[1]*x)
    return( temp )
}

# Define the third case of Mitscherlich equation
MitC <- function(P3, x, x1=1, x2=13){
    theta1 <- P3[1]
    beta2  <- P3[2]
    beta3  <- P3[3]
    theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
    theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
    theta3 + theta2*exp(theta1*x)
}

ini.val3 <- c(-0.1, 2.5, 1)
RESU1    <- confcurves( MitA, x=x4, y=y4, ini.val=ini.val3, fig.opt = TRUE,
                        fold=5, np=20, alpha=seq(1, 0.001, by=-0.001),
                        show.CI=c(0.8, 0.9, 0.95, 0.99) )

ini.val4 <- c(-0.10, 0.90, 2.5)
RESU2    <- confcurves( MitB, x=x4, y=y4, ini.val=ini.val4, fig.opt = TRUE,
                        fold=5, np=200, alpha=seq(1, 0.001, by=-0.001),
```

```
                            show.CI=c(0.8, 0.9, 0.95, 0.99) )

ini.val6 <- c(-0.15, 2.5, 1)
RESU3    <- confcurves( MitC, x=x4, y=y4, ini.val=ini.val6, fig.opt = TRUE,
                        fold=5, np=20, alpha=seq(1, 0.001, by=-0.001),
                        show.CI=c(0.8, 0.9, 0.95, 0.99) )
############################################################################################

graphics.off()
```

---

crops   *Whole-plant biomass Data of 12 Species of Crops*

Description

The whole-plant biomass data of 12 species of crops growing in northern China in 2011.

Usage

```
data(crops)
```

Details

In the data set, there are six columns: Code, CommonName, Date, Time, FM, and DM. Code is used to save the codes of crops; CommonName is used to save the common names of crops; Date is used to save the investigation date; Time is used to save the ages of crops from the sowing date (27 June, 2011) in days; FM is used to save the whole-plant fresh mass of crops in g; DM is used to save the whole-plant dry mass of crops in g.

Code = 1 represents sunflowers;

Code = 2 represents peanuts;

Code = 3 represents black soybeans;

Code = 4 represents soybeans;

Code = 5 represents kidney beans;

Code = 6 represents garden peas;

Code = 7 represents adzuki beans;

Code = 8 represents mungbeans;

Code = 9 represents cottons;

Code = 10 represents sweet sorghums;

Code = 11 represents corns;

Code = 12 represents Mexican corns.

References

Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L., Fang, S. and Zhang, C. (2017) Comparison of two ontogenetic growth equations for animals and plants. *Ecol. Model.* 349, 1−10. doi:10.1016/j.ecolmodel.2017.01.012

Shi, P., Men, X., Sandhu, H.S., Chakraborty, A., Li, B., Ouyang, F., Sun, Y., Ge, F. (2013) The "general" ontogenetic growth model is inapplicable to crop growth. *Ecol. Model.* 266, 1−9. doi:10.1016/j.ecolmodel.2013.06.025

Examples

```
data(crops)
ind   <- 6
xv    <- crops$Time[crops$Code == ind]
yv    <- crops$DM[crops$Code == ind]
xlab0 <- "Time (d)"
ylab0 <- "Dry mass (g)"

dev.new()
plot(xv, yv, cex=1.5, cex.lab=1.5, cex.axis=1.5, xlab=xlab0, ylab=ylab0)

# Define the beta sigmoid model (bsm)
bsm <- function(P, x){
  P  <- cbind(P)
  if(length(P) !=4 ) {stop("The number of parameters should be 4!")}
  ropt <- P[1]
  topt <- P[2]
  tmin <- P[3]
  tmax <- P[4]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*(
       (x-tmin)/(topt-tmin) )^((topt-tmin)/(tmax-topt))
}

# For the original beta sigmoid model
ini.val0  <- c(60, 30, seq(0, 10, 20), 100)
fit1 <- fitIPEC( bsm, x=xv, y=yv, ini.val=ini.val0, xlim=NULL, ylim=NULL,
                 xlab=xlab0, ylab=ylab0, fig.opt=TRUE,
                 control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
fit1$par

w    <- rep(1/as.numeric(tapply(yv, xv, var)), tapply(yv, xv, length))
fit2 <- fitIPEC( bsm, x=xv, y=yv, ini.val=ini.val0, weights=w, xlim=NULL,
                 ylim=NULL, xlab=xlab0, ylab=ylab0, fig.opt=TRUE,
                 control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
fit2$par
```

```
dev.new()
xp  <- seq(0, 120, len=2000)
yp  <- bsm(P=fit2$par, x=xp)
xv2 <- as.numeric(tapply(xv, xv, mean))
yv2 <- as.numeric(tapply(yv, xv, mean))
sd2 <- as.numeric(tapply(yv, xv, sd))
Up  <- yv2+sd2
Low <- yv2-sd2
plot( xv2, yv2, xlab=xlab0, ylab=ylab0, cex.lab=1.5,
       cex.axis=1.5, xlim=c(0,120), ylim=c(-5, 100), type="n" )
lines( xp, yp, col=4 )
points( xv2, yv2, pch=1, cex=1.5, col=2 )
for(i in 1:length(Up)){
  lines(c(xv2[i], xv2[i]), c(Low[i], Up[i]), col=6)
}
```

---

curvIPEC   *RMS Curvature Calculation Function*

Description

Calculates the root mean square curvatures (intrinsic and parameter-effects curvatures) of a nonlinear regression model.

Usage

```
curvIPEC(expr, theta, x, y, tol = 1e-16, alpha = 0.05, method = "Richardson",
         method.args = list(eps = 1e-04, d = 0.11,
         zero.tol = sqrt(.Machine$double.eps/7e-07),
         r = 6, v = 2, show.details = FALSE), side = NULL)
```

Arguments

expr	A given parametric model
theta	A vector of parameters of the model
x	A vector or matrix of observations of independent variable(s)
y	A vector of observations of response variable
tol	The tolerance for detecting linear dependencies in the columns of a matrix in the QR decomposition. See the input argument of tol of the qr function in package **base**
alpha	Parameter controlling the significance level for testing the significance of a curvature
method	It is the same as the input argument of method of the hessian function in package **numDeriv**
method.args	It is the same as the input argument of method.args of the hessian function in package **numDeriv**
side	It is the same as the input argument of side of the jacobian function in package **numDeriv**

Details

This function was built based on the `hessian` and `jacobian` functions in package **numDeriv**, with reference to the `rms.curv` function in package **MASS**. However, it is more general without being limited by the `deriv3` function in package **stats** and `nls` class like the `rms.curv` function in package **MASS**. It mainly relies on package **numDeriv**. The users only need provide the defined model, the fitted parameter vector, and the observations of independent and response variables, they will obtain the curvatures. The input argument `theta` can be obtained using the `fitIPEC` function in the current package, and it also can be obtained using the other nonlinear regression functions.

Value

`rms.ic`	The root mean square intrinsic curvature
`rms.pec`	The root mean square parameter-effects curvature
`critical.c`	The critical curvature value

Note

The calculation precision of curvature mainly depends on the setting of `method.args`. The two important default values in the list of `method.args` are `d = 0.11`, and `r = 6`.

This function cannot be used to calculate the maximum intrinsic and parameter-effects curvatures.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Bates, D.M and Watts, D.G. (1988) *Nonlinear Regression Analysis and its Applications*. Wiley, New York. doi:10.1002/9780470316757

Gebremariam, B. (2014) Is nonlinear regression throwing you a curve? New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014. http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf

Ratkowsky, D.A. (1983) *Nonlinear Regression Modeling: A Unified Practical Approach*. Marcel Dekker, New York.

Ratkowsky, D.A. (1990) *Handbook of Nonlinear Regression Models*, Marcel Dekker, New York.

Ratkowsky, D.A. & Reddy, G.V.P. (2017) Empirical model with excellent statistical properties for describing temperature-dependent developmental rates of insects and mites. *Ann. Entomol. Soc. Am.* 110, 302−309. doi:10.1093/aesa/saw098

See Also

derivIPEC, hessian in package **numDeriv**, jacobian in package **numDeriv**, rms.curv in package **MASS**

Examples

```
#### Example 1 ###########################################################################
# The velocity of the reaction (counts/min^2) under different substrate concentrations
#   in parts per million (ppm) (Pages 255 and 269 of Bates and Watts 1988)


x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)

# Define the Michaelis-Menten model
MM <- function(theta, x){
    theta[1]*x / ( theta[2] + x )
}

par1 <- c(212.68490865, 0.06412421)
# To calculate curvatures
res2 <- curvIPEC(MM, theta=par1, x=x1, y=y1, alpha=0.05, method="Richardson",
        method.args=list(eps=1e-4, d=0.11, zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2))
res2
###########################################################################################


#### Example 2 ###########################################################################
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
#   Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
#       properties for describing temperature-dependent developmental rates of insects
#       and mites. Ann. Entomol. Soc. Am. 110, 302-309.
#   Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
#       Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
#       alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)

x2 <- seq(15, 37, by=1)
D2 <- c( 41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
         11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03 )
y2 <- 1/D2
y2 <- sqrt( y2 )

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
```

```
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
    temp <- Inf
  if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
    temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin
      )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
  }
  return( temp )
}

myfun <- sqrt.LRF
par2  <- c(0.1382926, 33.4575663, 5.5841244, 38.8282021)

# To calculate curvatures
resu2 <- curvIPEC( myfun, theta=par2, x=x2, y=y2, alpha=0.05, method="Richardson",
                   method.args=list(eps=1e-4, d=0.11,
                   zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
resu2
################################################################################

#### Example 3 ##################################################################
# Height growth data of four species of bamboo (Gramineae: Bambusoideae)
# Reference(s):
# Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L., Fang, S. and
#    Zhang, C. (2017) Comparison of two ontogenetic growth equations for animals and plants.
#       Ecol. Model. 349, 1-10.

data(shoots)
# Choose a species
# 1: Phyllostachys iridescens; 2: Phyllostachys mannii;
# 3: Pleioblastus maculatus; 4: Sinobambusa tootsik.
# 'x3' is the vector of the investigation times (in d) from a specific starting time of growth
# 'y3' is the vector of the aboveground height values (in cm) of bamboo shoots at 'x3'

ind <- 4
x3  <- shoots$x[shoots$Code == ind]
y3  <- shoots$y[shoots$Code == ind]

# Define the beta sigmoid model (bsm)
bsm <- function(P, x){
  P   <- cbind(P)
  if(length(P) !=4 ) {stop("The number of parameters should be 4!")}
  ropt <- P[1]
  topt <- P[2]
  tmin <- P[3]
  tmax <- P[4]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
```

```
  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*(
     (x-tmin)/(topt-tmin))^((topt-tmin)/(tmax-topt))
}

# Define the simplified beta sigmoid model (simp.bsm)
simp.bsm <- function(P, x, tmin=0){
  P   <- cbind(P)
  ropt  <- P[1]
  topt  <- P[2]
  tmax  <- P[3]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*(
  (x-tmin)/(topt-tmin))^((topt-tmin)/(tmax-topt))
}

# For the original beta sigmoid model
ini.val2 <- c(40, 30, 5, 50)
xlab2    <- "Time (d)"
ylab2    <- "Height (cm)"
re0      <- fitIPEC( bsm, x=x3, y=y3, ini.val=ini.val2,
                     xlim=NULL, ylim=NULL, xlab=xlab2, ylab=ylab2,
                     fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par3  <- re0$par
par3
re1   <- derivIPEC( bsm, theta=par3, x3[20], method="Richardson",
                     method.args=list(eps=1e-4, d=0.11,
                     zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
re1
re2   <- curvIPEC( bsm, theta=par3, x=x3, y=y3, alpha=0.05, method="Richardson",
                    method.args=list(eps=1e-4, d=0.11,
                    zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
re2

# For the simplified beta sigmoid model (in comparison with the original beta sigmoid model)
ini.val7 <- c(40, 30, 50)

RESU0 <- fitIPEC( simp.bsm, x=x3, y=y3, ini.val=ini.val7,
                  xlim=NULL, ylim=NULL, xlab=xlab2, ylab=ylab2,
                  fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par7  <- RESU0$par
par7

RESU2 <- curvIPEC( simp.bsm, theta=par7, x=x3, y=y3, alpha=0.05, method="Richardson",
                   method.args=list(eps=1e-4, d=0.11,
                   zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
RESU2
################################################################################
```

```
#### Example 4 ###############################################################
# Weight of cut grass data (Pattinson 1981)
# References:
#  Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
#       regression. J. Am. Stat. Assoc. 82, 221-230.
#   Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
#       New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
#       http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
#   Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
#       Response to Herbage on Offer. unpublished M.Sc. thesis, University
#       of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c(3.183, 3.059, 2.871, 2.622, 2.541, 2.184,
        2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550)

# Define the first case of Mitscherlich equation
MitA <- function(P1, x){
    P1[3] + P1[2]*exp(P1[1]*x)
}

# Define the second case of Mitscherlich equation
MitB <- function(P2, x){
    log( P2[3] ) + exp(P2[2] + P2[1]*x)
}

# Define the third case of Mitscherlich equation
MitC <- function(P3, x, x1=1, x2=13){
    theta1 <- P3[1]
    beta2  <- P3[2]
    beta3  <- P3[3]
    theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
    theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
    theta3 + theta2*exp(theta1*x)
}

ini.val3 <- c(-0.1, 2.5, 1)
r0       <- fitIPEC( MitA, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
                     fig.opt=TRUE, control=list(
                     trace=FALSE, reltol=1e-20, maxit=50000) )
parA     <- r0$par
parA
r2 <- curvIPEC( MitA, theta=parA, x=x4, y=y4, alpha=0.05, method="Richardson",
                method.args=list(eps=1e-4, d=0.11,
                zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
r2

ini.val4 <- c(exp(-0.1), log(2.5), 1)
```

```
R0       <- fitIPEC( MitB, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
                     fig.opt=TRUE, control=list(
                     trace=FALSE, reltol=1e-20, maxit=50000) )
parB     <- R0$par
parB
R2       <- curvIPEC( MitB, theta=parB, x=x4, y=y4, alpha=0.05, method="Richardson",
                     method.args=list(eps=1e-4, d=0.11,
                     zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
R2

ini.val6 <- c(-0.15, 2.52, 1.09)
RES0     <- fitIPEC( MitC, x=x4, y=y4, ini.val=ini.val6, xlim=NULL, ylim=NULL,
                     fig.opt=TRUE, control=list(trace=FALSE,
                     reltol=1e-20, maxit=50000) )
parC     <- RES0$par
parC
RES2     <- curvIPEC( MitC, theta=parC, x=x4, y=y4,
                     tol=1e-20, alpha=0.05, method="Richardson",
                     method.args=list(eps=1e-4, d=0.11,
                     zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
RES2
############################################################################################


#### Example 5 #############################################################################
# Conductance of a thermistor (y5) as a function of temperature (x5) (Meyer and Roth, 1972)
# References:
#   Page 120 in Ratkowsky (1983)
#   Meyer, R.R. and Roth P.M. (1972) Modified damped least squares:
#        A algorithm for non-linear estimation. J. Inst. Math. Appl. 9, 218-233.

x5 <- seq(50, 125, by=5)
y5 <- c( 34780, 28610, 23650, 19630, 16370, 13720, 11540, 9744,
         8261, 7030, 6005, 5147, 4427, 3820, 3307, 2872 )
y5 <- log(y5)

conduct.fun <- function(P, x){
-P[1]+P[2]/(x+P[3])
}

ini.val5 <- c(5, 10^4, 0.5*10^3)
RE0      <- fitIPEC( conduct.fun, x=x5, y=y5, ini.val=ini.val5, xlim=NULL, ylim=NULL,
                     fig.opt=TRUE, control=list(
                     trace=FALSE, reltol=1e-20, maxit=50000) )
par5     <- RE0$par
par5
RE2    <- curvIPEC( conduct.fun, theta=par5, x=x5, y=y5, alpha=0.05, method="Richardson",
                     method.args=list(eps=1e-4, d=0.11,
                     zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
RE2
############################################################################################
```

```
#### Example 6 #################################################################
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References
# Pages 255 and 270 in Bates and Watts (1988)
# Marske, D. (1967) Biochemical oxygen demand data interpretation using sum of squares surface.
#     M.Sc. Thesis, University of Wisconsin-Madison.

# 'x6' is a vector of time (in d)
# 'y6' is a vector of biochemical oxygen demand (mg/l)

x6 <- c(1, 2, 3, 4, 5, 7)
y6 <- c(8.3, 10.3, 19.0, 16.0, 15.6, 19.8)

BOD.fun <- function(P, x){
  P[1]*(1-exp(P[2]*x))
}

ini.val7 <- c(210, 0.06)
consq0   <- fitIPEC( BOD.fun, x=x6, y=y6, ini.val=ini.val7, xlim=NULL, ylim=NULL,
                     fig.opt=TRUE, control=list(
                     trace=FALSE, reltol=1e-20, maxit=50000) )
par7     <- consq0$par
par7
consq2   <- curvIPEC( BOD.fun, theta=par7, x=x6, y=y6, alpha=0.05, method="Richardson",
                     method.args=list(eps=1e-4, d=0.11,
                     zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
consq2
################################################################################


#### Example 7 #################################################################
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References:
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
#     52, 391-396.

data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1     <- x[,1]
  x2     <- x[,2]
  x3     <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
```

```
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
}

par8  <- c(35.92831619, 0.07084811, 0.03772270, 0.16718384)
cons2 <- curvIPEC( isom.fun, theta=par8, x=X, y=Y, alpha=0.05, method="Richardson",
                   method.args=list(eps=1e-4, d=0.11,
                   zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
cons2
#############################################################################################
```

---

derivIPEC   *Derivative Calculation Function*

Description

Calculates the Jacobian and Hessian matrices of model parameters at a number or a vector z.

Usage

```
derivIPEC(expr, theta, z, method = "Richardson",
          method.args = list(eps = 1e-04, d = 0.11,
          zero.tol = sqrt(.Machine$double.eps/7e-07), r = 6, v = 2,
          show.details = FALSE), side = NULL)
```

Arguments

expr	A given parametric model
theta	A vector of parameters of the model
z	A number or a vector where the derivatives are calculated
method	It is the same as the input argument of method of the [hessian](#) function in package **numDeriv**
method.args	It is the same as the input argument of method.args of the [hessian](#) function in package **numDeriv**
side	It is the same as the input argument of side of the [jacobian](#) function in package **numDeriv**

Details

The Hessian and Jacobian matrices are calculated at a number or a vector z, which represents a value of a single independent variable or a combination of different values of multiple independent variables. Note: z actually corresponds to a combination observation of x rather than all n observations. If there is only a preditor, z is a numerical value; there are several predictors, then z is a vector corresponding to one combination observation of those predictors.

Value

Jacobian	The Jacobian matrix of parameters at z
Hessian	The Hessian matrix of parameters at z

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Bates, D.M and Watts, D.G. (1988) *Nonlinear Regression Analysis and its Applications.* Wiley, New York. doi:10.1002/9780470316757

Ratkowsky, D.A. (1983) *Nonlinear Regression Modeling: A Unified Practical Approach.* Marcel Dekker, New York.

Ratkowsky, D.A. (1990) *Handbook of Nonlinear Regression Models*, Marcel Dekker, New York.

See Also

biasIPEC, skewIPEC, curvIPEC, parinfo, hessian in package **numDeriv**, jacobian in package **numDeriv**

Examples

```
#### Example 1 #################################################################################
# Define the Michaelis-Menten model
MM <- function(theta, x){
    theta[1]*x / ( theta[2] + x )
}

par1 <- c(212.68490865, 0.06412421)
res1 <- derivIPEC(MM, theta=par1, z=0.02, method="Richardson",
           method.args=list(eps=1e-4, d=0.11,
           zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2))
res1
#################################################################################################


#### Example 2 #################################################################################
# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
```

```
   x <- fun0(x)
   if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
     temp <- Inf
   if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
     temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin
       )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
   }
   return( temp )
}

myfun <- sqrt.LRF
par2  <- c(0.1382926, 33.4575663, 5.5841244, 38.8282021)
resu1 <- derivIPEC( myfun, theta=par2, z=15, method="Richardson",
             method.args=list(eps=1e-4, d=0.11,
             zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
resu1
####################################################################################

#### Example 3 ####################################################################
# Weight of cut grass data (Pattinson 1981)
# References:
#  Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
#        regression. J. Am. Stat. Assoc. 82, 221-230.
#   Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
#        New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
#        http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
#   Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
#        Response to Herbage on Offer. unpublished M.Sc. thesis, University
#        of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c(3.183, 3.059, 2.871, 2.622, 2.541, 2.184, 2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550)

# Define the third case of Mitscherlich equation
MitC <- function(P3, x){
    theta1 <- P3[1]
    beta2  <- P3[2]
    beta3  <- P3[3]
    x1     <- 1
    x2     <- 13
    theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
    theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
    theta3 + theta2*exp(theta1*x)
}

ini.val6 <- c(-0.15, 2.52, 1.09)
RES0     <- fitIPEC( MitC, x=x4, y=y4, ini.val=ini.val6, xlim=NULL, ylim=NULL,
                   fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parC     <- RES0$par
```

```
parC
RES1     <- derivIPEC( MitC, theta=parC, z=2, method="Richardson",
                       method.args=list(eps=1e-4, d=0.11,
                       zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
RES1
############################################################################################


#### Example 4 #############################################################################
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References:
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
#      52, 391-396.

data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1      <- x[,1]
  x2      <- x[,2]
  x3      <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
}

ini.val8 <- c(35, 0.1, 0.05, 0.2)
cons1    <- fitIPEC( isom.fun, x=X, y=Y, ini.val=ini.val8, control=list(
                     trace=FALSE, reltol=1e-20, maxit=50000) )
par8     <- cons1$par
Resul1   <- derivIPEC( isom.fun, theta=par8, z=X[1, ], method="Richardson",
                       method.args=list(eps=1e-4, d=0.11,
                       zero.tol=sqrt(.Machine$double.eps/7e-7), r=6, v=2) )
Resul1
############################################################################################
```

---

fitIPEC	*Nonlinear Fitting Function*

Description

Estimates the parameters of a given parametric model using the [optim](#) function in package **stats**.

Usage

```
fitIPEC( expr, x, y, ini.val, weights = NULL, control = list(),
         fig.opt = TRUE, xlim = NULL, ylim = NULL, xlab = NULL, ylab = NULL )
```

Arguments

expr	A given parametric model
x	A vector or matrix of observations of independent variable(s)
y	A vector of observations of response variable
ini.val	A vector or list of initial values of model parameters
weights	An optional vector of weights to be used in the fitting process. weights should be NULL or a numeric vector. If non-NULL, weighted least squares is used with weights weights; otherwise ordinary least squares is used.
control	A list of control parameters for using the optim function in package **stats**
fig.opt	An option to determine whether to draw the fitted curve
xlim	The shown range of the *x*-axis
ylim	The shown range of the *y*-axis
xlab	The label of the *x*-axis
ylab	The label of the *y*-axis

Details

The Nelder-Mead algorithm is the default in the optim function in package **stats**. The user can accurately estimate the model parameters by setting smaller relative convergence tolerance and larger maximum number of iterations in the input argument of control,

e.g. control=list(trace=FALSE, reltol=1e-20, maxit=50000),

at the expense of the running speed.

ini.val can be a vector or a list that has saved initial values for model parameters,

e.g. y = beta0 + beta1 * x + beta2 * x^2,

ini.val = list(beta0=seq(5, 15, len=2), beta1=seq(0.1, 1, len=9),beta2=seq(0.01, 0.05, len=5)), which is similar to the usage of the input argument of start of nls in package **stats**.

In the weights argument option, the default is weights = NULL. In that case, ordinary least squares is used. The residual sum of squares (RSS) between the observed and predicted y values is minimized to estimate a model's parameters, i.e.,

$$\text{RSS} = \sum_{i=1}^{n} (y_i - \hat{y}_i)^2$$

where y_i and $\hat{y}_i$ represent the observed and predicted y values, respectively; and n represents the sample size. If weights is a numeric vector, the weighted residual sum of squares is minimized, i.e.,

$$\text{RSS} = \sum_{i=1}^{n} w_i (y_i - \hat{y}_i)^2$$

where w_i is the i elements of weights.

Value

expr	The formula used
par	The vector of estimates of parameters
RSS	The residual sum of squares or the weighted residual sum of squares
R.sq	The coefficient of determination or the weighted coefficient of determination
n	The number of data points, namely the sample size

Note

This function can be applicable to a nonlinear parametric model with a single independent variable or with multiple independent variables.

R.sq is only used to help users intuitively judge whether the fitted curve seriously deviates from the actual observations. However, it should NOT be used to decide which of several competing models is the most appropriate (Pages 44−45 in Ratkowsky 1990). RSS and curvatures are among the suitable candidates to answer such a question.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Nelder, J.A. and Mead, R. (1965) A simplex method for function minimization. *Comput. J.* 7, 308−313. doi:10.1093/comjnl/7.4.308

See Also

bootIPEC, optim in package **stats**

Examples

```
#### Example 1 ###############################################################################
graphics.off()
# The velocity of the reaction (counts/min^2) under different substrate concentrations
#   in parts per million (ppm) (Page 269 of Bates and Watts 1988)

x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)

# Define the Michaelis-Menten model
MM <- function(theta, x){
    theta[1]*x / ( theta[2] + x )
}

res0 <- fitIPEC(MM, x=x1, y=y1, ini.val=c(200, 0.05),
                xlim=c(0, 1.5), ylim=c(0, 250), fig.opt=TRUE)
par1 <- res0$par
par1
```

```
res0

# The input names of parameters will not affect the fitted results.
# We can use other names to replace theta1 and theta2.
iv.list1 <- list( theta1=seq(100, 300, by=50), theta2=seq(10, 100, by=10) )
result0  <- fitIPEC( MM, x=x1, y=y1, ini.val=iv.list1, xlim=c(0, 1.5), ylim=c(0, 250),
                     fig.opt=FALSE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
param1   <- result0$par
param1
################################################################################


#### Example 2 #################################################################
graphics.off()
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
#   Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
#       properties for describing temperature-dependent developmental rates of insects
#       and mites. Ann. Entomol. Soc. Am. 110, 302-309.
#   Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
#       Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
#       alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)

x2 <- seq(15, 37, by=1)
D2 <- c(41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
        11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03)
y2 <- 1/D2
y2 <- sqrt( y2 )

ini.val1 <- c(0.14, 30, 10, 40)

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
    temp <- Inf
  if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
    temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin
      )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
  }
```

```
  return( temp )
}

myfun <- sqrt.LRF
xlab1 <- expression( paste("Temperature (", degree, "C)", sep="" ) )
ylab1 <- expression( paste("Developmental rate"^{1/2},
                     " (", d^{"-1"}, ")", sep="") )
resu0 <- fitIPEC( myfun, x=x2, y=y2, ini.val=ini.val1, xlim=NULL,
                 ylim=NULL, xlab=xlab1, ylab=ylab1, fig.opt=TRUE,
          control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par2  <- resu0$par
par2
resu0
#################################################################################


#### Example 3 ##################################################################
graphics.off()
# Height growth data of four species of bamboo (Gramineae: Bambusoideae)
# Reference(s):
# Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L.,
#     Fang, S. and Zhang, C. (2017) Comparison of two ontogenetic
#     growth equations for animals and plants. Ecol. Model. 349, 1-10.

data(shoots)
# Choose a species
# 1: Phyllostachys iridescens; 2: Phyllostachys mannii;
# 3: Pleioblastus maculatus; 4: Sinobambusa tootsik
# 'x3' is the vector of the investigation times from a specific starting time of growth
# 'y3' is the vector of the aboveground height values of bamboo shoots at 'x3'
ind <- 4
x3  <- shoots$x[shoots$Code == ind]
y3  <- shoots$y[shoots$Code == ind]

# Define the beta sigmoid model (bsm)
bsm <- function(P, x){
  P  <- cbind(P)
  if(length(P) !=4 ) {stop(" The number of parameters should be 4!")}
  ropt <- P[1]
  topt <- P[2]
  tmin <- P[3]
  tmax <- P[4]
  tailor.fun <- function(x){
    x[x < tmin] <- tmin
    x[x > tmax] <- tmax
    return(x)
  }
  x <- tailor.fun(x)
  ropt*(x-tmin)*(x-2*tmax+topt)/(topt+tmin-2*tmax)*(
        (x-tmin)/(topt-tmin))^((topt-tmin)/(tmax-topt))
}

ini.val2 <- c(40, 30, 5, 50)
```

```
xlab2    <- "Time (d)"
ylab2    <- "Height (cm)"

re0  <- fitIPEC( bsm, x=x3, y=y3, ini.val=ini.val2,
                 xlim=NULL, ylim=NULL, xlab=xlab2, ylab=ylab2,
                 fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
par3 <- re0$par
par3
################################################################################

#### Example 4 #################################################################
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References:
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
#      52, 391-396.

data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1       <- x[,1]
  x2       <- x[,2]
  x3       <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
}

ini.val8 <- c(35, 0.1, 0.05, 0.2)
cons1    <- fitIPEC( isom.fun, x=X, y=Y, ini.val=ini.val8, control=list(
                     trace=FALSE, reltol=1e-20, maxit=50000) )
par8     <- cons1$par
################################################################################
```

---

isom   *Data on Biochemical Oxygen Demand*

Description

Data on the reaction rate of the catalytic isomerization of *n*-pentane to isopentane versus the partial pressures of hydrogen, *n*-pentane, and isopentane.

Usage

```
data(isom)
```

Details

There are four columns in the data set:

'y' is the vector of experimental reaction rate (in 1/hr);

'x1' is the vector of partial pressure of hydrogen;

'x2' is the vector of partial pressure of *n*-pentane;

'x3' is the vector of partial pressure of isopentane.

Note

There were errors about the definitions of 'x2' and 'x3' in page 272 in Bates and Watts (1988). Here, we redefined them according to the paper of Carr (1960).

References

Bates, D.M and Watts, D.G. (1988) *Nonlinear Regression Analysis and its Applications*. Wiley, New York. doi:10.1002/9780470316757

Carr, N.L. (1960) Kinetics of catalytic isomerization of *n*-pentane. *Ind. Eng. Chem.* 52, 391−396.

Examples

```
data(isom)
isom
Y <- isom[,1]
X <- isom[,2:4]
X
Y
```

---

leaves   *Leaf Data of* Parrotia subaequalis *(Hamamelidaceae)*

Description

The data consist of the area, length and width of the leaves of 10 geographical populations of *P. subaequalis* collected in Southern China from July to September, 2016.

Usage

```
data(leaves)
```

Details

In the data set, there are four variables: `PopuCode`, `Length`, `Width` and `Area`. `PopuCode` is used to save the number codes of different geographical populations; `Length` is used to save the scanned leaf length data (cm); `Width` is used to save the scanned leaf width data (cm); `Area` is used to save the scanned leaf area data (cm squared).

References

Wang, P., Ratkowsky, D.A., Xiao, X., Yu, X., Su, J., Zhang, L. and Shi, P. (2018) Taylor's power law for leaf bilateral symmetry. *Forests* 9, 500. doi:10.3390/f9080500

Examples

```
data(leaves)
attach(leaves)
# Choose a geographical population (see Table S1 in Wang et al. [2018] for details)
# 1: AJ; 2: HN; 3: HW; 4: HZ; 5: JD;
# 6: JS; 7: SC; 8: TC; 9: TT; 10: TX
ind <- 1
L    <- Length[PopuCode == ind]
W    <- Width[PopuCode == ind]
A    <- Area[PopuCode == ind]
x    <- L*W
fit <- lm(A ~ x-1)
summary(fit)

# Show the leaf areas of the 10 geographical populations
dev.new()
boxplot(Area~PopuCode, cex=1.5, cex.lab=1.5, cex.axis=1.5,
        col="grey70", xlab=expression(bold("Population code")),
        ylab=expression(bold(paste("Leaf area (cm", ""^{"2"}, ")", sep=""))),
        ylim=c(0, 50), xaxs="i", yaxs="i", las=1)
```

---

parinfo   *Detailed Information of Estimated Model Parameters*

Description

Provides the estimates, standard errors, confidence intervals, Jacobian matrix, and the covariance matrix of model parameters.

Usage

```
parinfo(object, x, CI = 0.95, method = "Richardson",
        method.args = list(eps = 1e-04, d = 0.11,
        zero.tol = sqrt(.Machine$double.eps/7e-07), r = 6,
        v = 2, show.details = FALSE), side = NULL)
```

Arguments

object	A fitted model object for which there exist the model expression(expr), the sample size (sample.size or n), estimate(s) of model parameter(s) (par), and residual sum of squares (RSS)
x	A vector or a matrix of observations of independent variable(s)
CI	The confidence level(s) of the required interval(s)
method	It is the same as the input argument of method of the hessian function in package **numDeriv**
method.args	It is the same as the input argument of method.args of the hessian function in package **numDeriv**
side	It is the same as the input argument of side of the jacobian function in package **numDeriv**

Details

The object argument cannot be a list. It is a fitted model object from using the fitIPEC function.

Value

D	The Jacobian matrix of model parameters at all the x observations
partab	The estimates, standard errors and confidence intervals of model parameters
covmat	The covariance matrix of model parameters

Note

When there are sample.size and n in object at the same time, the default of the sample size is sample.size, which is superior to n.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Bates, D.M and Watts, D.G. (1988) *Nonlinear Regression Analysis and its Applications*. Wiley, New York. doi:10.1002/9780470316757

Ratkowsky, D.A. (1983) *Nonlinear Regression Modeling: A Unified Practical Approach*. Marcel Dekker, New York.

Ratkowsky, D.A. (1990) *Handbook of Nonlinear Regression Models*, Marcel Dekker, New York.

See Also

biasIPEC, confcurves, curvIPEC, skewIPEC, hessian in package **numDeriv**, jacobian in package **numDeriv**

Examples

```
#### Example 1 #############################################################################
# Weight of cut grass data (Pattinson 1981)
# References:
#  Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
#       regression. J. Am. Stat. Assoc. 82, 221-230.
#   Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
#       New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
#       http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
#   Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
#       Response to Herbage on Offer. unpublished M.Sc. thesis, University
#       of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c(3.183, 3.059, 2.871, 2.622, 2.541, 2.184,
        2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550)

# Define the first case of Mitscherlich equation
MitA <- function(P1, x){
    P1[3] + P1[2]*exp(P1[1]*x)
}

# Define the second case of Mitscherlich equation
MitB <- function(P2, x){
    log( P2[3] ) + exp(P2[2] + P2[1]*x)
}

# Define the third case of Mitscherlich equation
MitC <- function(P3, x, x1=1, x2=13){
    theta1 <- P3[1]
    beta2  <- P3[2]
    beta3  <- P3[3]
    theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
    theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
    theta3 + theta2*exp(theta1*x)
}

ini.val3 <- c(-0.1, 2.5, 1)
r1       <- fitIPEC( MitA, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
                     fig.opt=TRUE, control=list(
                     trace=FALSE, reltol=1e-20, maxit=50000) )
parA     <- r1$par
parA
result1  <- parinfo(r1, x=x4, CI=0.95)
result1

ini.val4 <- c(-0.10, 0.90, 2.5)
R0       <- fitIPEC( MitB, x=x4, y=y4, ini.val=ini.val4, xlim=NULL, ylim=NULL,
                     fig.opt=TRUE, control=list(
```

```
                              trace=FALSE, reltol=1e-20, maxit=50000) )
parB     <- R0$par
parB
result2  <- parinfo(R0, x=x4, CI=0.95)
result2

ini.val6 <- c(-0.15, 2.52, 1.09)
RES0     <- fitIPEC( MitC, x=x4, y=y4, ini.val=ini.val6, xlim=NULL, ylim=NULL,
                     fig.opt=TRUE, control=list(trace=FALSE,
                     reltol=1e-20, maxit=50000) )
parC     <- RES0$par
parC
result3  <- parinfo(RES0, x=x4, CI=0.95)
result3
################################################################################

#### Example 2 #################################################################
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References:
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
#     52, 391-396.

data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1     <- x[,1]
  x2     <- x[,2]
  x3     <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
}

ini.val8 <- c(35, 0.1, 0.05, 0.2)
cons1    <- fitIPEC( isom.fun, x=X, y=Y, ini.val=ini.val8, control=list(
                     trace=FALSE, reltol=1e-20, maxit=50000) )
par8     <- cons1$par
result2  <- parinfo(cons1, x=X, CI=0.95)
result2
################################################################################
```

```
graphics.off()
```

---

shoots   *Height Growth Data of Bamboo Shoots*

Description

The height growth data of four species of bamboo at the Nanjing Forestry University campus in 2016.

Usage

```
data(shoots)
```

Details

In the data set, there are four variables: Code, LatinName, x and y. Code is used to save the number codes of different bamboo species; LatinName is used to save the Latin names of different bamboo species; x is used to save the investigation times (d) from a specific starting time of growth, and every bamboo has a different starting time of growth; y is used to save the measured aboveground height values (cm).

Code = 1 represents *Phyllostachys iridescens*, and the starting time (namely x = 0) was defined as 12:00, 3rd April, 2016;

Code = 2 represents *Phyllostachys mannii*, and the starting time (namely x = 0) was defined as 12:00, 4th April, 2016;

Code = 3 represents *Pleioblastus maculatus*, and the starting time (namely x = 0) was defined as 12:00, 29th April, 2016;

Code = 4 represents *Sinobambusa tootsik*, and the starting time (namely x = 0) was defined as 12:00, 18th April, 2016.

References

Shi, P., Fan, M., Ratkowsky, D.A., Huang, J., Wu, H., Chen, L., Fang, S. and Zhang, C. (2017) Comparison of two ontogenetic growth equations for animals and plants. *Ecol. Model.* 349, 1−10. doi:10.1016/j.ecolmodel.2017.01.012

Examples

```
data(shoots)
# Choose a species
# 1: Phyllostachys iridescens; 2: Phyllostachys mannii;
# 3: Pleioblastus maculatus; 4: Sinobambusa tootsik.
ind <- 4
x3  <- shoots$x[shoots$Code == ind]
y3  <- shoots$y[shoots$Code == ind]
dev.new()
plot(x3, y3, cex=1.5, cex.lab=1.5, cex.axis=1.5, xlab="Time (d)", ylab="Height (cm)")
```

---

skewIPEC   *Skewness Calculation Function*

Description

Calculates the skewness in the estimates of the parameters of a given model.

Usage

```
skewIPEC( expr, theta, x, y, tol = sqrt(.Machine$double.eps), method = "Richardson",
                method.args = list(eps = 1e-04, d = 0.11,
                zero.tol = sqrt(.Machine$double.eps/7e-07), r = 6, v = 2,
                show.details = FALSE), side = NULL )
```

Arguments

expr	A given parametric model
theta	A vector of parameters of the model
x	A vector or matrix of observations of independent variable(s)
y	A vector of observations of response variable
tol	The tolerance for detecting linear dependencies in the columns of a matrix for calculating its inverse. See the input argument of tol of the [ginv](#) function in package **MASS**
method	It is the same as the input argument of method of the [hessian](#) function in package **numDeriv**
method.args	It is the same as the input argument of method.args of the [hessian](#) function in package **numDeriv**
side	It is the same as the input argument of side of the [jacobian](#) function in package **numDeriv**

Details

The defined model should have two input arguments: a parameter vector and an independent variable vector or matrix, e.g. myfun <- function(P, x){...}, where P represents the parameter vector and x represents the independent variable vector or matrix.

Let $|g_{1i}|$ be a measure of the skewness of the estimate of the i-th parameter. If $|g_{1i}| < \mathbf{0.1}$, the estimator $\hat{\theta}_i$ of parameter θ_i is very close-to-linear in behavior; if $\mathbf{0.1} \leq |g_{1i}| < \mathbf{0.25}$, the estimator is reasonably close-to-linear; if $|g_{1i}| \geq \mathbf{0.25}$, the skewness is very apparent; if $|g_{1i}| > \mathbf{1}$, the estimator is considerably nonlinear in behavior (Pages 27-28 in Ratkowsky 1990).

Value

skewness	The skewness

Note

The current function can be applicable to nonlinear models with multiple independent variables.

Author(s)

Peijian Shi <pjshi@njfu.edu.cn>, Peter M. Ridland <p.ridland@unimelb.edu.au>, David A. Ratkowsky <d.ratkowsky@utas.edu.au>, Yang Li <yangli@fau.edu>.

References

Hougaard, P. (1985) The appropriateness of the asymptotic distribution in a nonlinear regression model in relation to curvature. *J. R. Statist. Soc., Ser. B* 47, 103−114.

Ratkowsky, D.A. (1990) *Handbook of Nonlinear Regression Models*, Marcel Dekker, New York.

See Also

derivIPEC, hessian in package **numDeriv**, jacobian in package **numDeriv**

Examples

```
#### Example 1 ################################################################################
# The velocity of the reaction (counts/min^2) under different substrate concentrations
#   in parts per million (ppm) (Page 269 of Bates and Watts 1988)
x1 <- c(0.02, 0.02, 0.06, 0.06, 0.11, 0.11, 0.22, 0.22, 0.56, 0.56, 1.10, 1.10)
y1 <- c(76, 47, 97, 107, 123, 139, 159, 152, 191, 201, 207, 200)

# Define the Michaelis-Menten (MM) model
MM <- function(theta, x){
    theta[1]*x / ( theta[2] + x )
}

par1 <- c(212.68490865, 0.06412421)
res5 <- skewIPEC( MM, theta=par1, x=x1, y=y1, tol= 1e-20 )
res5
################################################################################################


#### Example 2 ################################################################################
# Development data of female pupae of cotton bollworm (Wu et al. 2009)
# References:
#   Ratkowsky, D.A. and Reddy, G.V.P. (2017) Empirical model with excellent statistical
#       properties for describing temperature-dependent developmental rates of insects
#       and mites. Ann. Entomol. Soc. Am. 110, 302-309.
#   Wu, K., Gong, P. and Ruan, Y. (2009) Estimating developmental rates of
#       Helicoverpa armigera (Lepidoptera: Noctuidae) pupae at constant and
#       alternating temperature by nonlinear models. Acta Entomol. Sin. 52, 640-650.

# 'x2' is the vector of temperature (in degrees Celsius)
# 'D2' is the vector of developmental duration (in d)
# 'y2' is the vector of the square root of developmental rate (in 1/d)
```

```
x2 <- seq(15, 37, by=1)
D2 <- c(41.24,37.16,32.47,26.22,22.71,19.01,16.79,15.63,14.27,12.48,
        11.3,10.56,9.69,9.14,8.24,8.02,7.43,7.27,7.35,7.49,7.63,7.9,10.03)
y2 <- 1/D2
y2 <- sqrt( y2 )

# Define the square root function of the Lobry-Rosso-Flandrois (LRF) model
sqrt.LRF <- function(P, x){
  ropt <- P[1]
  Topt <- P[2]
  Tmin <- P[3]
  Tmax <- P[4]
  fun0 <- function(z){
    z[z < Tmin] <- Tmin
    z[z > Tmax] <- Tmax
    return(z)
  }
  x <- fun0(x)
  if (Tmin >= Tmax | ropt <= 0 | Topt <= Tmin | Topt >= Tmax)
    temp <- Inf
  if (Tmax > Tmin & ropt > 0 & Topt > Tmin & Topt < Tmax){
    temp <- sqrt( ropt*(x-Tmax)*(x-Tmin)^2/((Topt-Tmin)*((Topt-Tmin
      )*(x-Topt)-(Topt-Tmax)*(Topt+Tmin-2*x))) )
  }
  return( temp )
}

myfun <- sqrt.LRF
par2  <- c(0.1382926, 33.4575663, 5.5841244, 38.8282021)

# To calculate bias
resu5 <- skewIPEC( myfun, theta=par2, x=x2, y=y2, tol= 1e-20 )
resu5
################################################################################


#### Example 3 #################################################################
# Weight of cut grass data (Pattinson 1981)
# References:
#  Clarke, G.P.Y. (1987) Approximate confidence limits for a parameter function in nonlinear
#       regression. J. Am. Stat. Assoc. 82, 221-230.
#   Gebremariam, B. (2014) Is nonlinear regression throwing you a curve?
#       New diagnostic and inference tools in the NLIN Procedure. Paper SAS384-2014.
#       http://support.sas.com/resources/papers/proceedings14/SAS384-2014.pdf
#   Pattinson, N.B. (1981) Dry Matter Intake: An Estimate of the Animal
#       Response to Herbage on Offer. unpublished M.Sc. thesis, University
#       of Natal, Pietermaritzburg, South Africa, Department of Grassland Science.

# 'x4' is the vector of weeks after commencement of grazing in a pasture
# 'y4' is the vector of weight of cut grass from 10 randomly sited quadrants

x4 <- 1:13
y4 <- c(3.183, 3.059, 2.871, 2.622, 2.541, 2.184, 2.110, 2.075, 2.018, 1.903, 1.770, 1.762, 1.550)
```

```
# Define the first case of Mitscherlich equation
MitA <- function(P1, x){
    P1[3] + P1[2]*exp(P1[1]*x)
}

# Define the second case of Mitscherlich equation
MitB <- function(P2, x){
    log( P2[3] ) + exp(P2[2] + P2[1]*x)
}

# Define the third case of Mitscherlich equation
MitC <- function(P3, x, x1=1, x2=13){
    theta1 <- P3[1]
    beta2  <- P3[2]
    beta3  <- P3[3]
    theta2 <- (beta3 - beta2)/(exp(theta1*x2)-exp(theta1*x1))
    theta3 <- beta2/(1-exp(theta1*(x1-x2))) - beta3/(exp(theta1*(x2-x1))-1)
    theta3 + theta2*exp(theta1*x)
}

ini.val3 <- c(-0.1, 2.5, 1)
r0        <- fitIPEC( MitA, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
                      fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parA      <- r0$par
parA
r5        <- skewIPEC(MitA, theta=parA, x=x4, y=y4, tol=1e-20)
r5

ini.val4 <- c(exp(-0.1), log(2.5), 1)
R0        <- fitIPEC( MitB, x=x4, y=y4, ini.val=ini.val3, xlim=NULL, ylim=NULL,
                      fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parB      <- R0$par
parB
R5        <- skewIPEC( MitB, theta=parB, x=x4, y=y4, tol=1e-20 )
R5

ini.val6 <- c(-0.15, 2.52, 1.09)
RES0      <- fitIPEC( MitC, x=x4, y=y4, ini.val=ini.val6, xlim=NULL, ylim=NULL,
                      fig.opt=TRUE, control=list(trace=FALSE, reltol=1e-20, maxit=50000) )
parC      <- RES0$par
parC
RES5      <- skewIPEC( MitC, theta=parC, x=x4, y=y4, tol=1e-20 )
RES5
###############################################################################


#### Example 4 ################################################################
# Data on biochemical oxygen demand (BOD; Marske 1967)
# References
# Pages 56, 255 and 271 in Bates and Watts (1988)
# Carr, N.L. (1960) Kinetics of catalytic isomerization of n-pentane. Ind. Eng. Chem.
#     52, 391-396.
```

```
data(isom)
Y <- isom[,1]
X <- isom[,2:4]

# There are three independent variables saved in matrix 'X' and one response variable (Y)
# The first column of 'X' is the vector of partial pressure of hydrogen
# The second column of 'X' is the vector of partial pressure of n-pentane
# The third column of 'X' is the vector of partial pressure of isopentane
# Y is the vector of experimental reaction rate (in 1/hr)

isom.fun <- function(theta, x){
  x1     <- x[,1]
  x2     <- x[,2]
  x3     <- x[,3]
  theta1 <- theta[1]
  theta2 <- theta[2]
  theta3 <- theta[3]
  theta4 <- theta[4]
  theta1*theta3*(x2-x3/1.632) / ( 1 + theta2*x1 + theta3*x2 + theta4*x3 )
}

par8  <- c(35.92831619, 0.07084811, 0.03772270, 0.16718384)
cons5 <- skewIPEC( isom.fun, theta=par8, x=X, y=Y, tol= 1e-20 )
cons5
###########################################################################################
```

Index