

# Package ‘THETASVM’

October 28, 2025

**Type** Package

**Title** Time Series Forecasting using THETA-SVM Hybrid Model

**Version** 0.1.0

**Depends** R (>= 2.3.1), stats,forecast, tseries, TSSVM

**Description**

Testing, Implementation, and Forecasting of the THETA-SVM hybrid model. The THETA-SVM hybrid model combines the distinct strengths of the THETA model and the Support Vector Machine (SVM) model for time series forecasting. For method details see Bhattacharyya et al. (2022) <[doi:10.1007/s11071-021-07099-3](https://doi.org/10.1007/s11071-021-07099-3)>.

**Encoding** UTF-8

**License** GPL-3

**NeedsCompilation** no

**Author** Fasila K. P. [aut, ctb],  
Mrinmoy Ray [aut, cre],  
Rajeev Ranjan Kumar [aut, ctb],  
K. N. Singh [aut, ctb],  
Amrender Kumar [aut, ctb],  
Santosha Rathod [aut, ctb]

**Maintainer** Mrinmoy Ray <[mrinmoy4848@gmail.com](mailto:mrinmoy4848@gmail.com)>

**Repository** CRAN

**Date/Publication** 2025-10-28 08:30:08 UTC

## Contents

THSVM . . . . .	2
-----------------	---

<b>Index</b>	4
--------------	---

THSVM

*Theta-SVM hybrid model fitting*

## Description

The THSVM function fit THETA-SVM hybrid model for time series data.

## Usage

```
THSVM(data, h)
```

## Arguments

- |      |   |
|------|---|
| data | Input univariate time series (ts) data. |
| h    | The forecast horizon.                   |

## Details

This package allows you to fit the THETA-SVM hybrid model.

## Value

- |   |   |
|---|---|
| Test_Result   | Checking the suitability of data for hybrid modelling                             |
| THETA coefficients                                    |   |
| Coefficients of the fitted THETA                      |   |
| SVM Summary   | Summary of the fitted SVM model on residuals obtained from the fitted THETA model |
| Optimal Lag   | Optimal Lag of the fitted SVM model   |
| MAPE  | Mean Absolute Percentage Error (MAPE) of the fitted hybrid model                  |
| MSE   | Mean Square Error (MSE) of fitted hybrid model                                    |
| fitted  | Fitted values of hybrid model   |
| forecasted.values                                     |   |
| h step ahead forecasted values employing hybrid model |   |

## Author(s)

Fasila K. P., Mrinmoy Ray, Rajeev Ranjan Kumar, K. N. Singh, Amrender Kumar, Santosa Rathod

## References

- Bhattacharyya, A., Chakraborty, T., and Rai, S. N. (2022). Stochastic forecasting of COVID-19 daily new cases across countries with a novel hybrid time series model. *Nonlinear Dynamics*, 107(3), 3025–3040.

**See Also**

ARSVM, ARIMAANN

**Examples**

```
data=lynx  
THSVM(data,5)
```

# Index

\* **THETA-SVM**

THSVM, [2](#)

THSVM, [2](#)