Package 'rtemps'

October 14, 2022

Type Package

Title R Templates for Reproducible Data Analyses	
Version 0.8.0	
Description A collection of R Markdown templates for nicely structured, reproducible data analyses in R. The templates have embedded examples on how to write citations, footnotes, equations and use colored message/info boxes, how to cross-reference different parts/sections in the report, provide a nice table of contents (toc) with a References section and proper R session information as well as examples using DT tables and ggplot2 graphs. The bookdown Lite template theme supports code folding.	
License MIT + file LICENSE	
URL https://github.com/bblodfon/rtemps	
Encoding UTF-8	
LazyData true	
RoxygenNote 7.0.2	
Imports knitr, rmarkdown, bookdown, DT, ggplot2, xfun	
NeedsCompilation no	
Author John Zobolas [aut, cph, cre] (https://orcid.org/0000-0002-3609-8674)	
Maintainer John Zobolas <bb></bb> Sobolas Sobolas Sobolas Sobolas Sobolas <td></td>	
Repository CRAN	
Date/Publication 2020-11-04 21:40:03 UTC	
R topics documented:	
create_rtemp	2
Index	3

2 create_rtemp

create_rtemp

Create a new directory with the specified R template

Description

This function creates a new directory under the current directory, which will contain the given files of the specified template, ready to be rendered.

Usage

```
create_rtemp(dirname = "new-dir", template = "united_html")
```

Arguments

dirname name of the directory to create. If not specified, a directory new-dir will be

created.

template which template to use?

Details

The available templates are: *united_html* (default), *bookdown_lite*. The name of the main .Rmd file will be *index.Rmd*.

Examples

```
## Not run:
create_rtemp(dirname = "tmp_dir", template = "united_html")
## End(Not run)
```

Index

create_rtemp, 2