# Package 'geomapdata'

August 19, 2023

Type Package

Version 2.0-2

Title Data for Topographic and Geologic Mapping

Date 2023-08-19
Suggests GEOmap
Author Jonathan M. Lees [aut, cre]
Maintainer Jonathan M. Lees <jonathan.lees@unc.edu></jonathan.lees@unc.edu>
<b>Description</b> Data sets included here are for use with package GEOmap. These include world map, USA map, Coso map, Japan Map.
License GPL
NeedsCompilation no
<b>Depends</b> R (>= $2.10$ )
Repository CRAN
<b>Date/Publication</b> 2023-08-19 16:22:32 UTC
R topics documented:
geomapdata-package
cosomap
fujitopo
kammap
usacity
worldmap
Index 7

2 cosomap

geomapdata-package

geomapdata

### **Description**

Topographic and Geologic Mapping

#### **Details**

Set of data for making Maps, Topographic Maps, Perspective plots, geological databases. These include: africa.bdy africa.cil africa.riv asia.bdy asia.cil asia.riv cosogeol cosomap ETOPO5 europe.bdy europe.cil europe.riv faults fujitopo hiways japmap kamaleutmap kammap meijimap namer.bdy namer.cil namer.pby namer.riv owens samer.bdy samer.cil samer.riv usacity USAmap worldcity worldmap

#### Author(s)

Jonathan M. Lees<jonathan.lees.edu> Maintainer:Jonathan M. Lees<jonathan.lees@unc.edu>

#### References

Lees, J. M., Geotouch: Software for Three and Four Dimensional GIS in the Earth Sciences, Computers & Geosciences, 26, 7, 751-761, 2000.

## See Also

**GEOmap** 

#### **Examples**

data(worldmap)

cosomap

Coso Geothermal Region Faults and Geology

## **Description**

Coso Geothermal Region Faults and Geology

## Usage

data(cosomap)

fujitopo 3

#### **Format**

List structure:

```
STROKES list(nam, num, index, col, style, code, LAT1, LAT2, LON1, LON2)POINTS list(lat, lon)PROJ list(type, LAT0, LON0, LAT1, LAT2, LATS, LONS, DLAT, DLON, FE, FN, name)
```

#### **Details**

Details from Tomographic inversion geographic base map.

#### References

Lees, J. M., Geotouch: Software for Three and Four Dimensional GIS in the Earth Sciences, Computers & Geosciences, 26, 7, 751-761, 2000.

#### **Examples**

```
data(cosomap)
data(faults)
data(hiways)
data(owens)

##
## Not run:
proj = cosomap$PROJ
plotGEOmapXY(cosomap, PROJ=proj, add=FALSE, ann=FALSE, axes=FALSE)
plotGEOmapXY(hiways, PROJ=proj, add=TRUE, ann=FALSE, axes=FALSE)
plotGEOmapXY(owens, PROJ=proj, add=TRUE, ann=FALSE, axes=FALSE)
plotGEOmapXY(faults, PROJ=proj, add=TRUE, ann=FALSE, axes=FALSE)
## End(Not run)
```

fujitopo

Topographic DEM of Japan

### **Description**

Topography in Japan

### Usage

```
data(fujitopo)
```

4 kammap

#### **Format**

```
lat latitudelon longitudez elevation
```

#### **Details**

This data comes as triplets of LAT-LON-Z

#### **Source**

Japan Meteriological Society

#### **Examples**

```
data(fujitopo)
names(fujitopo)
## project to to x-y and plot
```

kammap

Maps in GEOmap

#### **Description**

Maps of Kamchatka, Kamchatka and Aleutians, Meiji Seamounts, Japan

#### Usage

```
data(kammap)
```

#### **Format**

List structure:

```
STROKES list(nam, num, index, col, style, code, LAT1, LAT2, LON1, LON2)POINTS list(lat, lon)PROJ list(type, LAT0, LON0, LAT1, LAT2, LATS, LONS, DLAT, DLON, FE, FN, name)
```

## **Details**

Boundary of Kamchatka, Aleutians and Meiji Seamounts.

## **Examples**

```
data(kammap)
## maybe str(kammap) ; plot(kammap) ...
```

usacity 5

usacity

City Locations and Populations(USA)

#### **Description**

point data set showing cities locations and populations.

#### Usage

```
data(usacity)
```

#### **Format**

```
name name of citylat latitudelon longitudep population
```

#### **Details**

World cities have no population (yet).

## **Examples**

```
data(usacity)
## maybe str(usacity) ; plot(usacity) ...
```

worldmap

Global Maps

## Description

Global Maps of World and details of U.S.

#### Usage

```
data(worldmap)
```

## Format

List structure:

```
STROKES list(nam, num, index, col, style, code, LAT1, LAT2, LON1, LON2)POINTS list(lat, lon)PROJ list(type, LAT0, LON0, LAT1, LAT2, LATS, LONS, DLAT, DLON, FE, FN, name)
```

6 worldmap

## **Details**

USAmap includes world as well as USA.

## Examples

```
data(worldmap)
## maybe str(worldmap) ; plot(worldmap) ...
```

## **Index**

```
* datasets
    cosomap, 2
    fujitopo, 3
    kammap, 4
    usacity, 5
    worldmap, 5
* package
    geomapdata-package, 2
cosogeol (cosomap), 2
cosomap, 2
faults (cosomap), 2
fujitopo, 3
geomapdata (geomapdata-package), 2
geomapdata-package, 2
hiways (cosomap), 2
japmap (kammap), 4
kamaleutmap (kammap), 4
kammap, 4
meijimap (kammap), 4
owens (cosomap), 2
usacity, 5
USAmap (worldmap), 5
worldcity (usacity), 5
worldmap, 5
```