Package 'VertexSimilarity'

October 12, 2022

October 12, 2022
Version 0.1
Title Creates Vertex Similarity Matrix for an Undirected Graph
Description Creates Vertex Similarity matrix of an undirected graph based on the method stated by E. A. Leicht, Petter Holme, AND M. E. J. Newman in their paper <doi:10.1103 physreve.73.026120="">.</doi:10.1103>
Imports igraph
License GPL-2
LazyData true
Author Rishabh Singh
Maintainer Rishabh Singh <rishabhsinghrsg@gmail.com></rishabhsinghrsg@gmail.com>
NeedsCompilation no
Repository CRAN
Date/Publication 2016-01-24 21:37:10
R topics documented:
VertexSimilarity
Index
VertexSimilarity Vertex Similarity
Description
Returns Vertex Similarity matrix of undirected grahp based on the method stated by E. A. Leich Petter Holme, AND M. E. J. Newman <doi:10.1103 physreve.73.026120=""></doi:10.1103>
Usage
VertexSimilaritv(m.alpha=0.97)

2 VertexSimilarity

Arguments

m Adjacency matrix of the graph

alpha It tells the contribution of long paths relative to short ones. For, 0 < alpha < 1,

similarity measure considers vertices to be more similar if they have a greater than expected number of short paths between them, than if they have a greater

than expected number of long ones.

Details

This method is based on the idea that a pair of vertices i,j are similar to each other if any pair u,v of their neighbours is similar. Using this method we can even find similarity values for the vertices that are not directly connected.

Examples

```
m \leftarrow matrix(c(1,0,0,0,0,1,1,1,1),ncol=3,nrow=3,byrow=TRUE) SimilarityMatrix <- VertexSimilarity(m,alpha=0.85)
```

Index

VertexSimilarity, 1