Package 'appleadsR'

November 10, 2022

Type Package
Title Get Apple Search Ads Data via the 'Windsor.ai' API
Version 0.1.0
Description Collect your data on digital marketing campaigns from Apple Search Ads using the 'Windsor.ai' API https://windsor.ai/api-fields/ >.
License GPL-3
<pre>URL https://windsor.ai/</pre>
Depends R (>= $3.5.0$)
Imports jsonlite (>= 1.7.2)
Suggests knitr, rmarkdown, dplyr, ggplot2, tidyr, curl
VignetteBuilder knitr
Encoding UTF-8
Language en-US
LazyData true
RoxygenNote 7.2.1
NeedsCompilation no
Author Pablo Sanchez [cre, aut], Windsor.ai [cph]
Maintainer Pablo Sanchez <pablosama@outlook.es></pablosama@outlook.es>
Repository CRAN
Date/Publication 2022-11-10 19:00:05 UTC
R topics documented:
fetch_appleads
Index

2 fetch_appleads

fetch_appleads fetch_appleads A function to fetch Apple Search Ads data frow windsor.ai API	m the
---	-------

Description

fetch_appleads A function to fetch Apple Search Ads data from the windsor.ai API

Usage

```
fetch_appleads(
   api_key,
   date_from = NULL,
   date_to = NULL,
   fields = c("campaign", "clicks", "spend", "impressions", "date")
)
```

Arguments

api_key	Your api key to access Windsor.ai API
date_from	The date from which to start getting data in format YYYY-MM-DD
date_to	The date until which to start getting data in format YYYY-MM-DD
fields	he fields fetched from the API for a given connector See https://windsor.ai/api-fields/ for details.

Value

A data frame with the desired data

Examples

my_appleads_data 3

my_appleads_data	Sample of digital marketing data from Apple Search Ads downloaded by means of the Windsor.ai API.

Description

A dataset containing sample Apple Search Ads data fetched from windsor.ai API. See more at: https://windsor.ai/

Usage

```
my_appleads_data
```

Format

```
A data frame with 164 rows and 5 variables:

campaign name of the campaign

clicks number of clicks

spend spend data

impressions impressions data

date date
```

Source

```
https://windsor.ai/
```

Index

```
* datasets
    my_appleads_data, 3
fetch_appleads, 2
my_appleads_data, 3
```