Package 'yfinancer'

April 17, 2025

2 get_balance_sheet

heet .		 			 	 	 		 	 	 	 15 16 17 19 20 21 21
		 			 	 	 · · · · · · · ·		 	 	 	 16 17 19 20 21 21
tatement	 t . 	 			 	 	 	 	 	 	 	 17 19 20 21 21
tatement	 t . 	 			 	 	 	 	 	 	 	 17 19 20 21 21
	· · · · · · · · · · · · · · · · · · ·	 			 	 	 	 		 	 	 20 21 21
	· · · · · · · · · · · · · · · · · · ·	 			 	 	 	 		 	 	 20 21 21
	 	 										 21
	 	 										 21
				•								
												28

Description

Retrieves balance sheet data from Yahoo Finance for a specified ticker symbol. Balance sheets show a company's assets, liabilities, and shareholders' equity at a specific point in time.

Usage

```
get_balance_sheet(
   ticker,
   freq = c("annual", "quarterly"),
   start = NULL,
   end = NULL,
   balance_keys = NULL,
   pretty = TRUE,
   wide = TRUE,
   proxy = NULL,
   output = c("tibble", "response", "request")
)
```

Arguments

ticker	A ticker object created with get_tickers() or a ticker symbol string
freq	Frequency of data: "annual" or "quarterly" (default "annual")
start	Start timestamp as date, datetime, or string (default EOY 2016)
end	End timestamp as date, datetime, or string (default current timestamp)

get_balance_sheet 3

balance_keys	Vector of specific balance sheet keys to include (default all) See valid_balance_keys for available options.
pretty	Format column names to be more readable (default TRUE)
wide	Return data in wide format with dates as columns (default TRUE). If FALSE, returns data in long format with a date column.
proxy	Optional proxy settings for the request
output	Object to return. Can be "tibble", "response", or "request" (default "tibble")

Value

Either a tibble with balance sheet data, an httr2 response object, or an httr2 request object depending on the value of the output argument.

Available Balance Keys

Examples:

- TotalAssets
- TotalCapitalization
- CurrentAssets

See valid_balance_keys for a full list of available balance keys.

```
## Not run:
apple <- get_tickers("AAPL")

# Get annual balance sheet
balance_sheet <- get_balance_sheet(apple)

# Get quarterly balance sheet
quarterly_balance <- get_balance_sheet(apple, freq = "quarterly")

# Get specific balance sheet items
assets_liabilities <- get_balance_sheet(apple,
    balance_keys = c("TotalAssets", "TotalLiabilities")
)

# Get data for a specific time period
balance_2020_2022 <- get_balance_sheet(apple,
    start = "2020-01-01",
    end = "2022-12-31"
)

## End(Not run)</pre>
```

get_cashflow

get_cashflow

Get cash flow statement for a ticker

Description

Retrieves cash flow statement data from Yahoo Finance for a specified ticker symbol. Cash flow statements show how changes in balance sheet accounts and income affect cash and cash equivalents, breaking the analysis down to operating, investing, and financing activities.

Usage

```
get_cashflow(
   ticker,
   freq = c("annual", "quarterly"),
   start = NULL,
   end = NULL,
   cashflow_keys = NULL,
   pretty = TRUE,
   wide = TRUE,
   proxy = NULL,
   output = c("tibble", "response", "request")
)
```

Arguments

ticker	A ticker object created with get_tickers() or a ticker symbol string
freq	Frequency of data: "annual" or "quarterly" (default "annual")
start	Start timestamp as date, datetime, or string (default EOY 2016)
end	End timestamp as date, datetime, or string (default current timestamp)
cashflow_keys	Vector of specific cash flow statement keys to include (default all) See valid_cashflow_keys for available options.
pretty	Format column names to be more readable (default TRUE)
wide	Return data in wide format with dates as columns (default TRUE). If FALSE, returns data in long format with a date column.
proxy	Optional proxy settings for the request
output	Object to return. Can be "tibble", "response", or "request" (default "tibble")

Value

Either a tibble with cash flow statement data, an httr2 response object, or an httr2 request object depending on the value of the output argument.

get_financials 5

Available Cashflow Keys

Examples:

- · OperatingCashFlow
- FreeCashFlow

See valid_cashflow_keys for a full list of available cashflow keys.

Examples

get_financials

Get all financial statements for a ticker

Description

Retrieves all three main financial statements (income statement, balance sheet, and cash flow statement) from Yahoo Finance for a specified ticker symbol in a single call. This is a convenience function that calls the individual statement functions and returns the results as a list.

```
get_financials(
  ticker,
  freq = "annual",
  start = NULL,
  end = NULL,
  cashflow_keys = NULL,
```

6 get_financials

```
balance_keys = NULL,
income_keys = NULL,
pretty = TRUE,
wide = TRUE,
proxy = NULL,
output = c("tibble", "response", "request")
```

Arguments

ticker A ticker object created with get_tickers() or a ticker symbol string Frequency of data: "annual" or "quarterly" (default "annual") freq Start timestamp as date, datetime, or string (default EOY 2016) start end End timestamp as date, datetime, or string (default current timestamp) cashflow_keys Vector of specific cash flow statement keys to include (default all) See valid_cashflow_keys for available options. Vector of specific balance sheet keys to include (default all) See valid_balance_keys balance_keys for available options. income_keys Vector of specific income statement keys to include (default all) See valid_income_keys for available options. pretty Format column names to be more readable (default TRUE) wide Return data in wide format with dates as columns (default TRUE). If FALSE, returns data in long format with a date column.

proxy Optional proxy settings for the request

output Object to return. Can be "tibble", "response", or "request" (default "tibble")

Details

Note that this function makes multiple API calls to Yahoo Finance. Be aware of potential rate limiting issues when making frequent requests. If you encounter HTTP 429 (Too Many Requests) errors, consider implementing a delay between requests or using a proxy.

Value

A list containing three elements:

- income_statement: Income statement data
- balance_sheet: Balance sheet data
- cashflow: Cash flow statement data

If output is "request" or "response", returns a list of httr2 request or response objects instead.

get_history 7

Examples

```
## Not run:
apple <- get_tickers("AAPL")</pre>
# Get all annual financial statements
financials <- get_financials(apple)</pre>
# Access individual statements from the results
income <- financials$income_statement</pre>
balance <- financials$balance_sheet</pre>
cashflow <- financials$cashflow</pre>
# Get all quarterly financial statements
quarterly_financials <- get_financials(apple, freq = "quarterly")</pre>
# Get financial statements for a specific time period
financials_2020_2022 <- get_financials(apple,</pre>
  start = "2020-01-01",
  end = "2022-12-31"
)
## End(Not run)
```

get_history

Get historical market data for a ticker

Description

Retrieves historical price data from Yahoo Finance for a specified ticker symbol.

```
get_history(
   ticker,
   period = "1mo",
   interval = "1d",
   start = NULL,
   end = NULL,
   prepost = FALSE,
   auto_adjust = TRUE,
   back_adjust = TRUE,
   repair = TRUE,
   proxy = NULL,
   output = c("tibble", "response", "request")
)
```

get_history

Arguments

ticker	A ticker name or ticker object created with get_tickers().
period	The period to download data for (default "1mo"). Valid values are "1d", "5d", "1mo", "3mo", "6mo", "1y", "2y", "5y", "10y", "ytd", "max". Ignored if start and end are provided.
interval	The interval between data points (default "1d"). Valid values are "1m", "2m", "5m", "15m", "30m", "60m", "90m", "1h", "1d", "5d", "1wk", "1mo", "3mo".
start	Start time for query expressed as a date, datetime, or string in YYYY-MM-DD HH:MM:SS format.
end	End time for query expressed as a date, datetime, or string in YYYY-MM-DD HH:MM:SS format.
prepost	Include pre and post market data (default FALSE)
auto_adjust	Adjust all OHLC automatically (default TRUE)
back_adjust	Adjust data to reflect splits and dividends (default TRUE)
repair	Repair missing data (default TRUE)
proxy	Optional proxy settings
output	Object to return. Can be "tibble", "response", or "request" (default "tibble")

Value

Either a tibble with historical market data, an httr2 response object, or an httr2 request object depending on the value of the output argument.

```
## Not run:
apple <- get_tickers("AAPL")
# Get 1 month of daily data
apple_history <- get_history(apple)
# Get 1 year of daily data
apple_history_1y <- get_history(apple, period = "1y")
# Get custom date range
apple_history_custom <- get_history(
   apple,
   start = "2022-01-01",
   end = "2022-12-31"
)
## End(Not run)</pre>
```

get_income_statement 9

```
get_income_statement Get income statement for a ticker
```

Description

Retrieves income statement data from Yahoo Finance for a specified ticker symbol. Income statements show a company's revenues, expenses, and profits over a specific period.

Usage

```
get_income_statement(
   ticker,
   freq = c("annual", "quarterly"),
   start = NULL,
   end = NULL,
   income_keys = NULL,
   pretty = TRUE,
   wide = TRUE,
   proxy = NULL,
   output = c("tibble", "response", "request")
)
```

Arguments

ticker	A ticker object created with get_tickers() or a ticker symbol string
freq	Frequency of data: "annual" or "quarterly" (default "annual")
start	Start timestamp as date, datetime, or string (default EOY 2016)
end	End timestamp as date, datetime, or string (default current timestamp)
income_keys	$\label{thm:come} Vector\ of\ specific\ income\ statement\ keys\ to\ include\ (default\ all)\ See\ valid_income_keys\ for\ available\ options.$
pretty	Format column names to be more readable (default TRUE)
wide	Return data in wide format with dates as columns (default TRUE). If FALSE, returns data in long format with a date column.
proxy	Optional proxy settings for the request
output	Object to return. Can be "tibble", "response", or "request" (default "tibble")

Value

Either a tibble with income statement data, an httr2 response object, or an httr2 request object depending on the value of the output argument.

10 get_info

Available Income Keys

Examples:

- TotalRevenue
- GrossProfit
- · OperatingIncome
- NetIncome

See valid_income_keys for a full list of available income keys.

Examples

```
## Not run:
apple <- get_tickers("AAPL")</pre>
# Get annual income statement
income_stmt <- get_income_statement(apple)</pre>
# Get quarterly income statement
quarterly_income <- get_income_statement(apple, freq = "quarterly")</pre>
# Get specific income statement items
revenue_income <- get_income_statement(apple,</pre>
 income_keys = c("TotalRevenue", "NetIncome")
)
# Get data for a specific time period
income_2020_2022 <- get_income_statement(apple,</pre>
 start = "2020-01-01",
 end = "2022-12-31"
)
## End(Not run)
```

get_info

Retrieve asset information from Yahoo Finance

Description

This function retrieves detailed asset information from Yahoo Finance's quoteSummary API. It can fetch various types of data including asset profiles, financial statements, key statistics, and more. The function supports retrieving multiple data modules in a single request.

get_info 11

Usage

```
get_info(
   ticker,
   modules = "summaryProfile",
   output = c("tibble", "list", "response", "request"),
   proxy = NULL
)
```

Arguments

ticker A ticker name or ticker object created with get_tickers().

Modules Character vector of module names to retrieve. Default is "summaryProfile". See section "Available Modules" for common options.

Output The type of output to return. Can be "tibble" (default), "list" (raw parsed JSON), "response" (httr2 response), or "request" (httr2 request).

Optional proxy settings for the request.

Value

Depending on the output parameter and number of modules requested:

- For a single module with output="tibble": A tibble containing the module data
- For multiple modules with output="tibble": A named list of tibbles, one per module
- For output="list": The raw parsed JSON data
- For output="response": The httr2 response object
- For output="request": The httr2 request object

Available Modules

The modules parameter accepts any of the valid module names from Yahoo Finance API. Common modules include:

- "assetProfile": Asset overview, description, industry, sector, officers
- "summaryProfile": Brief asset profile information
- "financialData": Key financial metrics and ratios
- "defaultKeyStatistics": Important statistics like market cap, P/E ratio
- "incomeStatementHistory": Annual income statements
- "incomeStatementHistoryQuarterly": Quarterly income statements
- "balanceSheetHistory": Annual balance sheets
- "balanceSheetHistoryQuarterly": Quarterly balance sheets
- "cashflowStatementHistory": Annual cash flow statements
- "cashflowStatementHistoryQuarterly": Quarterly cash flow statements

See valid_modules for a complete list of available modules.

12 get_info

Authentication

This function requires authentication via two components:

• A1 Cookie: Session identifier

• Crumb: Security token

Authentication methods (in order of priority):

- 1. Environment variables: YFINANCE_CRUMB and YFINANCE_A1
- 2. Saved auth file: ~/.yfinance/auth
- 3. Auto-generated using curl-impersonate (requires installation)

Example:

```
Sys.setenv(YFINANCE_CRUMB = "your-crumb")
Sys.setenv(YFINANCE_A1 = "your-a1-cookie")
```

See https://github.com/lwthiker/curl-impersonate for curl-impersonate installation. Option 3 above expects curl_chrome110 to be installed and available in the system path.

```
## Not run:
# Get a single ticker
apple <- get_tickers("AAPL")</pre>
# Get summary information
# using default module "summaryProfile"
apple_summary <- get_info(apple)</pre>
# Get basic company profile
apple_profile <- get_info(apple, modules = "assetProfile")</pre>
# Get key financial metrics
apple_financials <- get_info(apple, modules = "financialData")</pre>
# Get multiple modules as a list of tibbles
apple_data <- get_info(apple,</pre>
 modules = c("incomeStatementHistory", "balanceSheetHistory", "cashflowStatementHistory")
# Access specific financial statements
income_statement <- apple_data$incomeStatementHistory</pre>
balance_sheet <- apple_data$balanceSheetHistory</pre>
# Get raw JSON response for custom processing
apple_raw <- get_info(apple, modules = "assetProfile", output = "response")</pre>
## End(Not run)
```

get_tickers 13

get_tickers

Get Ticker Objects

Description

Creates one or more ticker objects for accessing data for ticker symbols. This function handles both single and multiple ticker symbols and validates the provided ticker symbols.

Usage

```
get_tickers(..., proxy = NULL)
```

Arguments

```
... One or more ticker symbols as separate arguments (e.g., "AAPL", "MSFT") proxy

Optional proxy settings
```

Value

For a single symbol: A list containing ticker data and methods with class "yf_ticker" For multiple symbols: A list containing multiple ticker objects with class "yf_tickers"

Rate Limiting

Yahoo Finance does not provide official API documentation or rate limits. Based on community observations, there are approximate limits of a few hundred requests per day from a single IP address before throttling may occur. When working with multiple tickers, consider:

- Batching requests when possible
- Adding delays between requests using Sys.sleep()
- Caching results for frequently accessed tickers
- Using the batch functions (e.g., get_tickers_history()) instead of individual calls

```
## Not run:
# Get a single ticker
apple <- get_tickers("AAPL")

# Get historical data for a single ticker
apple_history <- get_history(apple)

# Get company information for a single ticker
apple_info <- get_info(apple)

# Get multiple tickers
tech_tickers <- get_tickers("AAPL", "MSFT", "GOOG")</pre>
```

```
# Get information for multiple tickers
tech_info <- get_tickers_info(tech_tickers)

# Get historical data for multiple tickers
tech_history <- get_tickers_history(tech_tickers, period = "1y")

## End(Not run)</pre>
```

get_tickers_balance_sheet

Get balance sheet for multiple tickers

Description

Retrieves balance sheet data from Yahoo Finance for multiple specified ticker symbols. Balance sheets show a company's assets, liabilities, and shareholders' equity at a specific point in time.

Usage

```
get_tickers_balance_sheet(
   tickers_obj,
   freq = c("annual", "quarterly"),
   start = NULL,
   end = NULL,
   balance_keys = NULL,
   pretty = TRUE,
   wide = TRUE,
   proxy = NULL,
   output = c("tibble", "response", "request")
)
```

Arguments

tickers_obj	A tickers object created with get_tickers()
freq	Frequency of data: "annual" or "quarterly" (default "annual")
start	Start timestamp as date, datetime, or string (default EOY 2016)
end	End timestamp as date, datetime, or string (default current timestamp)
balance_keys	Vector of specific balance sheet keys to include (default all) See valid_balance_keys for available options.
pretty	Format column names to be more readable (default TRUE)
wide	Return data in wide format with dates as columns (default TRUE). If FALSE, returns data in long format with a date column.
proxy	Optional proxy settings for the request
output	Object to return. Can be "tibble", "response", or "request" (default "tibble")

15 get_tickers_cashflow

Details

See get_balance_sheet for more details on the balance sheet.

Value

A list of tibbles with balance sheet data for each ticker

Examples

```
## Not run:
tech_tickers <- get_tickers(c("AAPL", "MSFT", "GOOG"))</pre>
tech_balance <- get_tickers_balance_sheet(tech_tickers)</pre>
## End(Not run)
```

Get cash flow statement for multiple tickers get_tickers_cashflow

Description

Retrieves cash flow statement data from Yahoo Finance for multiple specified ticker symbols. Cash flow statements show how changes in balance sheet accounts and income affect cash and cash equivalents, breaking the analysis down to operating, investing, and financing activities.

Usage

```
get_tickers_cashflow(
  tickers_obj,
  freq = c("annual", "quarterly"),
  start = NULL,
  end = NULL,
  cashflow_keys = NULL,
  pretty = TRUE,
 wide = TRUE,
 proxy = NULL,
  output = c("tibble", "response", "request")
)
```

Arguments

A tickers object created with get_tickers() tickers_obj Frequency of data: "annual" or "quarterly" (default "annual") freq start Start timestamp as date, datetime, or string (default EOY 2016) End timestamp as date, datetime, or string (default current timestamp) end cashflow_keys

Vector of specific cash flow statement keys to include (default all) See valid_cashflow_keys

for available options.

get_tickers_financials

pretty	Format column names to be more readable (default TRUE)
wide	Return data in wide format with dates as columns (default TRUE). If FALSE, returns data in long format with a date column.
proxy	Optional proxy settings for the request
output	Object to return. Can be "tibble", "response", or "request" (default "tibble")

Details

See get_cashflow for more details on the cash flow statement.

Value

A list of tibbles with cash flow statement data for each ticker

Examples

```
## Not run:
tech_tickers <- get_tickers(c("AAPL", "MSFT", "GOOG"))
tech_cashflow <- get_tickers_cashflow(tech_tickers)
## End(Not run)</pre>
```

```
get_tickers_financials
```

Get all financial statements for multiple tickers

Description

Get all financial statements for multiple tickers

```
get_tickers_financials(
   tickers_obj,
   freq = c("annual", "quarterly"),
   start = NULL,
   end = NULL,
   cashflow_keys = NULL,
   balance_keys = NULL,
   income_keys = NULL,
   income_keys = TRUE,
   wide = TRUE,
   proxy = NULL,
   output = c("tibble", "response", "request")
)
```

get_tickers_history 17

Arguments

tickers_obj	A tickers object created with get_tickers()
freq	Frequency of data: "annual" or "quarterly" (default "annual")
start	Start timestamp as date, datetime, or string (default EOY 2016)
end	End timestamp as date, datetime, or string (default current timestamp)
cashflow_keys	Vector of specific cash flow statement keys to include (default all) See valid_cashflow_keys for available options.
balance_keys	Vector of specific balance sheet keys to include (default all) See valid_balance_keys for available options.
income_keys	Vector of specific income statement keys to include (default all) See valid_income_keys for available options.
pretty	Format column names to be more readable (default TRUE)
wide	Return data in wide format with dates as columns (default TRUE). If FALSE, returns data in long format with a date column.
proxy	Optional proxy settings for the request
output	Object to return. Can be "tibble", "response", or "request" (default "tibble")

Value

A nested list containing financial statements for each ticker

Examples

Description

Retrieves historical market data from Yahoo Finance for multiple specified ticker symbols.

```
get_tickers_history(
  tickers_obj,
  period = "1mo",
  interval = "1d",
  start = NULL,
  end = NULL,
```

18 get_tickers_history

```
prepost = FALSE,
auto_adjust = TRUE,
back_adjust = TRUE,
repair = TRUE,
output = c("tibble", "response", "request"),
proxy = NULL
```

Arguments

tickers_obj

The period to download data for (default "1mo"). Valid values are "1d", "5d", period "1mo", "3mo", "6mo", "1y", "2y", "5y", "10y", "ytd", "max". Ignored if start and end are provided. interval The interval between data points (default "1d"). Valid values are "1m", "2m", "5m", "15m", "30m", "60m", "90m", "1h", "1d", "5d", "1wk", "1mo", "3mo". start Start time for query expressed as a date, datetime, or string in YYYY-MM-DD HH:MM:SS format. End time for query expressed as a date, datetime, or string in YYYY-MM-DD end HH:MM:SS format. prepost Include pre and post market data (default FALSE) auto_adjust Adjust all OHLC automatically (default TRUE) back_adjust Adjust data to reflect splits and dividends (default TRUE)

A tickers object created with get_tickers()

repair Repair missing data (default TRUE)

output Object to return. Can be "tibble", "response", or "request" (default "tibble")

proxy Optional proxy settings

Details

See get_history for more details on the historical market data.

Value

A list of tibbles with historical market data for each ticker

```
## Not run:
tech_tickers <- get_tickers(c("AAPL", "MSFT", "GOOG"))
tech_history <- get_tickers_history(tech_tickers, period = "1y")
## End(Not run)</pre>
```

```
get_tickers_income_statement
```

Get income statement for multiple tickers

Description

Retrieves income statement data from Yahoo Finance for multiple specified ticker symbols. Income statements show a company's revenues, expenses, and profits over a specific period.

Usage

```
get_tickers_income_statement(
    tickers_obj,
    freq = c("annual", "quarterly"),
    start = NULL,
    end = NULL,
    income_keys = NULL,
    pretty = TRUE,
    wide = TRUE,
    proxy = NULL,
    output = c("tibble", "response", "request")
)
```

Arguments

tickers_obj	A tickers object created with get_tickers()
freq	Frequency of data: "annual" or "quarterly" (default "annual")
start	Start timestamp as date, datetime, or string (default EOY 2016)
end	End timestamp as date, datetime, or string (default current timestamp)
income_keys	Vector of specific income statement keys to include (default all) See valid_income_keys for available options.
pretty	Format column names to be more readable (default TRUE)
wide	Return data in wide format with dates as columns (default TRUE). If FALSE, returns data in long format with a date column.
proxy	Optional proxy settings for the request
output	Object to return. Can be "tibble", "response", or "request" (default "tibble")

Details

See get_income_statement for more details on the income statement.

Value

A list of tibbles with income statement data for each ticker

20 get_tickers_info

Examples

```
## Not run:
tech_tickers <- get_tickers(c("AAPL", "MSFT", "GOOG"))
tech_income <- get_tickers_income_statement(tech_tickers)
## End(Not run)</pre>
```

get_tickers_info

Get information for multiple tickers

Description

Retrieves company information from Yahoo Finance for multiple specified ticker symbols.

Usage

```
get_tickers_info(
  tickers_obj,
  modules = "summaryProfile",
  output = c("tibble", "response", "request"),
  proxy = NULL
)
```

Arguments

tickers_obj A tickers object created with get_tickers()

modules Character vector of module names to retrieve. Default is "summaryProfile". See

section "Available Modules" for common options.

output The type of output to return. Can be "tibble" (default), "list" (raw parsed JSON),

"response" (httr2 response), or "request" (httr2 request).

proxy Optional proxy settings for the request.

Details

See get_info for more details on the company information.

Value

A list of information for each ticker

```
## Not run:
tech_tickers <- get_tickers(c("AAPL", "MSFT", "GOOG"))
tech_info <- get_tickers_info(tech_tickers)
## End(Not run)</pre>
```

get_user_agent 21

get_user_agent

Get a random user agent

Description

Get a random user agent

Usage

```
get_user_agent()
```

Value

A character string of a random user agent

print.yf_ticker

Format ticker object print output

Description

Format ticker object print output

Usage

```
## S3 method for class 'yf_ticker'
print(x, ...)
```

Arguments

x The ticker object

... Additional arguments passed to print

Value

The ticker object (invisibly)

22 search_tickers

print.yf_tickers

Format tickers object print output

Description

Format tickers object print output

Usage

```
## S3 method for class 'yf_tickers'
print(x, ...)
```

Arguments

x The tickers object

... Additional arguments passed to print

Value

The tickers object (invisibly)

search_tickers

Search for ticker symbols, companies, and news from Yahoo Finance

Description

This function allows you to search for ticker symbols, companies, ETFs, etc. using the Yahoo Finance search API. It can also return related news articles. The search functionality is particularly useful for discovering ticker symbols when you only know the company name or part of it.

```
search_tickers(
  query,
  limit = 10,
  quotes_only = TRUE,
  fuzzy_query = FALSE,
  lists_count = 0,
  enable_research = FALSE,
  proxy = NULL,
  output = c("tibble", "response", "request", "all")
)
```

search_tickers 23

Arguments

query	Search query string
limit	Maximum number of results to return (default 10)
quotes_only	Return only quotes/tickers, not news (default TRUE)
fuzzy_query	Enable fuzzy search for typos (default FALSE)
lists_count	Number of lists to retrieve (default 0)
enable_research	
	Include research reports (default FALSE)
proxy	Optional proxy settings
output	Object to return. Can be "tibble", "response", "request", or "all" (default "tibble")

Value

Depending on output parameter:

• "tibble": quotes data (or a list with quotes and news if quotes_only is FALSE)

• "response": raw response from the API

• "request": the request object

• "all": a named list containing all results: quotes, news, lists, research, and raw response

Rate Limiting

Yahoo Finance does not provide official API documentation or rate limits. Based on community observations, search queries may be more heavily rate-limited than other endpoints. To avoid rate limiting:

- Limit the frequency of search requests
- Cache search results when possible
- Consider adding delays between requests (e.g., using Sys.sleep())
- Use more specific search queries to reduce the number of needed requests

```
## Not run:
# Search for Apple
apple_results <- search_tickers("Apple")

# Search for tech companies with more results
tech_results <- search_tickers("tech", limit = 20)

# Get both quotes and news articles
apple_with_news <- search_tickers("Apple", quotes_only = FALSE)

# Get all data including lists and research reports
all_apple_data <- search_tickers(</pre>
```

24 valid_balance_keys

```
"Apple",
  quotes_only = FALSE,
  lists_count = 5,
  enable_research = TRUE,
  output = "all"
)
## End(Not run)
```

validate_tickers

Validate Yahoo Finance Ticker Symbols

Description

This function validates whether given ticker symbols are valid by making an API request to Yahoo Finance's validation endpoint.

Usage

```
validate_tickers(symbols = NULL)
```

Arguments

symbols

A character vector of ticker symbols to validate

Value

A tibble with validation results for each symbol

Examples

```
## Not run:
validate_tickers(c("AAPL", "MSFT", "GOOG"))
## End(Not run)
```

valid_balance_keys

Data file containing possible balance sheet keys from Yahoo Finance API

Description

A dataset containing the possible keys that can be found in balance sheet data retrieved from Yahoo Finance's API. These keys are used to identify and extract specific balance sheet line items.

```
valid_balance_keys
```

valid_cashflow_keys 25

Format

A character vector containing 147 possible balance sheet keys

Source

Yahoo Finance API

Examples

```
# View all possible balance sheet keys
data(valid_balance_keys)
head(valid_balance_keys)

# Check if a specific key exists
"TotalAssets" %in% valid_balance_keys
```

valid_cashflow_keys

Data file containing possible cash flow statement keys from Yahoo Finance API

Description

A dataset containing the possible keys that can be found in cash flow statement data retrieved from Yahoo Finance's API. These keys are used to identify and extract specific cash flow line items.

Usage

```
valid_cashflow_keys
```

Format

A character vector containing 131 possible cash flow statement keys

Source

Yahoo Finance API

```
# View all possible cash flow keys
data(valid_cashflow_keys)
head(valid_cashflow_keys)

# Check if a specific key exists
"OperatingCashFlow" %in% valid_cashflow_keys
```

26 valid_modules

valid_income_keys	Data file containing possible income statement keys from Yahoo Finance API
	nance API

Description

A dataset containing the possible keys that can be found in income statement data retrieved from Yahoo Finance's API. These keys are used to identify and extract specific income statement line items

Usage

```
valid_income_keys
```

Format

A character vector containing 103 possible income statement keys

Source

Yahoo Finance API

Examples

```
# View all possible income statement keys
data(valid_income_keys)
head(valid_income_keys)

# Check if a specific key exists
"NetIncome" %in% valid_income_keys
```

valid_modules

Data file containing possible Yahoo Finance API modules

Description

A dataset containing the possible modules that can be requested from the Yahoo Finance API. Each module represents a specific type of financial data that can be retrieved for a ticker.

Usage

```
valid_modules
```

Format

A character vector containing 33 possible API modules with descriptions

valid_modules 27

Details

The modules include:

- assetProfile Summary profile and company officers
- balanceSheetHistory Annual balance sheet data
- balanceSheetHistoryQuarterly Quarterly balance sheet data
- calendarEvents Future earnings dates
- cashFlowStatementHistory Annual cash flow statement data
- cashFlowStatementHistoryQuarterly Quarterly cash flow statement data
- defaultKeyStatistics Key performance indicators (PE, enterprise value, EPS, etc.)
- earnings Earnings history
- earningsHistory Historical earnings data
- earningsTrend Earnings trend data
- esgScores Environmental, social, and governance scores
- financialData Financial KPIs (revenue, margins, cash flow, etc.)
- institutionOwnership Institutional ownership data
- insiderHolders Insider holdings data
- insiderTransactions Insider transaction data
- and more...

Source

Yahoo Finance API

Examples

```
data(valid_modules)
head(valid_modules)

# Check if a specific module exists
"financialData" %in% valid_modules
```

View all possible modules

Index

```
* datasets
    valid_balance_keys, 24
    valid_cashflow_keys, 25
    valid_income_keys, 26
    valid_modules, 26
get_balance_sheet, 2
get_cashflow, 4
get_financials, 5
get_history, 7
get_income_statement, 9
get_info, 10
get_tickers, 13
get_tickers_balance_sheet, 14
get_tickers_cashflow, 15
get_tickers_financials, 16
get_tickers_history, 17
get_tickers_income_statement, 19
get_tickers_info, 20
get_user_agent, 21
print.yf_ticker, 21
print.yf_tickers, 22
search_tickers, 22
valid_balance_keys, 24
valid_cashflow_keys, 25
valid_income_keys, 26
valid_modules, 26
validate_tickers, 24
```