# Package 'aws.wrfsmn'

March 9, 2024

Type Package
Title Data Processing of SMN Hi-Res Weather Forecast from 'AWS'
Version 0.0.3
Description Exploration of Weather Research & Forecasting ('WRF') Model data of Servicio Meteorologico Nacional (SMN) from Amazon Web Services ( <a href="https://registry.opendata.aws/smn-ar-wrf-dataset/">https://registry.opendata.aws/smn-ar-wrf-dataset/</a> ) cloud. The package provides the possibility of data downloading, processing and correction methods. It also has map management and series exploration of available meteorological variables of 'WRF' forecast.
License GPL (>= 3)
<b>Depends</b> R (>= $4.1.0$ )
<b>Imports</b> aws.s3 (>= 0.3.21), lubridate (>= 1.9.3), terra (>= 1.7-65), dplyr (>= 1.1.4), ggplot2 (>= 3.4.4), hydroGOF (>= 0.5-4), stats (>= 4.1.2), magrittr (>= 2.0.3)
Encoding UTF-8
LazyData true
RoxygenNote 7.3.1
Suggests knitr, rmarkdown, testthat (>= 3.0.0)
VignetteBuilder knitr
Config/testthat/edition 3
NeedsCompilation no
Author Gonzalo Diaz [cre, aut]
Maintainer Gonzalo Diaz <gonzalomartindiaz22@gmail.com></gonzalomartindiaz22@gmail.com>
Repository CRAN
<b>Date/Publication</b> 2024-03-09 01:20:07 UTC
R topics documented:
eva

2 eva

	get.wrf.files	3
	oad.by.variable	
	ng.evaluation	4
	nultiple.guidance	
	ploting	6
	vrf.download	
	%>%	7
Index		8
eva	Evaporation data (observation and model)	

#### Description

Data of evaporation from in-situ observation and several soil model outputs

#### Usage

data(eva)

#### **Format**

An object of class "data.frame".

Dates 1st column with dates

evapo\_obs 2nd column with evaporation observation

**OUT\_PREC** Precipitation

**OUT\_EVAP** Evaporation

OUT\_RUNOFF Runoff

OUT\_BASEFLOW Baseflow

OUT\_SOIL\_MOIST\_lyr\_1 Soil moisture from 1st layer

OUT\_EVAP\_CANOP Evaporation from canopy

OUT\_SURF\_TEMP Surface temperature

#### References

Diaz et al. (2024) AAGG 2024 Not yet published

#### **Examples**

data(eva)

find.nearest.point 3

find.nearest.p	oint	Temporal	series o	of closest	location
Tina. near coc.p	OTILE	remporar	berreb (	n ciosesi	iocanon

#### Description

Location of nearest point to lon/lat and temporal serie of location

#### Usage

```
find.nearest.point(data.spat.raster = data.spat.raster, lon = lon, lat = lat)
```

#### **Arguments**

```
data.spat.raster
```

Spat Raster of WRF SMN (only one or several)

lon Longitude location of nearest point to findlat Latitude location of nearest point to find

#### Value

a vector with the nearest location (lon/lat) and time serie of that location

```
get.wrf.files List of available files for downloading
```

#### Description

Character string with the filenames of WRF SMN located in AWS Bucket

#### Usage

```
get.wrf.files(year = year, month = month, day = day, cycle = cycle, time = time)
```

#### Arguments

year	character or numeric of year
month	character or numeric of month
day	character or numeric of day
cycle	cycle of forecast, "00", "06", "12"

cycle cycle of forecast, "00", "06", "12" or "18" time selection of datasets, "01H", "24H" or "10M"

#### Value

string of the list of elements in the Bucket

4 mg.evaluation

load.by.variable Load and projection of data

#### **Description**

Open of netcdf files of WRF SMN drom AWS and optional projection

#### Usage

```
load.by.variable(nc.filenames, variable, transform, method)
```

#### **Arguments**

nc.filenames netcdf files

variable name of variable from https://odp-aws-smn.github.io/documentation\_wrf\_det/Formato\_de\_datos/

as character

transform TRUE to project data to longlat datum=WGS84

method if transform is set TRUE define projection method taken from project function

of terra package

#### Value

Spat Raster

mg.evaluation

Evaluation of regression

#### **Description**

Evaluation of the linear multiple regression obtained from the multiple guidance function

#### Usage

```
mg.evaluation(
  input.data = input.data,
  predictand = predictand,
  predictors = predictors,
  var.model = var.model,
  lmodel = lmodel
)
```

multiple.guidance 5

#### **Arguments**

input.data	Data frame with first column as a "POSIXct" class and one or more columns with data values. The predictand and predictors variables should be located in these columns
predictand	Character with column name of the predictand variable
predictors	Character array with one or more elements of the predictors chosen by the user
var.model	Character with column name of the modeled predicting variable
lmodel	Element of class lm obtained from multiple.guidance output function

#### Value

List of two elements. First element is a matrix with the columns of observed data, modeled data and corrected data. Second element is a data frame of the statistical results of the modeled and corrected data versus observed data

|--|--|--|

#### Description

Definition of linear multiple regression adjustment based on predictor variables that fit a predicting variable

#### Usage

```
multiple.guidance(
  input.data = input.data,
  predictand = predictand,
  predictors = predictors
)
```

#### Arguments

input.data	Data frame with first column as a "POSIXct" class and one or more columns with data values. The predictand and predictors variables should be located in these columns
predictand	Character with column name of the predictand variable
predictors	Character array with one or more elements of the predictors chosen by the user

#### Value

an element of class lm

6 wrf.download

ploting

Plot of data

# Description

Plot of observed, modeled and corrected guidance series

#### Usage

```
ploting(data = data)
```

#### **Arguments**

data

Data frame from daily2monthly output function or any other temporal series

#### Value

ggplot element

wrf.download

Download of wrf files

# Description

Download of WRF SMN data from AWS

#### Usage

```
wrf.download(wrf.name = wrf.name)
```

#### Arguments

wrf.name

list of names to download from get.wrf.files. e.g.: "DATA/WRF/DET/2024/01/01/18/WRFDETAR\_24H\_

#### Value

downloaded netcdf files

*%>%* 

%>%

Daily data to monthly

# Description

Data transformation from daily to monthly scale

# Usage

```
daily2monthly(data = data)
```

# Arguments

data

matrix with daily data from mg.evaluation output function

#### Value

Data frame with monthly data

# **Index**

```
* datasets
        eva, 2
%>%, 7

daily2monthly (%>%), 7

eva, 2

find.nearest.point, 3

get.wrf.files, 3

load.by.variable, 4

mg.evaluation, 4
multiple.guidance, 5

ploting, 6

wrf.download, 6
```