Package 'gson'

March 7, 2023

Title Base Class and Methods for 'gson' Format	
Version 0.1.0	
Description Proposes a new file format ('gson') fo vides read, write and other utilities to process	
Imports jsonlite, methods, rlang, stats, tidyr, utils	
ByteCompile true	
License Artistic-2.0	
Encoding UTF-8	
RoxygenNote 7.2.3	
NeedsCompilation no	
Author Guangchuang Yu [aut, cre, cph] (https://orcid.org/0000-0002-6485-8	3781>)
Maintainer Guangchuang Yu <guangchuangyu@g< td=""><td>mail.com></td></guangchuangyu@g<>	mail.com>
Repository CRAN	
Date/Publication 2023-03-07 04:20:02 UTC	
R topics documented:	
_	
_	
show	
Index	

2 gson

gson

construct a 'GSON' object

Description

```
construct a 'GSON' object
```

Usage

```
gson(
  gsid2gene,
  gsid2name = NULL,
  gene2name = NULL,
  species = NULL,
  gsname = NULL,
  version = NULL,
  accessed_date = NULL,
  keytype = NULL,
  info = NULL
```

Arguments

gsid2gene A data frame with first column of gene set IDs and second column of genes gsid2name A data frame with first column of gene set IDs and second column of gene set

names

gene2name A data frame with first column of genes and second column of gene symbols

species Which species of the genes belongs to gsname Name of the gene set (e.g., GO, KEGG, etc.)

version version of the gene set

accessed_date date to obtain the gene set data

keytype keytype of genes info extra information

Value

A 'GSON' instance

Examples

```
wpfile <- system.file('extdata', "wikipathways-20220310-gmt-Homo_sapiens.gmt", package='gson')
x <- read.gmt.wp(wpfile)
gsid2gene <- data.frame(gsid=x$wpid, gene=x$gene)
gsid2name <- unique(data.frame(gsid=x$wpid, name=x$name))
species <- unique(x$species)
version <- unique(x$version)
gson(gsid2gene=gsid2gene, gsid2name=gsid2name, species=species, version=version)</pre>
```

GSON-class 3

GSON-class

Class "GSON" This class represents gene set information.

Description

Class "GSON" This class represents gene set information.

Slots

```
gsid2gene data.frame with two columns of 'gsid' and 'gene' gsid2name data.frame with two columns of 'gsid' and 'name' gene2name data.frame with two columns of 'gene' and 'name' species species of the annotation gsname gene set name, e.g., GO, KEGG version version of the gene set accessed_date time to obtain the gene set data keytype keytype of genes info extra information
```

Author(s)

Guangchuang Yu https://yulab-smu.top

 ${\tt gsonList}$

construct a 'GSONList' object

Description

```
construct a 'GSONList' object
```

Usage

```
gsonList(...)
```

Arguments

... input GSON objects

Value

A 'GSONList' instance

read.gson

read.gmt

read.gmt

Description

parse gmt file to a data.frame

Usage

```
read.gmt(gmtfile)
read.gmt.wp(gmtfile, output = "data.frame")
```

Arguments

gmtfile

gmt file

output

one of 'data.frame' or 'GSON'

Value

data.frame

Author(s)

Guangchuang Yu

read.gson

read and write gson file

Description

read and write gson file

Usage

```
read.gson(file)
write.gson(x, file = "")
```

Arguments

 $\begin{array}{ll} \text{file} & A \text{ gson file} \\ \text{x} & A \text{ GSON instance} \end{array}$

show 5

Value

A GSON instance

Examples

show

show method

Description

show method for GSON instance

Usage

```
show(object)
```

Arguments

object

A GSON object

Value

message

Author(s)

```
Guangchuang Yu https://yulab-smu.top
```

Index

```
* classes
     GSON-class, 3

gson, 2
GSON-class, 3
gsonList, 3

read.gmt, 4
read.gson, 4

show, 5
show, GSON-method (GSON-class), 3

write.gson (read.gson), 4
```