Package 'hellno'

October 13, 2022

Type Package

Title Providing 'stringsAsFactors=FALSE' Variants of 'data.frame()' and 'as.data.frame()'

Version 0.0.1

Date 2015-12-14

Author Peter Meissner

Maintainer Peter Meissner <retep.meissner@gmail.com>

Description Base R's default setting for 'stringsAsFactors' within 'data.frame()' and 'as.data.frame()' is supposedly the most often complained about piece of code in the R infrastructure. The 'hellno' package provides an explicit solution without changing R itself or having to mess around with options. It tries to solve this problem by providing alternative 'data.frame()' and 'as.data.frame()' functions that are in fact simple wrappers around base R's 'data.frame()' and 'as.data.frame()' with 'stringsAsFactors' option set to 'HELLNO' (which in turn equals FALSE) by default.

License MIT + file LICENSE

URL https://github.com/petermeissner/hellno

BugReports https://github.com/petermeissner/hellno/issues

LazyData TRUE

Suggests testthat

RoxygenNote 5.0.1

NeedsCompilation no

Repository CRAN

Date/Publication 2015-12-14 18:34:03

R topics documented:

---

as.data.frame   *alternative as.data.frame() implementation*

Description

hellno::as.data.frame() wraps up base::as.data.frame() so that stringAsFactors is set to HELLNO (== FALSE) by default

Usage

```
as.data.frame(x, row.names = NULL, optional = FALSE,
  stringsAsFactors = HELLNO, ...)
```

Arguments

x	see [as.data.frame](#)
row.names	see [as.data.frame](#)
optional	see [as.data.frame](#)
stringsAsFactors	
	see [as.data.frame](#) by default set to FALSE
...	see [as.data.frame](#)

See Also

[as.data.frame](#)

---

data.frame   *alternative data.frame() implementation*

Description

hellno::data.frame() wraps up base::data.frame() so that stringAsFactors is set to HELLNO (== FALSE) by default

Usage

```
data.frame(..., stringsAsFactors = HELLNO)
```

Arguments

...	see [data.frame](#)
stringsAsFactors	
	see [data.frame](#) by default set to FALSE

See Also

[data.frame](#)

HELLNO	*logical constant for FALSE*

Description

logical constant for FALSE

Usage

```
HELLNO
```

Format

```
logi FALSE
```

Index