Package 'effectplots'

Title Effect Plots

Version 0.2.0

Description High-performance implementation of various effect plots useful for regression and probabilistic classification tasks. The package includes partial dependence plots (Friedman, 2021, <doi:10.1214/aos/1013203451>), accumulated local effect plots and M-plots (both from Apley and Zhu, 2016, <doi:10.1111/rssb.12377>), as well as plots that describe the statistical associations between model response and features. It supports visualizations with either 'ggplot2' or 'plotly', and is compatible with most models, including 'Tidymodels', models wrapped in 'DALEX' explainers, or models with case weights.

License GPL (>= 3)

Depends R (>= 4.1.0)

Encoding UTF-8

RoxygenNote 7.3.2

Imports collapse, ggplot2, grDevices, patchwork, plotly, Rcpp, stats

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

URL https://github.com/mayer79/effectplots

BugReports https://github.com/mayer79/effectplots/issues

LinkingTo Rcpp

Enhances h2o

NeedsCompilation yes

Author Michael Mayer [aut, cre]

Maintainer Michael Mayer <mayermichael79@gmail.com>

Repository CRAN

Date/Publication 2024-12-11 18:50:01 UTC

Contents

.ale   *Barebone Accumulated Local Effects (ALE)*

Description

This is a barebone implementation of Apley's ALE. Per bin, the local effect D_j is calculated, and then accumulated over bins. D_j equals the difference between the partial dependence at the lower and upper bin breaks using only observations within bin. To plot the values, we can make a line plot of the resulting vector against upper bin breaks. Alternatively, the vector can be extended from the left by the value 0, and then plotted against *all* breaks.

Usage

```
.ale(
  object,
  v,
  data,
  breaks,
  right = TRUE,
  pred_fun = stats::predict,
  trafo = NULL,
  which_pred = NULL,
  bin_size = 200L,
  w = NULL,
  g = NULL,
  ...
)
```

Arguments

object	Fitted model.
v	Variable name in data to calculate ALE.
data	Matrix or data.frame.
breaks	Bin breaks.
right	Should bins be right-closed? The default is TRUE. (No effect if g is provided.)
pred_fun	Prediction function, by default stats::predict. The function takes three arguments (names irrelevant): object, data, and ....
trafo	How should predictions be transformed? A function or NULL (default). Examples are log (to switch to link scale) or exp (to switch from link scale to the original scale). Applied after which_pred.
which_pred	If the predictions are multivariate: which column to pick (integer or column name). By default NULL (picks last column). Applied before trafo.
bin_size	Maximal number of observations used per bin. If there are more observations in a bin, bin_size indices are randomly sampled. The default is 200.
w	Optional vector with case weights.
g	For internal use. The result of as.factor(findInterval(...)). By default NULL.
...	Further arguments passed to pred_fun(), e.g., type = "response" in a glm() or (typically) prob = TRUE in classification models.

Value

Vector representing one ALE per bin.

References

Apley, Daniel W., and Jingyu Zhu. 2020. *Visualizing the Effects of Predictor Variables in Black Box Supervised Learning Models.* Journal of the Royal Statistical Society Series B: Statistical Methodology, 82 (4): 1059–1086. doi:10.1111/rssb.12377.

See Also

partial_dependence()

Examples

```
fit <- lm(Sepal.Length ~ ., data = iris)
v <- "Sepal.Width"
.ale(fit, v, data = iris, breaks = seq(2, 4, length.out = 5))
```

Description

This is a barebone implementation of Friedman's partial dependence intended for developers. To get more information on partial dependence, see [partial_dependence()](#).

Usage

```
.pd(
  object,
  v,
  data,
  grid,
  pred_fun = stats::predict,
  trafo = NULL,
  which_pred = NULL,
  w = NULL,
  ...
)
```

Arguments

object	Fitted model.
v	Variable name in `data` to calculate partial dependence.
data	Matrix or data.frame.
grid	Vector or factor of values to calculate partial dependence for.
pred_fun	Prediction function, by default `stats::predict`. The function takes three arguments (names irrelevant): `object`, `data`, and `...`.
trafo	How should predictions be transformed? A function or `NULL` (default). Examples are `log` (to switch to link scale) or `exp` (to switch from link scale to the original scale). Applied after `which_pred`.
which_pred	If the predictions are multivariate: which column to pick (integer or column name). By default `NULL` (picks last column). Applied before `trafo`.
w	Optional vector with case weights.
...	Further arguments passed to `pred_fun()`, e.g., `type = "response"` in a `glm()` or (typically) `prob = TRUE` in classification models.

Value

Vector of partial dependence values in the same order as `grid`.

References

Friedman, Jerome H. 2001, *Greedy Function Approximation: A Gradient Boosting Machine.* Annals of Statistics 29 (5): 1189-1232. doi:10.1214/aos/1013203451.

See Also

partial_dependence()

Examples

```
fit <- lm(Sepal.Length ~ ., data = iris)
.pd(fit, "Sepal.Width", data = iris, grid = hist(iris$Sepal.Width)$mids)
.pd(fit, "Species", data = iris, grid = levels(iris$Species))
```

---

ale	*Accumulated Local Effects (ALE)*

Description

Calculates ALE for one or multiple continuous features specified by X.

The concept of ALE was introduced in Apley et al. (2020) as an alternative to partial dependence (PD). The Ceteris Paribus clause behind PD is a blessing and a curse at the same time:

- Blessing: The interpretation is easy and similar to what we know from linear regression (just averaging out interaction effects).
- Curse: The model is applied to very unlikely or even impossible feature combinations, especially with strongly dependent features.

ALE fixes the curse as follows: Per bin, the local effect is calculated as the partial dependence difference between lower and upper bin break, using only observations falling into this bin. This is repeated for all bins, and the values are *accumulated*.

ALE values are plotted against right bin breaks.

Usage

```
ale(object, ...)

## Default S3 method:
ale(
  object,
  v,
  data,
  pred_fun = stats::predict,
  trafo = NULL,
  which_pred = NULL,
  w = NULL,
  breaks = "Sturges",
```

```
    right = TRUE,
    discrete_m = 13L,
    outlier_iqr = 2,
    ale_n = 50000L,
    ale_bin_size = 200L,
    seed = NULL,
    ...
  )

  ## S3 method for class 'ranger'
  ale(
    object,
    v,
    data,
    pred_fun = NULL,
    trafo = NULL,
    which_pred = NULL,
    w = NULL,
    breaks = "Sturges",
    right = TRUE,
    discrete_m = 13L,
    outlier_iqr = 2,
    ale_n = 50000L,
    ale_bin_size = 200L,
    seed = NULL,
    ...
  )

  ## S3 method for class 'explainer'
  ale(
    object,
    v = colnames(data),
    data = object$data,
    pred_fun = object$predict_function,
    trafo = NULL,
    which_pred = NULL,
    w = object$weights,
    breaks = "Sturges",
    right = TRUE,
    discrete_m = 13L,
    outlier_iqr = 2,
    ale_n = 50000L,
    ale_bin_size = 200L,
    seed = NULL,
    ...
  )

  ## S3 method for class 'H2OModel'
```

```
ale(
  object,
  data,
  v = object@parameters$x,
  pred_fun = NULL,
  trafo = NULL,
  which_pred = NULL,
  w = object@parameters$weights_column$column_name,
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  ale_n = 50000L,
  ale_bin_size = 200L,
  seed = NULL,
  ...
)
```

Arguments

`object`	Fitted model.
`...`	Further arguments passed to `pred_fun()`, e.g., `type = "response"` in a `glm()` or (typically) `prob = TRUE` in classification models.
`v`	Variable names to calculate statistics for.
`data`	Matrix or data.frame.
`pred_fun`	Prediction function, by default `stats::predict`. The function takes three arguments (names irrelevant): `object`, `data`, and `...`.
`trafo`	How should predictions be transformed? A function or `NULL` (default). Examples are `log` (to switch to link scale) or `exp` (to switch from link scale to the original scale). Applied after `which_pred`.
`which_pred`	If the predictions are multivariate: which column to pick (integer or column name). By default `NULL` (picks last column). Applied before `trafo`.
`w`	Optional vector with case weights. Can also be a column name in `data`. Having observations with non-positive weight is equivalent to excluding them.
`breaks`	An integer, vector, or "Sturges" (the default) used to determine bin breaks of continuous features. Values outside the total bin range are placed in the outmost bins. To allow varying values of `breaks` across features, `breaks` can be a list of the same length as `v`, or a *named* list with breaks for certain variables.
`right`	Should bins be right-closed? The default is `TRUE`. Vectorized over `v`. Only relevant for continuous features.
`discrete_m`	Numeric features with up to this number of unique values are treated as discrete and are therefore dropped from the calculations.
`outlier_iqr`	If `breaks` is an integer or "Sturges", the breaks of a continuous feature are calculated without taking into account feature values outside quartiles +- `outlier_iqr` * IQR (where <= 9997 values are used to calculate the quartiles). To let the

breaks cover the full data range, set `outlier_iqr` to 0 or `Inf`. Vectorized over `v`.

ale_n   Size of the data used for calculating ALE. The default is 50000. For larger `data` (and `w`), `ale_n` rows are randomly sampled. Each variable specified by `v` uses the same sample. Set to 0 to omit ALE calculations.

ale_bin_size   Maximal number of observations used per bin for ALE calculations. If there are more observations in a bin, `ale_bin_size` indices are randomly sampled. The default is 200. Applied after sampling regarding `ale_n`.

seed   Optional integer random seed used for:

- *ALE:* select background data if n > `ale_n`, and for bins > `ale_bin_size`.
- *Calculating breaks:* The bin range is determined without values outside quartiles +- 2 IQR using a sample of <= 9997 observations to calculate quartiles.

Details

The function is a convenience wrapper around [feature_effects()](), which calls the barebone implementation [.ale()]() to calculate ALE.

Value

A list (of class "EffectData") with a data.frame per feature having columns:

- `bin_mid`: Bin mid points. In the plots, the bars are centered around these.
- `bin_width`: Absolute width of the bin. In the plots, these equal the bar widths.
- `bin_mean`: For continuous features, the (possibly weighted) average feature value within bin. For discrete features equivalent to `bin_mid`.
- N: The number of observations within bin.
- `weight`: The weight sum within bin. When w = NULL, equivalent to N.
- Different statistics, depending on the function call.

Use single bracket subsetting to select part of the output. Note that each data.frame contains an attribute "discrete" with the information whether the feature is discrete or continuous. This attribute might be lost when you manually modify the data.frames.

Methods (by class)

- ale(default): Default method.
- ale(ranger): Method for ranger models.
- ale(explainer): Method for DALEX explainers
- ale(H2OModel): Method for H2O models

References

Apley, Daniel W., and Jingyu Zhu. 2020. *Visualizing the Effects of Predictor Variables in Black Box Supervised Learning Models.* Journal of the Royal Statistical Society Series B: Statistical Methodology, 82 (4): 1059–1086. doi:10.1111/rssb.12377.

See Also

[feature_effects()](), [.ale()]()

Examples

```
fit <- lm(Sepal.Length ~ ., data = iris)
M <- ale(fit, v = "Petal.Length", data = iris)
M |> plot()

M2 <- ale(fit, v = colnames(iris)[-1], data = iris, breaks = 5)
plot(M2, share_y = "all")  # Only continuous variables shown
```

---

average_observed   *Average Observed*

Description

Calculates average observed response over the values of one or multiple variables specified by X. This describes the statistical association between the response y and potential model features.

Usage

```
average_observed(
  X,
  y,
  w = NULL,
  x_name = "x",
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  seed = NULL,
  ...
)
```

Arguments

X	A vector, matrix, or data.frame with features.
y	A numeric vector representing observed response values.
w	An optional numeric vector of weights. Having observations with non-positive weight is equivalent to excluding them.
x_name	If X is a vector: what is the name of the variable? By default "x".
breaks	An integer, vector, or "Sturges" (the default) used to determine bin breaks of continuous features. Values outside the total bin range are placed in the outmost bins. To allow varying values of breaks across features, breaks can be a list of the same length as v, or a *named* list with breaks for certain variables.

right	Should bins be right-closed? The default is TRUE. Vectorized over v. Only relevant for continuous features.
discrete_m	Numeric features with up to this number of unique values should not be binned but rather treated as discrete. The default is 13. Vectorized over v.
outlier_iqr	If breaks is an integer or "Sturges", the breaks of a continuous feature are calculated without taking into account feature values outside quartiles +- outlier_iqr * IQR (where <= 9997 values are used to calculate the quartiles). To let the breaks cover the full data range, set outlier_iqr to 0 or Inf. Vectorized over v.
seed	Optional integer random seed used for calculating breaks: The bin range is determined without values outside quartiles +- 2 IQR using a sample of <= 9997 observations to calculate quartiles.
...	Currently unused.

Details

The function is a convenience wrapper around [feature_effects()](#).

Value

A list (of class "EffectData") with a data.frame per feature having columns:

- bin_mid: Bin mid points. In the plots, the bars are centered around these.
- bin_width: Absolute width of the bin. In the plots, these equal the bar widths.
- bin_mean: For continuous features, the (possibly weighted) average feature value within bin. For discrete features equivalent to bin_mid.
- N: The number of observations within bin.
- weight: The weight sum within bin. When w = NULL, equivalent to N.
- Different statistics, depending on the function call.

Use single bracket subsetting to select part of the output. Note that each data.frame contains an attribute "discrete" with the information whether the feature is discrete or continuous. This attribute might be lost when you manually modify the data.frames.

See Also

[feature_effects()](#)

Examples

```
M <- average_observed(iris$Species, y = iris$Sepal.Length)
M
M |> plot()

# Or multiple potential features X
average_observed(iris[2:5], y = iris[, 1], breaks = 5) |>
  plot()
```

---

average_predicted   *Average Predictions*

Description

Calculates average predictions over the values of one or multiple features specified by X. Shows the combined effect of a feature and other (correlated) features.

Usage

```
average_predicted(
  X,
  pred,
  w = NULL,
  x_name = "x",
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  seed = NULL,
  ...
)
```

Arguments

X	A vector, matrix, or data.frame with features.
pred	A numeric vector of predictions.
w	An optional numeric vector of weights. Having observations with non-positive weight is equivalent to excluding them.
x_name	If X is a vector: what is the name of the variable? By default "x".
breaks	An integer, vector, or "Sturges" (the default) used to determine bin breaks of continuous features. Values outside the total bin range are placed in the outmost bins. To allow varying values of breaks across features, breaks can be a list of the same length as v, or a *named* list with breaks for certain variables.
right	Should bins be right-closed? The default is TRUE. Vectorized over v. Only relevant for continuous features.
discrete_m	Numeric features with up to this number of unique values should not be binned but rather treated as discrete. The default is 13. Vectorized over v.
outlier_iqr	If breaks is an integer or "Sturges", the breaks of a continuous feature are calculated without taking into account feature values outside quartiles +- outlier_iqr * IQR (where <= 9997 values are used to calculate the quartiles). To let the breaks cover the full data range, set outlier_iqr to 0 or Inf. Vectorized over v.

seed   Optional integer random seed used for calculating breaks: The bin range is de-
            termined without values outside quartiles +- 2 IQR using a sample of <= 9997
            observations to calculate quartiles.

...   Currently unused.

Details

The function is a convenience wrapper around [feature_effects()](#).

Value

A list (of class "EffectData") with a data.frame per feature having columns:

- `bin_mid`: Bin mid points. In the plots, the bars are centered around these.

- `bin_width`: Absolute width of the bin. In the plots, these equal the bar widths.

- `bin_mean`: For continuous features, the (possibly weighted) average feature value within bin.
  For discrete features equivalent to `bin_mid`.

- `N`: The number of observations within bin.

- `weight`: The weight sum within bin. When `w = NULL`, equivalent to `N`.

- Different statistics, depending on the function call.

Use single bracket subsetting to select part of the output. Note that each data.frame contains an
attribute "discrete" with the information whether the feature is discrete or continuous. This attribute
might be lost when you manually modify the data.frames.

References

Apley, Daniel W., and Jingyu Zhu. 2016. *Visualizing the Effects of Predictor Variables in Black
Box Supervised Learning Models.* Journal of the Royal Statistical Society Series B: Statistical
Methodology, 82 (4): 1059–1086. doi:10.1111/rssb.12377.

See Also

[feature_effects()](#)

Examples

```
fit <- lm(Sepal.Length ~ ., data = iris)
M <- average_predicted(iris[2:5], pred = predict(fit, iris), breaks = 5)
M
M |> plot()
```

---

bias	*Bias / Average Residuals*

Description

Calculates average residuals (= bias) over the values of one or multiple features specified by X.

Usage

```
bias(
  X,
  resid,
  w = NULL,
  x_name = "x",
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  seed = NULL,
  ...
)
```

Arguments

X	A vector, matrix, or data.frame with features.
resid	A numeric vector of residuals, i.e., y - pred.
w	An optional numeric vector of weights. Having observations with non-positive weight is equivalent to excluding them.
x_name	If X is a vector: what is the name of the variable? By default "x".
breaks	An integer, vector, or "Sturges" (the default) used to determine bin breaks of continuous features. Values outside the total bin range are placed in the outmost bins. To allow varying values of breaks across features, breaks can be a list of the same length as v, or a *named* list with breaks for certain variables.
right	Should bins be right-closed? The default is TRUE. Vectorized over v. Only relevant for continuous features.
discrete_m	Numeric features with up to this number of unique values should not be binned but rather treated as discrete. The default is 13. Vectorized over v.
outlier_iqr	If breaks is an integer or "Sturges", the breaks of a continuous feature are calculated without taking into account feature values outside quartiles +- outlier_iqr * IQR (where <= 9997 values are used to calculate the quartiles). To let the breaks cover the full data range, set outlier_iqr to 0 or Inf. Vectorized over v.
seed	Optional integer random seed used for calculating breaks: The bin range is determined without values outside quartiles +- 2 IQR using a sample of <= 9997 observations to calculate quartiles.
...	Currently unused.

Details

The function is a convenience wrapper around [feature_effects()](#).

Value

A list (of class "EffectData") with a data.frame per feature having columns:

- bin_mid: Bin mid points. In the plots, the bars are centered around these.
- bin_width: Absolute width of the bin. In the plots, these equal the bar widths.
- bin_mean: For continuous features, the (possibly weighted) average feature value within bin. For discrete features equivalent to bin_mid.
- N: The number of observations within bin.
- weight: The weight sum within bin. When w = NULL, equivalent to N.
- Different statistics, depending on the function call.

Use single bracket subsetting to select part of the output. Note that each data.frame contains an attribute "discrete" with the information whether the feature is discrete or continuous. This attribute might be lost when you manually modify the data.frames.

See Also

[feature_effects()](#)

Examples

```
fit <- lm(Sepal.Length ~ ., data = iris)
M <- bias(iris[2:5], resid = fit$residuals, breaks = 5)
M |> update(sort_by = "resid_mean") |> plot(share_y = "all")
```

---

effect_importance   *Variable Importance*

Description

Extracts from an "EffectData" object a simple variable importance measure, namely the (bin size weighted) variance of the partial dependence values, or of any other calculated statistic (e.g., "pred_mean" or "y_mean"). It can be used via update.EffectData(, sort_by = "pd") to sort the variables in decreasing importance. Note that this measure captures only the main effect strength. If the importance is calculated with respect to "pd", it is closely related to the suggestion of Greenwell et al. (2018).

Usage

```
effect_importance(x, by = NULL)
```

Arguments

x	Object of class "EffectData".
by	The statistic used to calculate the variance for. One of 'pd', 'pred_mean', 'y_mean', 'resid_mean', or 'ale' (if available). The default is NULL, which picks the first available statistic from above list.

Value

A named vector of importance values of the same length as x.

References

Greenwell, Brandon M., Bradley C. Boehmke, and Andrew J. McCarthy. 2018. *A Simple and Effective Model-Based Variable Importance Measure.* arXiv preprint. https://arxiv.org/abs/1805.04755.

See Also

update.EffectData()

Examples

```
fit <- lm(Sepal.Length ~ ., data = iris)
M <- feature_effects(fit, v = colnames(iris)[-1], data = iris)
effect_importance(M)
```

---

fcut	*Fast cut()*

Description

Bins a numeric vector x into bins specified by breaks. Values outside the range of breaks will be placed in the lowest or highest bin. Set labels = FALSE to return integer codes only, and explicit_na = TRUE for maximal synergy with the "collapse" package. Uses the logic of spatstat.utils::fastFindInterval for equi-length bins.

Usage

```
fcut(x, breaks, labels = NULL, right = TRUE, explicit_na = FALSE)
```

Arguments

x	A numeric vector.
breaks	A monotonically increasing numeric vector of breaks.
labels	A character vector of length length(breaks) - 1 with bin labels. By default (NULL), the levels c("1", "2", ...) are used. Set to FALSE to return raw integer codes.

right	Right closed bins (TRUE, default) or not?
explicit_na	If TRUE, missing values are encoded by the bin value length(breaks), having NA as corresponding factor level. The factor will get the additional class "na.included".

Value

Binned version of x. Either a factor, or integer codes.

Examples

```
x <- c(NA, 1:10)
fcut(x, breaks = c(3, 5, 7))
fcut(x, breaks = c(3, 5, 7), right = FALSE)
fcut(x, breaks = c(3, 5, 7), labels = FALSE)
```

---

feature_effects   *Feature Effects*

Description

This is the main function of the package. By default, it calculates the following statistics per feature X over values/bins:

- "y_mean": Average observed y values. Used to assess descriptive associations between response and features.
- "pred_mean": Average predictions. Corresponds to "M Plots" (from "marginal") in Apley (2020). Shows the combined effect of X and other (correlated) features. The difference to average observed y values shows model bias.
- "resid_mean": Average residuals. Calculated when both y and predictions are available. Useful to study model bias.
- "pd": Partial dependence (Friedman, 2001): See `partial_dependence()`. Evaluated at bin averages, not at bin midpoints.
- "ale": Accumulated local effects (Apley, 2020): See `ale()`. Only for continuous features.

Additionally, corresponding counts/weights are calculated, and standard deviations of observed y and residuals.

Numeric features with more than discrete_m = 13 disjoint values are binned via breaks. If breaks is a single integer or "Sturges", the total bin range is calculated without values outside +-2 IQR from the quartiles. Values outside the bin range are placed in the outermost bins. Note that at most 9997 observations are used to calculate quartiles and IQR.

All averages and standard deviation are weighted by optional weights w.

If you need only one specific statistic, you can use the simplified APIs of

- `average_observed()`,

- `average_predicted()`,
- `bias()`,
- `partial_dependence()`, and
- `ale()`.

Usage

```
feature_effects(object, ...)

## Default S3 method:
feature_effects(
  object,
  v,
  data,
  y = NULL,
  pred = NULL,
  pred_fun = stats::predict,
  trafo = NULL,
  which_pred = NULL,
  w = NULL,
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  calc_pred = TRUE,
  pd_n = 500L,
  ale_n = 50000L,
  ale_bin_size = 200L,
  seed = NULL,
  ...
)

## S3 method for class 'ranger'
feature_effects(
  object,
  v,
  data,
  y = NULL,
  pred = NULL,
  pred_fun = NULL,
  trafo = NULL,
  which_pred = NULL,
  w = NULL,
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  calc_pred = TRUE,
```

```
  pd_n = 500L,
  ale_n = 50000L,
  ale_bin_size = 200L,
  ...
)

## S3 method for class 'explainer'
feature_effects(
  object,
  v = colnames(data),
  data = object$data,
  y = object$y,
  pred = NULL,
  pred_fun = object$predict_function,
  trafo = NULL,
  which_pred = NULL,
  w = object$weights,
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  calc_pred = TRUE,
  pd_n = 500L,
  ale_n = 50000L,
  ale_bin_size = 200L,
  ...
)

## S3 method for class 'H2OModel'
feature_effects(
  object,
  data,
  v = object@parameters$x,
  y = NULL,
  pred = NULL,
  pred_fun = NULL,
  trafo = NULL,
  which_pred = NULL,
  w = object@parameters$weights_column$column_name,
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  calc_pred = TRUE,
  pd_n = 500L,
  ale_n = 50000L,
  ale_bin_size = 200L,
  ...
```

)

Arguments

`object`	Fitted model.
`...`	Further arguments passed to `pred_fun()`, e.g., `type = "response"` in a `glm()` or (typically) `prob = TRUE` in classification models.
`v`	Variable names to calculate statistics for.
`data`	Matrix or data.frame.
`y`	Numeric vector with observed values of the response. Can also be a column name in `data`. Omitted if `NULL` (default).
`pred`	Pre-computed predictions (as from `predict()`/`pred_fun()`). If `NULL`, it is calculated as `pred_f` data, ...)'.
`pred_fun`	Prediction function, by default `stats::predict`. The function takes three arguments (names irrelevant): `object`, `data`, and `...`.
`trafo`	How should predictions be transformed? A function or `NULL` (default). Examples are `log` (to switch to link scale) or `exp` (to switch from link scale to the original scale). Applied after `which_pred`.
`which_pred`	If the predictions are multivariate: which column to pick (integer or column name). By default `NULL` (picks last column). Applied before `trafo`.
`w`	Optional vector with case weights. Can also be a column name in `data`. Having observations with non-positive weight is equivalent to excluding them.
`breaks`	An integer, vector, or "Sturges" (the default) used to determine bin breaks of continuous features. Values outside the total bin range are placed in the outmost bins. To allow varying values of `breaks` across features, `breaks` can be a list of the same length as `v`, or a *named* list with breaks for certain variables.
`right`	Should bins be right-closed? The default is `TRUE`. Vectorized over `v`. Only relevant for continuous features.
`discrete_m`	Numeric features with up to this number of unique values should not be binned but rather treated as discrete. The default is 13. Vectorized over `v`.
`outlier_iqr`	If `breaks` is an integer or "Sturges", the breaks of a continuous feature are calculated without taking into account feature values outside quartiles +- `outlier_iqr` * IQR (where <= 9997 values are used to calculate the quartiles). To let the breaks cover the full data range, set `outlier_iqr` to 0 or `Inf`. Vectorized over `v`.
`calc_pred`	Should predictions be calculated? Default is `TRUE`. Only relevant if `pred = NULL`.
`pd_n`	Size of the data used for calculating partial dependence. The default is 500. For larger `data` (and `w`), `pd_n` rows are randomly sampled. Each variable specified by `v` uses the same sample. Set to 0 to omit PD calculations.
`ale_n`	Size of the data used for calculating ALE. The default is 50000. For larger `data` (and `w`), `ale_n` rows are randomly sampled. Each variable specified by `v` uses the same sample. Set to 0 to omit ALE calculations.

ale_bin_size	Maximal number of observations used per bin for ALE calculations. If there are more observations in a bin, ale_bin_size indices are randomly sampled. The default is 200. Applied after sampling regarding ale_n.
seed	Optional integer random seed used for:

- *Partial dependence:* select background data if n > pd_n.
- *ALE:* select background data if n > ale_n, and for bins > ale_bin_size.
- *Calculating breaks:* The bin range is determined without values outside quartiles +- 2 IQR using a sample of <= 9997 observations to calculate quartiles.

Value

A list (of class "EffectData") with a data.frame per feature having columns:

- bin_mid: Bin mid points. In the plots, the bars are centered around these.
- bin_width: Absolute width of the bin. In the plots, these equal the bar widths.
- bin_mean: For continuous features, the (possibly weighted) average feature value within bin. For discrete features equivalent to bin_mid.
- N: The number of observations within bin.
- weight: The weight sum within bin. When w = NULL, equivalent to N.
- Different statistics, depending on the function call.

Use single bracket subsetting to select part of the output. Note that each data.frame contains an attribute "discrete" with the information whether the feature is discrete or continuous. This attribute might be lost when you manually modify the data.frames.

Methods (by class)

- feature_effects(default): Default method.
- feature_effects(ranger): Method for ranger models.
- feature_effects(explainer): Method for DALEX explainer.
- feature_effects(H2OModel): Method for H2O models.

References

1. Molnar, Christoph. 2019. *Interpretable Machine Learning: A Guide for Making Black Box Models Explainable*. <https://christophm.github.io/interpretable-ml-book/>.
2. Friedman, Jerome H. 2001, *Greedy Function Approximation: A Gradient Boosting Machine.* Annals of Statistics 29 (5): 1189-1232. doi:10.1214/aos/1013203451.3.
3. Apley, Daniel W., and Jingyu Zhu. 2016. *Visualizing the Effects of Predictor Variables in Black Box Supervised Learning Models.* Journal of the Royal Statistical Society Series B: Statistical Methodology, 82 (4): 1059–1086. doi:10.1111/rssb.12377.

See Also

[plot.EffectData()](), [update.EffectData()](), [partial_dependence()](), [ale()](), [average_observed](), [average_predicted()](), [bias()]()

Examples

```
fit <- lm(Sepal.Length ~ ., data = iris)
xvars <- colnames(iris)[2:5]
M <- feature_effects(fit, v = xvars, data = iris, y = "Sepal.Length", breaks = 5)
M
M |> update(sort = "pd") |> plot(share_y = "all")
```

---

partial_dependence   *Partial Dependence*

Description

Calculates PD for one or multiple features.

PD was introduced by Friedman (2001) to study the (main) effects of a ML model. PD of a model f
and variable X at a certain value g is derived by replacing the X values in a reference data by g, and
then calculating the average prediction of f over this modified data. This is done for different g to
see how the average prediction of f changes in X, keeping all other feature values constant (Ceteris
Paribus).

This function is a convenience wrapper around [feature_effects()](), which calls the barebone
implementation [.pd()]() to calculate PD. As grid points, it uses the arithmetic mean of X per bin
(specified by breaks), and eventually weighted by w.

Usage

```
partial_dependence(object, ...)

## Default S3 method:
partial_dependence(
  object,
  v,
  data,
  pred_fun = stats::predict,
  trafo = NULL,
  which_pred = NULL,
  w = NULL,
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  pd_n = 500L,
  seed = NULL,
  ...
)

## S3 method for class 'ranger'
partial_dependence(
```

```
  object,
  v,
  data,
  pred_fun = NULL,
  trafo = NULL,
  which_pred = NULL,
  w = NULL,
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  pd_n = 500L,
  seed = NULL,
  ...
)

## S3 method for class 'explainer'
partial_dependence(
  object,
  v = colnames(data),
  data = object$data,
  pred_fun = object$predict_function,
  trafo = NULL,
  which_pred = NULL,
  w = object$weights,
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  pd_n = 500L,
  seed = NULL,
  ...
)

## S3 method for class 'H2OModel'
partial_dependence(
  object,
  data,
  v = object@parameters$x,
  pred_fun = NULL,
  trafo = NULL,
  which_pred = NULL,
  w = object@parameters$weights_column$column_name,
  breaks = "Sturges",
  right = TRUE,
  discrete_m = 13L,
  outlier_iqr = 2,
  pd_n = 500L,
```

```
    seed = NULL,
    ...
)
```

Arguments

object	Fitted model.
...	Further arguments passed to `pred_fun()`, e.g., `type = "response"` in a `glm()` or (typically) `prob = TRUE` in classification models.
v	Variable names to calculate statistics for.
data	Matrix or data.frame.
pred_fun	Prediction function, by default `stats::predict`. The function takes three arguments (names irrelevant): `object`, `data`, and `...`.
trafo	How should predictions be transformed? A function or `NULL` (default). Examples are `log` (to switch to link scale) or `exp` (to switch from link scale to the original scale). Applied after `which_pred`.
which_pred	If the predictions are multivariate: which column to pick (integer or column name). By default `NULL` (picks last column). Applied before `trafo`.
w	Optional vector with case weights. Can also be a column name in `data`. Having observations with non-positive weight is equivalent to excluding them.
breaks	An integer, vector, or "Sturges" (the default) used to determine bin breaks of continuous features. Values outside the total bin range are placed in the outmost bins. To allow varying values of `breaks` across features, `breaks` can be a list of the same length as `v`, or a *named* list with breaks for certain variables.
right	Should bins be right-closed? The default is `TRUE`. Vectorized over `v`. Only relevant for continuous features.
discrete_m	Numeric features with up to this number of unique values should not be binned but rather treated as discrete. The default is 13. Vectorized over `v`.
outlier_iqr	If `breaks` is an integer or "Sturges", the breaks of a continuous feature are calculated without taking into account feature values outside quartiles +- `outlier_iqr` * IQR (where <= 9997 values are used to calculate the quartiles). To let the breaks cover the full data range, set `outlier_iqr` to 0 or `Inf`. Vectorized over `v`.
pd_n	Size of the data used for calculating partial dependence. The default is 500. For larger `data` (and `w`), `pd_n` rows are randomly sampled. Each variable specified by `v` uses the same sample. Set to 0 to omit PD calculations.
seed	Optional integer random seed used for: • *Partial dependence:* select background data if n > `pd_n`. • *Calculating breaks:* The bin range is determined without values outside quartiles +- 2 IQR using a sample of <= 9997 observations to calculate quartiles.

Value

A list (of class "EffectData") with a data.frame per feature having columns:

- `bin_mid`: Bin mid points. In the plots, the bars are centered around these.

- `bin_width`: Absolute width of the bin. In the plots, these equal the bar widths.

- `bin_mean`: For continuous features, the (possibly weighted) average feature value within bin. For discrete features equivalent to `bin_mid`.

- `N`: The number of observations within bin.

- `weight`: The weight sum within bin. When `w = NULL`, equivalent to `N`.

- Different statistics, depending on the function call.

Use single bracket subsetting to select part of the output. Note that each data.frame contains an attribute "discrete" with the information whether the feature is discrete or continuous. This attribute might be lost when you manually modify the data.frames.

Methods (by class)

- `partial_dependence(default)`: Default method.

- `partial_dependence(ranger)`: Method for ranger models.

- `partial_dependence(explainer)`: Method for DALEX explainers.

- `partial_dependence(H2OModel)`: Method for H2O models.

References

Friedman, Jerome H. 2001, *Greedy Function Approximation: A Gradient Boosting Machine.* Annals of Statistics 29 (5): 1189-1232. doi:10.1214/aos/1013203451.

See Also

[feature_effects()](), [.pd()](), [ale()]().

Examples

```
fit <- lm(Sepal.Length ~ ., data = iris)
M <- partial_dependence(fit, v = "Species", data = iris)
M |> plot()

M2 <- partial_dependence(fit, v = colnames(iris)[-1], data = iris)
plot(M2, share_y = "all")
```

---

plot.EffectData   *Plots "EffectData" Object*

Description

Versatile plot function for an "EffectData" object. By default, all calculated statistics (except "resid_mean") are shown. To select certain statistics, use the stats argument. Set plotly = TRUE for interactive plots. Note that all statistics are plotted at bin means, except for ALE (shown at right bin breaks).

Usage

```
## S3 method for class 'EffectData'
plot(
  x,
  stats = NULL,
  ncol = grDevices::n2mfrow(length(x))[2L],
  byrow = TRUE,
  share_y = c("no", "all", "rows", "cols"),
  ylim = NULL,
  discrete_lines = TRUE,
  continuous_points = FALSE,
  title = "",
  subplot_titles = TRUE,
  ylab = NULL,
  legend_labels = NULL,
  interval = c("no", "ci", "ciw", "sd"),
  ci_level = 0.95,
  colors = getOption("effectplots.colors"),
  fill = getOption("effectplots.fill"),
  alpha = 1,
  bar_height = 1,
  bar_width = 1,
  bar_measure = c("weight", "N"),
  wrap_x = 10,
  rotate_x = 0,
  plotly = getOption("effectplots.plotly"),
  ...
)
```

Arguments

x   An object of class "EffectData".

stats   Vector of statistics to show. The default NULL equals either c("y_mean", "pred_mean",
                "pd", "ale"), or "resid_mean" (when x results from [bias()](#)). Only *available*
                statistics are shown. Additionally, this argument controls the order used to plot
                the lines.

ncol	Number of columns of the plot layout, by default `grDevices::n2mfrow(length(x))[2L]`. Only relevant for multiple plots.
byrow	Should plots be placed by row? Default is `TRUE`. Only for multiple plots.
share_y	Should y axis be shared across subplots? The default is "no". Other choices are "all", "rows", and "cols". Note that this currently does not take into account error bars/ribbons. Has no effect if `ylim` is passed. Only for multiple plots.
ylim	A vector of length 2 with manual y axis limits, or a list thereof.
discrete_lines	Show lines for discrete features. Default is `TRUE`.
continuous_points	
	Show points for continuous features. Default is `FALSE`.
title	Overall plot title, by default `""` (no title).
subplot_titles	Should variable names be shown as subplot titles? Default is `TRUE`. Only for multiple plots.
ylab	Label of the y axis. The default `NULL` automatically derives a reasonable name.
legend_labels	Vector of legend labels in the same order as the statistics plotted, or `NULL` (default).
interval	What intervals should be shown for observed y and residuals? One of "no" (default), "ci": Z confidence intervals using sqrt(N) as standard error of the mean, "ciw": Like "ci", but using sqrt(weight) as standard error of the mean, or "sd": standard deviations. Ribbons for continuous features, and error bars otherwise.
ci_level	The nominal level of the Z confidence intervals (only when `error` equals "ci" or "ciw"). The default is 0.95.
colors	Vector of line/point colors of sufficient length. By default, a color blind friendly palette from "ggthemes". To change globally, set `options(effectplots.colors = new colors)`.
fill	Fill color of bars. The default equals "lightgrey". To change globally, set `options(effectplots.fill = new color)`.
alpha	Alpha transparency of lines and points. Default is 1.
bar_height	Relative bar height (default 1). Set to 0 for no bars.
bar_width	Bar width multiplier (for discrete features). By default 1.
bar_measure	What should bars represent? Either "weight" (default) or "N".
wrap_x	Should categorical x axis labels be wrapped after this length? The default is 10. Set to 0 for no wrapping. Vectorized over x. Only for "ggplot2" backend.
rotate_x	Should categorical xaxis labels be rotated by this angle? The default is 0 (no rotation). Vectorized over x. Only for "ggplot2" backend.
plotly	Should 'plotly' be used? The default is `FALSE` ('ggplot2' with 'patchwork'). Use `options(effectplots.plotly = TRUE)` to change globally.
...	Passed to `patchwork::plot_layout()` or `plotly::subplot()`. Typically not used.

Value

If a single plot, an object of class "ggplot" or "plotly". Otherwise, an object of class "patchwork", or a "plotly" subplot.

See Also

[feature_effects()](), [average_observed()](), [average_predicted()](), [partial_dependence()](), [bias()](), [ale()]()

Examples

```
fit <- lm(Sepal.Length ~ ., data = iris)
xvars <- colnames(iris)[-1]
M <- feature_effects(fit, v = xvars, data = iris, y = "Sepal.Length", breaks = 5)
plot(M, share_y = "all")
plot(M, stats = c("pd", "ale"), legend_labels = c("PD", "ALE"))
plot(M, stats = "resid_mean", share_y = "all", interval = "ci")
```

---

update.EffectData   *Update "EffectData" Object*

Description

Updates an "EffectData" object by

- turning discrete values to factor (especially useful with the next option),
- collapsing levels of categorical variables with many levels,
- dropping empty bins,
- dropping small bins,
- dropping bins with missing name, or
- sorting the variables by their importance, see [effect_importance()]()-

Except for sort_by, all arguments are vectorized, i.e., you can pass a vector or list of the same length as object.

Usage

```
## S3 method for class 'EffectData'
update(
  object,
  sort_by = c("no", "pd", "pred_mean", "y_mean", "resid_mean", "ale"),
  to_factor = FALSE,
  collapse_m = 30L,
  collapse_by = c("weight", "N"),
  drop_empty = FALSE,
  drop_below_n = 0,
```

```
    drop_below_weight = 0,
    na.rm = FALSE,
    ...
)
```

Arguments

`object`	Object of class "EffectData".
`sort_by`	By which statistic ("pd", "pred_mean", "y_mean", "resid_mean", "ale") should the results be sorted? The default is "no" (no sorting). Calculated after all other update steps, e.g., after collapsing or dropping rare levels.
`to_factor`	Should discrete features be treated as factors? In combination with `collapse_m`, this can be used to collapse rare values of discrete numeric features.
`collapse_m`	If a factor or character feature has more than `collapse_m` levels, rare levels are collapsed into a new level "other". Standard deviations are collapsed via root of the weighted average variances. The default is 30. Set to `Inf` for no collapsing.
`collapse_by`	How to determine "rare" levels in `collapse_m`? Either "weight" (default) or "N". Only matters in situations with case weights w.
`drop_empty`	Drop empty bins. Equivalent to `drop_below_n = 1`.
`drop_below_n`	Drop bins with N below this value. Applied after collapsing.
`drop_below_weight`	
	Drop bins with weight below this value. Applied after collapsing.
`na.rm`	Should missing bin centers be dropped? Default is `FALSE`.
`...`	Currently not used.

Value

A modified object of class "EffectData".

See Also

[feature_effects()](), [average_observed()](), [average_predicted()](), [partial_dependence()](), [ale()](), [bias()](), [effect_importance()]()

Examples

```
fit <- lm(Sepal.Length ~ ., data = iris)
xvars <- colnames(iris)[-1]
feature_effects(fit, v = xvars, data = iris, y = "Sepal.Length", breaks = 5) |>
  update(sort = "pd", collapse_m = 2) |>
  plot()
```

Index