Package 'interpretCI'

October 13, 2022

Type Package

Title Estimate the Confidence Interval and Interpret Step by Step

Version 0.1.1

URL <https://github.com/cardiomoon/interpretCI>,

<https://cardiomoon.github.io/interpretCI/>

Description Estimate confidence intervals for mean, proportion, mean difference
for unpaired and paired samples and proportion difference. Plot the confidence
intervals. Generate documents explaining the statistical result step by step.

License GPL-3

Encoding UTF-8

Imports dplyr, purrr, tidyr, rlang, ggplot2, scales, ggbeeswarm,
patchwork, aplot, rstudioapi, rmarkdown, flextable, officer,
english, RColorBrewer, moonBook

Suggests knitr, PairedData, glue

RoxygenNote 7.1.2

VignetteBuilder knitr

NeedsCompilation no

Author Keon-Woong Moon [aut, cre]

Maintainer Keon-Woong Moon <cardiomoon@gmail.com>

Repository CRAN

Date/Publication 2022-01-28 08:50:02 UTC

R topics documented:

acs   *Demographic data of 857 patients with ACS*

Description

A dataset containing demographic data and laboratory data of 857 patients with acute coronary syndrome(ACS).

Usage

```
acs
```

Format

An object of class data.frame with 857 rows and 17 columns.

Examples

```
interpretCI::acs
```

---

draw_n   *Draw normal distribution curve*

Description

Draw normal distribution curve

Usage

```
draw_n(mean = 0, sd = 1, z = NULL, p = 0.05, alternative = "two.sided")
```

Arguments

mean	vector of means
sd	vector of standard deviations
z	vector of quantiles
p	vector of probabilities
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".

Value

A ggplot

Examples

```
draw_n()
draw_n(alternative="less")
draw_n(alternative="greater")
draw_n(z=-1.75)
draw_n(z=-1.75,alternative="greater")
draw_n(z=-1.75,alternative="less")
```

---

draw_t   *Draw t distribution curve*

Description

Draw t distribution curve

Usage

```
draw_t(DF = 50, t = NULL, p = 0.05, alternative = "two.sided")
```

Arguments

`DF`	numeric degree of freedom
`t`	numeric t value
`p`	numeric p value
`alternative`	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".

Value

A ggplot

Examples

```
draw_t(DF=30)
draw_t(DF=20,t=2.5)
draw_t(DF=49,t=1.77)
draw_t(DF=49,p=0.005)
draw_t(DF=19,t=-0.894,alternative="less")
draw_t(DF=146,t=0.67,alternative="greater")
```

English   *Convert numeric to string with uppercase first letter*

Description

Convert numeric to string with uppercase first letter

Usage

```
English(x, digits = 2)
```

Arguments

`x`	A numeric
`digits`	integer indicating the number of decimal places

Value

A string

Examples

```
English(40)
English(13.1)
```

english2 *Convert numeric to string*

Description

Convert numeric to string

Usage

```
english2(x, digits = 2)
```

Arguments

x	A numeric
digits	integer indicating the number of decimal places

Value

A character string

Examples

```
english2(45)
english2(12.34)
```

estimationPlot1 *Draw estimation plot1*

Description

Draw estimation plot1

Usage

```
estimationPlot1(x, palette = NULL)
```

Arguments

x	An object of class meanCI
palette	The name of color palette from RColorBrewer package or NULL

Value

A ggplot

Examples

```
x=meanCI(iris,Species,Sepal.Length)
estimationPlot1(x)
```

---

interpret   *Interpret an object of meanCI*

Description

Interpret an object of meanCI. Render appropriate rmarkdown file to html file and show RStudio viewer or browser.

Usage

```
interpret(x, viewer = "rstudio")
```

Arguments

x   An object of class "meanCI"

viewer   Character One of c("rstudio","browser")

Value

No return value, called for side effect

Examples

```
x=meanCI(mtcars$mpg)
x=meanCI(mtcars,mpg,mu=23)
x=meanCI(n=150,m=115,s=10,alpha=0.01)
x=meanCI(n=50,m=295,s=20,mu=300)
x= meanCI(n=20,m=108,s=10,mu=110,alpha=0.01,alternative="less")
x=meanCI(n1=500,n2=1000,m1=20,s1=3,m2=15,s2=2,alpha=0.01)
x=meanCI(n1=15,n2=20,m1=1000,s1=100,m2=950,s2=90,alpha=0.1)
x=meanCI(n1=30,n2=25,m1=78,s1=10,m2=85,s2=15,mu=0,alpha=0.10)
x=meanCI(n1=100,n2=100,m1=200,s1=40,m2=190,s2=20,mu=7,alpha=0.05,alternative="greater")
x1=c(95,89,76,92,91,53,67,88,75,85,90,85,87,85,85,68,81,84,71,46,75,80)
y1=c(90,85,73,90,90,53,68,90,78,89,95,83,83,83,82,65,79,83,60,47,77,83)
x=meanCI(x=x1,y=y1,paired=TRUE,alpha=0.1,mu=0)
x=propCI(n=1600,p=0.4,alpha=0.01)
x=propCI(n=100,p=0.73,P=0.8,alpha=0.01)
x=propCI(n=100,p=0.73,P=0.8,alpha=0.05,alternative="greater")
x=propCI(n1=100,n2=200,p1=0.38,p2=0.51,alpha=0.01)
x=propCI(n1=150,n2=100,p1=0.71,p2=0.63,P=0,alternative="greater")
## Not run:
interpret(x)
interpret(x,"browser")

## End(Not run)
```

---

is.mynumeric	*Decide whether a vector can be treated as a numeric variable*

Description

Decide whether a vector can be treated as a numeric variable

Usage

```
is.mynumeric(x, maxy.lev = 5)
```

Arguments

x	A vector
maxy.lev	An integer indicating the maximum number of unique values of a numeric variable be treated as a categorical variable

Value

logical

Examples

```
x=1:5
is.mynumeric(x)
x=1:13
is.mynumeric(x)
```

---

isProvided	*Whether the arg is provided in function call*

Description

Whether the arg is provided in function call

Usage

```
isProvided(x, seek = "mu")
```

Arguments

x	An object of class "meanCI" or function call or character string
seek	character. Default="mu"

Value

logical

Examples

```
x=meanCI(mtcars,am,mpg)
isProvided(x)
```

---

meanCI   *Calculate confidence intervals of mean or difference between means*

Description

Calculate confidence intervals of mean or difference between means

Usage

```
meanCI(x, ...)
```

Arguments

x	An object of class data.frame or vector
...	Further arguments

Value

An object of class "meanCI" which is a list containing at least the following components:

data A tibble containing raw data or a list of numeric vector

result A data.frame consist of summary statistics

call the matched call

attr(*,"measure") character. One of c("mean","unpaired","paired")

Examples

```
meanCI(mtcars$mpg)
meanCI(n=150,m=115,s=10,alpha=0.01)
meanCI(n=50,m=295,s=20,mu=300)
meanCI(n=20,m=108,s=10,mu=110,alpha=0.01,alternative="less")
meanCI(mtcars,am,mpg)
meanCI(n1=15,n2=20,m1=1000,s1=100,m2=950,s2=90,alpha=0.1)
meanCI(n1=500,n2=1000,m1=20,s1=3,m2=15,s2=2,alpha=0.01)
meanCI(n1=30,n2=25,m1=78,s1=10,m2=85,s2=15,alpha=0.10)
meanCI(n1=100,n2=100,m1=200,s1=40,m2=190,s2=20,mu=7,alpha=0.05,alternative="greater")
x=c(3.04,2.92,2.86,1.71,3.60,3.49,3.30,2.28,3.11,2.88,2.82,2.13,2.11,3.03,3.27,2.60,3.13)
y=c(2.56,3.47,2.65,2.77,3.26,3.00,2.70,3.20,3.39,3.00,3.19,2.58,2.98)
meanCI(x=x,y=y)
x=c(95,89,76,92,91,53,67,88,75,85,90,85,87,85,85,68,81,84,71,46,75,80)
y=c(90,85,73,90,90,53,68,90,78,89,95,83,83,83,82,65,79,83,60,47,77,83)
meanCI(x=x,y=y,paired=TRUE,alpha=0.1)
meanCI(10:30,1:15)
meanCI(acs,sex,age)
meanCI(iris$Sepal.Width,iris$Sepal.Length)
meanCI(iris$Sepal.Width,iris$Sepal.Length,paired=TRUE)
```

meanCI.data.frame	*Calculate confidence intervals of mean or difference between means in a data.frame*

Description

Calculate confidence intervals of mean or difference between means in a data.frame

Usage

```
## S3 method for class 'data.frame'
meanCI(x, ...)

meanCI_sub(data = data, x, y, group, paired = FALSE, idx = NULL, ...)
```

Arguments

x	Name of a categorical or numeric column. If !missing(y), name of continuous variable
...	Further arguments to be passed to meanCI
data	A data.frame
y	Name of a numeric column
group	Name of categorical column
paired	logical
idx	A vector containing factors or strings in the x columns. These must be quoted (ie. surrounded by quotation marks). The first element will be the control group, so all differences will be computed for every other group and this first group.

Value

An object of class "meanCI" which is a list containing at least the following components:

data A tibble containing raw data or a list of numeric vector

result A data.frame consists of summary statistics

call the matched call

attr(*,"measure") character. One of c("mean","unpaired","paired")

Methods (by generic)

- meanCI: S3 method for data.frame

Examples

```
meanCI(acs,age)
meanCI(acs,sex,age)
meanCI(acs,Dx,age)
acs %>% select(age) %>% meanCI()
acs %>% select(sex,age) %>% meanCI()
meanCI(iris,Species,Sepal.Length)
meanCI(iris,Sepal.Width,Sepal.Length,paired=TRUE)
meanCI(iris,Sepal.Length,Sepal.Width)
iris %>% select(starts_with("Petal")) %>% meanCI(paired=TRUE)
iris %>% meanCI(paired=TRUE)
meanCI(acs,sex,age,Dx,mu=10)
acs %>% select(sex,TC,TG,HDLC) %>% meanCI(group=sex)
acs %>% select(sex,TC,TG,HDLC) %>% meanCI(sex)
iris %>% select(Species,starts_with("Sepal")) %>% meanCI(Species)
iris %>% select(Species,starts_with("Sepal")) %>% meanCI(group=Species)
```

---

meanCI.default   *Calculate confidence intervals of mean or difference between means*

Description

Calculate confidence intervals of mean or difference between means

Usage

```
## Default S3 method:
meanCI(x, ...)

meanCI2(
  x,
  y,
  n,
  m,
  s,
  n1,
  n2,
  m1,
  m2,
  s1,
  s2,
  mu = 0,
  paired = FALSE,
  var.equal = FALSE,
  alpha = 0.05,
  digits = 2,
  alternative = "two.sided"
)
```

Arguments

x	A vector
...	Further arguments to be passed to meanCI2
y	A vector
n, n1, n2	integer sample(s) size
m, m1, m2	Numeric mean value of sample(s)
s, s1, s2	Numeric standard deviation of sample(s)
mu	numeric hypothesized true value of mean or mean difference
paired	logical If true, difference between paired sample calculated
var.equal	logical If true, pooled standard deviation is used
alpha	Numeric Confidence level
digits	integer indicating the number of decimal places
alternative	A character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".

Value

An object of class "meanCI" which is a list containing at least the following components:

data A tibble containing raw data or a list of numeric vector

result A data.frame containing of summary statistics

call the matched call

attr(*,"measure") character. One of c("mean","unpaired","paired")

Methods (by generic)

- meanCI: Default S3 method

---

meanCI2df *Prepare data to plot from an object of class meanCI*

Description

Prepare data to plot from an object of class meanCI

Usage

```
meanCI2df(x)
```

Arguments

x	An object of class meanCI

Value

A data.frame

Examples

```
x=meanCI(acs,sex,age)
meanCI2df(x)
```

---

meanCI2df1 *Extract data from an object of class meanCI*

Description

Extract data from an object of class meanCI

Usage

```
meanCI2df1(x)
```

Arguments

x   An object of class meanCI

Value

A data.frame summarizing mean and confidence interval

Examples

```
x=meanCI(acs,sex,age)
meanCI2df1(x)
```

---

meanCIplot1 *Draw meanCI plot for data with single vector*

Description

Draw meanCI plot for data with single vector

Usage

```
meanCIplot1(x)
```

Arguments

x   An object of class "meanCI" with attr(x,"measure")=="mean"

Value

A ggplot

Examples

```
x=meanCI(mtcars,mpg)
meanCIplot1(x)
```

---

pairPlot   *Draw a pair plot with an object of class meanCI*

Description

Draw a pair plot with an object of class meanCI

Usage

```
pairPlot(x, palette = NULL)
```

Arguments

x	An object of class "meanCI" with attr(x,"measure")=="paired"
palette	The name of color palette from RColorBrewer package or NULL

Value

A ggplot

Examples

```
x=meanCI(iris,paired=TRUE)
pairPlot(x)
x=meanCI(iris,Petal.Width, Petal.Length,paired=TRUE)
pairPlot(x)
```

---

pairPlot1   *Draw a pair plot*

Description

Draw a pair plot

Usage

```
pairPlot1(data, ref = NULL, palette = NULL)
```

Arguments

data	a data.frame
ref	Numeric or NULL
palette	The name of color palette from RColorBrewer package or NULL

Value

A ggplot

Examples

```
x=meanCI(mtcars,paired=TRUE)
pairPlot1(x$data)
pairPlot1(x$data,ref=c(1,4,6))
pairPlot1(x$data,ref=c(1,3))
```

---

palette2colors   *Extract hexadecimal colors from a color palette*

Description

Extract hexadecimal colors from a color palette

Usage

```
palette2colors(name, reverse = FALSE)
```

Arguments

name	The name of color palette from RColorBrewer package
reverse	Whether or not reverse the order of colors

Value

hexadecimal colors

Examples

```
palette2colors("Reds")
```

---

plot.meanCI *S3 method for an object of class "meanCI"*

Description

S3 method for an object of class "meanCI"

Usage

```
## S3 method for class 'meanCI'
plot(x, ref = "control", side = NULL, palette = NULL, ...)
```

Arguments

x	an object of class "meanCI"
ref	string One of c("test","control").
side	logical or NULL If true draw side by side plot
palette	The name of color palette from RColorBrewer package or NULL
...	Further arguments to be passed

Value

A ggplot or an object of class "plotCI" containing at least the following components: '

p1 A ggplot

p2 A ggplot

side logical

Examples

```
meanCI(mtcars,mpg) %>% plot()
meanCI(mtcars,am,mpg) %>% plot()
meanCI(iris,Sepal.Width) %>% plot()
meanCI(iris,Sepal.Width,Sepal.Length) %>% plot()

meanCI(iris,Sepal.Width,Sepal.Length,paired=TRUE) %>% plot(palette="Dark2")
meanCI(iris,Sepal.Width,Sepal.Length) %>% plot()
meanCI(iris,Species,Sepal.Width) %>% plot(side=TRUE)
meanCI(iris,Species,Sepal.Width,mu=0.5,alternative="less") %>% plot(ref="test")
meanCI(acs,age) %>% plot()
```

```
meanCI(acs,sex,age) %>% plot()
meanCI(acs,smoking,age) %>% plot(palette="Set1")
meanCI(acs,Dx,age) %>% plot()
meanCI(acs,Dx,age,sex,mu=0) %>% plot(palette="Dark2")
x=c(95,89,76,92,91,53,67,88,75,85,90,85,87,85,85,68,81,84,71,46,75,80)
y=c(90,85,73,90,90,53,68,90,78,89,95,83,83,83,82,65,79,83,60,47,77,83)
meanCI(x=x,y=y,paired=TRUE,alpha=0.1) %>% plot()
meanCI(10:30,1:15) %>% plot()
iris %>% meanCI() %>% plot(side=TRUE)
meanCI(n=150,m=115,s=10,alpha=0.01) %>% plot()
meanCI(n1=30,n2=25,m1=78,s1=10,m2=85,s2=15,alpha=0.10) %>% plot()
data(anscombe2,package="PairedData")
meanCI(anscombe2,idx=list(c("X1","Y1"),c("X4","Y4"),c("X3","Y3"),c("X2","Y2")),
paired=TRUE,mu=0) %>% plot()
x=meanCI(anscombe2,idx=list(c("X1","X2","X3","X4"),c("Y1","Y2","Y3","Y4")),paired=TRUE,mu=0)
plot(x)
longdf=tidyr::pivot_longer(anscombe2,cols=X1:Y4)
x=meanCI(longdf,name,value,idx=list(c("X1","X2","X3","X4"),c("Y1","Y2","Y3","Y4")),paired=TRUE,mu=0)
plot(x)
acs %>% select(sex,TC,TG,HDLC) %>% meanCI(group=sex) %>% plot()
acs %>% select(sex,TC,TG,HDLC) %>% meanCI(sex) %>% plot()
```

---

print.meanCI   *S3 method "print" for class "meanCI"*

Description

S3 method "print" for class "meanCI"

Usage

```
## S3 method for class 'meanCI'
print(x, ...)
```

Arguments

x   An object of class "meanCI"

...   Further arguments

Value

No return value, called for side effect

---

print.plotCI   *S3 method for class plotCI*

Description

S3 method for class plotCI

Usage

```
## S3 method for class 'plotCI'
print(x, ...)
```

Arguments

x	An object of class plotCI
...	Further arguments

Value

No return value, called for side effect

---

propCI   *Calculate confidence intervals of proportion or difference between proportions*

Description

Calculate confidence intervals of proportion or difference between proportions

Usage

```
propCI(
  x,
  y,
  n,
  p,
  n1,
  n2,
  p1,
  p2,
  P = 0,
  alpha = 0.05,
  digits = 2,
  alternative = "two.sided"
)
```

Arguments

x	A vector
y	A vector
n, n1, n2	integer sample size
p, p1, p2, P	Numeric proportion
alpha	numeric confidence level
digits	integer indicating the number of decimal places
alternative	A character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".

Value

A list containing at least the following components:

data A tibble containing raw data or a list of numeric vector

result A data.frame consists of summary statistics

call the matched call

attr(*,"measure") character. One of c("prop","propdiff")

#' @examples propCI(acs$sex) propCI(acs$sex,acs$DM) propCI(n=1600,p=0.4,alpha=0.01) propCI(n=100,p=0.73,P=0.8,al
propCI(n1=400,n2=300,p1=0.4,p2=0.3,alpha=0.1) propCI(n1=100,n2=200,p1=0.38,p2=0.51,alpha=0.01)
propCI(n1=100,n2=200,p1=0.38,p2=0.51,alpha=0.01,alternative="less")

---

propCI_sub	*Calculate confidence intervals of proportion or difference between proportions in a data.frame*

Description

Calculate confidence intervals of proportion or difference between proportions in a data.frame

Usage

```
propCI_sub(data, x, y = NULL)
```

Arguments

data	A data.frame
x	Character Name of a categorical column
y	Character Optional. Name of another categorical column

Value

A list containing at least the following components:

data A tibble containing raw data or a list of numeric vector

result A data.frame consists of summary statistics

call the matched call

attr(*,"measure") character. One of c("prop","propdiff")

Examples

```
propCI_sub(acs,"sex")
propCI_sub(acs,"sex","HBP")
```

---

rstudio_viewer   *Show html file in RStudio viewer or browser*

Description

Show html file in RStudio viewer or browser

Usage

```
rstudio_viewer(file_name, file_path = NULL, viewer = "rstudio")
```

Arguments

file_name	character file name
file_path	character file path
viewer	Character One of c("rstudio","browser")

Value

No return value, called for side effect

---

show_t_table   *Show t-value table*

Description

Show t-value table

Usage

```
show_t_table(DF = 20, p = 0.05, alternative = "two.sided")
```

Arguments

DF	Numeric degree of freedom
p	Numeric probability
alternative	Character One of c("two.sided","greater","less")

Value

An object of class "flextable"

Examples

```
show_t_table()
```

---

show_z_table   *Show z-value table*

Description

Show z-value table

Usage

```
show_z_table(p = 0.05, alternative = "two.sided")
```

Arguments

p	Numeric probability
alternative	Character One of c("two.sided","greater","less")

Value

An object of class "flextable"

Examples

```
show_z_table()
show_z_table(p=0.01)
```

---

textBox   *Draw textbox*

Description

Draw textbox

Usage

```
textBox(
  string,
  color = "black",
  lcolor = "red",
  bg = "cornsilk",
  lwd = 1,
  width = 10,
  bold = FALSE,
  italic = FALSE,
  fontsize = 11,
  space = 1.5,
  fontname
)
```

Arguments

string	string
color	font color
lcolor	line color
bg	background color
lwd	numeric line width
width	numeric box width
bold, italic	logical
fontsize	numeric font size
space	space between lines
fontname	name of font

Value

A flextable

Examples

```
string="Good Morning!"
textBox(string,italic=TRUE)
```

Index