Package 'ODataQuery'

October 12, 2022

Type Package

Title Querying on 'OData'

Version 0.5.3

Description Make querying on 'OData' easier. It exposes an 'ODataQuery' object
that can be manipulated and provides features such as selection, filtering
and ordering.

License GPL-3

Encoding UTF-8

LazyData false

Imports R6, httr, jsonlite, rlang

RoxygenNote 7.1.1

Suggests knitr, rmarkdown, tinytest, utils

VignetteBuilder knitr

NeedsCompilation no

Author Laurent Verweijen [aut, cre]

Maintainer Laurent Verweijen <lauwerund+github@gmail.com>

Repository CRAN

Date/Publication 2021-07-05 09:30:02 UTC

R topics documented:

---

and_query	*Create a combined filter*

Description

Create a combined filter

Usage

```
and_query(...)

or_query(...)

not_query(...)
```

Arguments

`...`	Raw odata queries or query options.

Details

This function can be used with raw values or query options

1. Raw odata queries Raw OData can be passed as string. It's the responsibility of the caller that the argument is valid syntax and values are escaped.
2. Query options Query options can be passed as named parameters.

Query options should be of the following form: `property.operator = value`

- Property should be a property of the entity or individual.
- Operation can have any of the following values:
    - eq Whether property is equal to value.
    - ne Whether property is not equal to value.
    - gt Whether property is greater than value.
    - ge Whether property is greater than or equal to value.
    - lt Whether property is lower than value.
    - le Whether property is lower than or equal to value.
    - has Whether property has value as enumeration property.
    - startswith Whether property starts with value.
    - endswith Whether property ends with value.
    - contains Whether property contains value.
- Value should be a string, double or boolean and will be escaped automatically.

See Also

https://docs.oasis-open.org/odata/odata/v4.0/errata03/os/complete/part2-url-conventions/

Examples

```
and_query("Column eq OtherColumn",
          FirstName.startswith = 'A',
          LastName.eq = 'Scott')

or_query("ExpireDate eq null",
         ExpireDate.lt = "2020-07-07")

not_query(or_query(Age.lt = 21, Age.gt = 65))
```

ODataQuery   *ODataQuery*

Description

R6 class that represents an OData query

Details

This class has methods to build and navigate OData services:

- Use methods such as $path() and $get() to find a path.
- Use methods such as $select() and $filter() to make your query.
- Use methods such as $retrieve(), $all() and $one() to obtain the results.

Active bindings

url Generate (encoded) url

Methods

Public methods:

- [ODataQuery$new()](#)
- [ODataQuery$print()](#)
- [ODataQuery$path()](#)
- [ODataQuery$get()](#)
- [ODataQuery$func()](#)
- [ODataQuery$query()](#)
- [ODataQuery$top()](#)
- [ODataQuery$skip()](#)
- [ODataQuery$select()](#)
- [ODataQuery$filter()](#)
- [ODataQuery$expand()](#)
- [ODataQuery$orderby()](#)

- [ODataQuery$search()](#)
- [ODataQuery$compute()](#)
- [ODataQuery$retrieve()](#)
- [ODataQuery$all()](#)
- [ODataQuery$one()](#)

Method `new()`: Create a class representing a query.

Usage:
```
ODataQuery$new(
  service,
  .resource = "",
  .query_options = list(),
  httr_args = list()
)
```

Arguments:

`service` The url of the endpoint to connect to. This url should not end with backslash.

`.resource` Should not be used directly. Use $path() instead.

`.query_options` Should not be used directly. Use methods such as $select(), $filter() and $query() instead.

`httr_args` Additional parameters to pass to httr::GET

`value` Read-only

Examples:
```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
```

Method `print()`: Print query, useful when debugging.

Usage:
```
ODataQuery$print(top = 0, ...)
```

Arguments:

`top` Number of records to print.

`...` Additional parameters are passed to print

Examples:
```
\dontrun{
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
service$print(10)$path("People")$print()
}
```

Method `path()`: Supply path to the resource

Usage:
```
ODataQuery$path(...)
```

Arguments:

`...` Components that lead to resource path

Examples:

```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
```

Method `get()`: Query an individual record by ID parameters

Usage:
```
ODataQuery$get(...)
```

Arguments:

... ID-parameters (named or unnamed)

Examples:
```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
russellwhyte <- people_entity$get("russellwhyte")
```

Method `func()`: Path to an OData function

Usage:
```
ODataQuery$func(fname, ...)
```

Arguments:

fname Name of the function

... Options passed to retrieve_data

Returns: closure

Examples:
```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
get_nearest_airport <- service$func('GetNearestAirport')
\dontrun{
get_nearest_airport(lat = 33, lon = -118)
}
```

Method `query()`: Supply custom query options that do not start with $

Usage:
```
ODataQuery$query(...)
```

Arguments:

... Named lists where the names are custom query options

Examples:
```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$query(filter = "FirstName eq 'scott'")$url
```

Method `top()`: Limit the number of results to n

Usage:
```
ODataQuery$top(n = 10)
```

Arguments:

n Number of records to return at most

Examples:

```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$top(10)
```

Method skip(): Skip first few items

Usage:

```
ODataQuery$skip(n = 10)
```

Arguments:

n Number of items to skip

Examples:

```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$skip(10)
```

Method select(): Select fields. If not present, all fields are returned.

Usage:

```
ODataQuery$select(...)
```

Arguments:

. . . Fields to select

Examples:

```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$select("FirstName", "LastName")
```

Method filter(): Apply filter to result

Usage:

```
ODataQuery$filter(...)
```

Arguments:

. . . Can be a raw odata query or query options. It's recommended to use query options because these will automatically escape parameters. The parameters are passed on to and_query.

Examples:

```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$filter(FirstName.eq = 'Scott')
```

Method expand(): Expand on expansion properties

Usage:

```
ODataQuery$expand(...)
```

Arguments:

. . . Properties to extend on

Examples:

```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$expand("Friends")
```

Method orderby(): Order results by one or more keys

Usage:
```
ODataQuery$orderby(...)
```

Arguments:

. . . Keys to order by. To order in descending order, the key can be prefixed by a negative sign.

Examples:
```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$orderby('Concurrency')
people_entity$orderby('-Concurrency')
```

Method search(): Search the entity

Usage:
```
ODataQuery$search(s)
```

Arguments:

s Search string as defined by the endpoint.

Examples:
```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$search('Boise')
```

Method compute(): Compute properties

Add additional properties to query computed from other attributes.

Usage:
```
ODataQuery$compute(...)
```

Arguments:

. . . Named list of properties to compute

Examples:
```
# Not really supported by this particular service.
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$compute(a = "5 MUL Concurrency")
```

Method retrieve(): Retrieve data

Usage:
```
ODataQuery$retrieve(count = FALSE, ...)
```

Arguments:

count Whether to include a count of the total number of records

. . . Passed to retrieve_data

Examples:
```
\dontrun{
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity$retrieve()
}
```

Method `all()`: Retrieve all data pages

Return concatenation of value of all pages

Usage:
```
ODataQuery$all(...)
```

Arguments:

`...` Passed to retrieve_all

Examples:
```
\dontrun{
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity$all()
people_entity$all(jsonlite_args = list(simplifyVector = False))
}
```

Method `one()`: Retrieve individual

Usage:
```
ODataQuery$one(...)
```

Arguments:

`...` Passed to retrieve_one

Examples:
```
\dontrun{
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity$top(1)$one(default = NA)
}
```

See Also

[and_query()](#) for details.

Examples

```
## ------------------------------------------------
## Method `ODataQuery$new`
## ------------------------------------------------

service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")

## ------------------------------------------------
## Method `ODataQuery$print`
## ------------------------------------------------
```

```
## Not run:
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
service$print(10)$path("People")$print()

## End(Not run)

## ------------------------------------------------
## Method `ODataQuery$path`
## ------------------------------------------------

service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")

## ------------------------------------------------
## Method `ODataQuery$get`
## ------------------------------------------------

service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
russellwhyte <- people_entity$get("russellwhyte")

## ------------------------------------------------
## Method `ODataQuery$func`
## ------------------------------------------------

service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
get_nearest_airport <- service$func('GetNearestAirport')
## Not run:
get_nearest_airport(lat = 33, lon = -118)

## End(Not run)

## ------------------------------------------------
## Method `ODataQuery$query`
## ------------------------------------------------

service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$query(filter = "FirstName eq 'scott'")$url

## ------------------------------------------------
## Method `ODataQuery$top`
## ------------------------------------------------

service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$top(10)

## ------------------------------------------------
## Method `ODataQuery$skip`
## ------------------------------------------------
```

```
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$skip(10)


## ------------------------------------------------
## Method `ODataQuery$select`
## ------------------------------------------------

service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$select("FirstName", "LastName")


## ------------------------------------------------
## Method `ODataQuery$filter`
## ------------------------------------------------

service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$filter(FirstName.eq = 'Scott')


## ------------------------------------------------
## Method `ODataQuery$expand`
## ------------------------------------------------

service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$expand("Friends")


## ------------------------------------------------
## Method `ODataQuery$orderby`
## ------------------------------------------------

service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$orderby('Concurrency')
people_entity$orderby('-Concurrency')


## ------------------------------------------------
## Method `ODataQuery$search`
## ------------------------------------------------

service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$search('Boise')


## ------------------------------------------------
## Method `ODataQuery$compute`
## ------------------------------------------------

# Not really supported by this particular service.
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity <- service$path("People")
people_entity$compute(a = "5 MUL Concurrency")
```

```
## ------------------------------------------------
## Method `ODataQuery$retrieve`
## ------------------------------------------------

## Not run:
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity$retrieve()

## End(Not run)

## ------------------------------------------------
## Method `ODataQuery$all`
## ------------------------------------------------

## Not run:
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity$all()
people_entity$all(jsonlite_args = list(simplifyVector = False))

## End(Not run)

## ------------------------------------------------
## Method `ODataQuery$one`
## ------------------------------------------------

## Not run:
service <- ODataQuery$new("https://services.odata.org/V4/TripPinServiceRW")
people_entity$top(1)$one(default = NA)

## End(Not run)
```

---

odata_function   *Make an OData function available to R*

Description

This turns an OData function into an R function Parameters are serialized to json. Scalar arguments
should be passed as atomic vectors. Array or object arguments should be passed as list.

Usage

```
odata_function(url, metadata = c("none", "minimal", "all"), ...)
```

Arguments

url	Which url to fetch data from
metadata	Whether and how metadata is included
...	Arguments passed on to `retrieve_data`

        httr_args List of additional arguments passed on to httr::GET

        jsonlite_args List of additional arguments passed on to jsonlite::fromJSON

Value

An R function

See Also

Other retrieve: [retrieve_all](), [retrieve_data](), [retrieve_one]()

---

retrieve_all	*Retrieve data. If data is paged, concatenate pages. Only return the value without metadata.*

Description

Retrieve data. If data is paged, concatenate pages. Only return the value without metadata.

Usage

```
retrieve_all(url, ...)
```

Arguments

url	Which url to fetch data from
...	Arguments passed on to [retrieve_data](#)
	metadata Whether and how metadata is included
	httr_args List of additional arguments passed on to httr::GET
	jsonlite_args List of additional arguments passed on to jsonlite::fromJSON

See Also

Other retrieve: [odata_function](), [retrieve_data](), [retrieve_one]()

Examples

```
## Not run:
url <- "https://services.odata.org/V4/TripPinServiceRW/People"
retrieve_all(url)

## End(Not run)
```

```
retrieve_data                    Retrieve data
```

Description

Retrieve data

Usage

```
retrieve_data(
  url,
  metadata = c("none", "minimal", "all"),
  httr_args = list(),
  jsonlite_args = list()
)
```

Arguments

url	Which url to fetch data from
metadata	Whether and how metadata is included
httr_args	List of additional arguments passed on to httr::GET
jsonlite_args	List of additional arguments passed on to jsonlite::fromJSON

Value

Data including metadata

See Also

Other retrieve: [odata_function](), [retrieve_all](), [retrieve_one]()

Examples

```
## Not run:
url <- "https://services.odata.org/V4/TripPinServiceRW"
retrieve_data(url)

## End(Not run)
```

retrieve_one   *Retrieve single instance.*

Description

Retrieve single instance.

Usage

```
retrieve_one(url, default = stop("value not found"), ...)
```

Arguments

url	Which url to fetch data from
default	The default if nothing was found. If not specified, an error is thrown in this case.
...	Arguments passed on to retrieve_data
	metadata Whether and how metadata is included
	httr_args List of additional arguments passed on to httr::GET
	jsonlite_args List of additional arguments passed on to jsonlite::fromJSON

Value

Single value or default if none. If the result consists of multiple records, an error is thrown.

See Also

Other retrieve: odata_function(), retrieve_all(), retrieve_data()

Examples

```
## Not run:
url <- "https://services.odata.org/V4/TripPinServiceRW/People?$top=1"
retrieve_one(url)

url <- "https://services.odata.org/V4/TripPinServiceRW/People('russellwhyte')"
retrieve_one(url)

## End(Not run)
```

---

to_odata	*Macro to convert R to OData syntax*

Description

Macro to convert R to OData syntax

Usage

```
to_odata(expr)

to_odata_(expr)
```

Arguments

expr	Expression to convert to OData

Details

to_odata takes unquote R code and quotes its input. Use !! to unquote an argument. to_odata_ requires its argument to be quoted already.

Only a subset of R is supported.

* arithmatic The operators +, -, *, / and

* strings (characters in R) toupper, tolower, startsWith, endsWith, nchar, paste, paste0, trimws

* arrays (lists in R) list, append, length

* Formulae become lambdas in OData (x ~ x$Name == "John")

Every unknown function is passed as is. If the function name is surrounded by percent signs it's treated as an infix operator.

Examples

```
to_odata(Field == value)
address <- "Bakerstreet 4"
to_odata(!!address %in% Adresses)
to_odata(Friends$any(f ~ f$FirstName == 'John'))
```

Index