Package 'jquerylib'

October 13, 2022

Title Obtain 'jQuery' as an HTML Dependency Object

Version 0.1.4

Description

Obtain any major version of 'jQuery' (<https://code.jquery.com/>) and use it in any webpage generated by 'htmltools' (e.g. 'shiny', 'htmlwidgets', and 'rmarkdown').
Most R users don't need to use this package directly, but other R packages (e.g. 'shiny', 'rmarkdown', etc.) depend on this package to avoid bundling redundant copies of 'jQuery'.

License MIT + file LICENSE

Encoding UTF-8

Config/testthat/edition 3

RoxygenNote 7.0.2

Imports htmltools

Suggests testthat

NeedsCompilation no

Author Carson Sievert [aut, cre] (<https://orcid.org/0000-0002-4958-2844>),
Joe Cheng [aut],
RStudio [cph],
jQuery Foundation [cph] (jQuery library and jQuery UI library),
jQuery contributors [ctb, cph] (jQuery library; authors listed in
inst/lib/jquery-AUTHORS.txt)

Maintainer Carson Sievert <carson@rstudio.com>

Repository CRAN

Date/Publication 2021-04-26 17:10:02 UTC

R topics documented:

---

jquery_core   *Obtain jQuery Core as an HTML dependency*

Description

Obtain jQuery Core as an HTML dependency

Usage

```
jquery_core(major_version = 3, minified = getOption("shiny.minified",
  TRUE))
```

Arguments

major_version	The major version of jQuery Core. Currrently 1, 2, and 3 are supported.
minified	whether or not to provide a minified JavaScript file.

Value

A htmltools::htmlDependency() object.

Index