Package 'vinereg'

Type Package

Title D-Vine Quantile Regression

Version 0.10.0

Maintainer Thomas Nagler <mail@tnagler.com>

Description Implements D-vine quantile regression models with
parametric or nonparametric pair-copulas. See
Kraus and Czado (2017) <doi:10.1016/j.csda.2016.12.009> and
Schallhorn et al. (2017) <arXiv:1705.08310>.

License GPL-3

Imports rvinecopulib (>= 0.6.1.1.2), kde1d (>= 1.0.2), Rcpp,
assertthat

LinkingTo rvinecopulib, RcppEigen, Rcpp, BH, wdm, RcppThread, kde1d

RoxygenNote 7.2.3

Suggests knitr, rmarkdown, ggplot2, AppliedPredictiveModeling,
quantreg, tidyr, dplyr, purrr, scales, mgcv, testthat, covr

VignetteBuilder knitr

URL https://tnagler.github.io/vinereg/

BugReports https://github.com/tnagler/vinereg/issues

Encoding UTF-8

NeedsCompilation yes

Author Thomas Nagler [aut, cre],
Dani Kraus [ctb]

Repository CRAN

Date/Publication 2024-02-09 16:00:02 UTC

R topics documented:

---

cll   *Conditional log-likelihood*

Description

Calculates the conditional log-likelihood of the response given the covariates.

Usage

```
cll(object, newdata, cores = 1)
```

Arguments

object	an object of class vinereg.
newdata	matrix of response and covariate values for which to compute the conditional distribution.
cores	integer; the number of cores to use for computations.

Examples

```
# simulate data
x <- matrix(rnorm(200), 100, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(100, 2, 0.5)))

# fit vine regression model
fit <- vinereg(y ~ ., dat)

cll(fit, dat)
fit$stats$cll
```

---

cpdf *Conditional PDF*

Description

Calculates the conditional density of the response given the covariates.

Usage

```
cpdf(object, newdata, cores = 1)
```

Arguments

object	an object of class `vinereg`.
newdata	matrix of response and covariate values for which to compute the conditional density
cores	integer; the number of cores to use for computations.

Examples

```
# simulate data
x <- matrix(rnorm(200), 100, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(100, 2, 0.5)))

# fit vine regression model
fit <- vinereg(y ~ ., dat)

cpdf(fit, dat)
```

---

cpit *Conditional probability integral transform*

Description

Calculates the conditional distribution of the response given the covariates.

Usage

```
cpit(object, newdata, cores = 1)
```

Arguments

object	an object of class `vinereg`.
newdata	matrix of response and covariate values for which to compute the conditional distribution.
cores	integer; the number of cores to use for computations.

Examples

```
# simulate data
x <- matrix(rnorm(200), 100, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(100, 2, 0.5)))

# fit vine regression model
fit <- vinereg(y ~ ., dat)

hist(cpit(fit, dat)) # should be approximately uniform
```

---

plot_effects   *Plot marginal effects of a D-vine regression model*

Description

The marginal effects of a variable is the expected effect, where expectation is meant with respect to all other variables.

Usage

```
plot_effects(object, alpha = c(0.1, 0.5, 0.9), vars = object$order)
```

Arguments

object	a `vinereg` object
alpha	vector of quantile levels.
vars	vector of variable names.

Examples

```
# simulate data
x <- matrix(rnorm(200), 100, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(100, 2, 0.5)))

# fit vine regression model
fit <- vinereg(y ~ ., dat)
plot_effects(fit)
```

---

predict.vinereg	*Predict conditional mean and quantiles from a D-vine regression model*

Description

Predict conditional mean and quantiles from a D-vine regression model

Usage

```
## S3 method for class 'vinereg'
predict(object, newdata, alpha = 0.5, cores = 1, ...)

## S3 method for class 'vinereg'
fitted(object, alpha = 0.5, ...)
```

Arguments

object	an object of class vinereg.
newdata	matrix of covariate values for which to predict the quantile.
alpha	vector of quantile levels; NA predicts the mean based on an average of the 1:10 / 11-quantiles.
cores	integer; the number of cores to use for computations.
...	unused.

Value

A data.frame of quantiles where each column corresponds to one value of alpha.

See Also

[vinereg](#)

Examples

```
# simulate data
x <- matrix(rnorm(200), 100, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(100, 2, 0.5)))

# fit vine regression model
(fit <- vinereg(y ~ ., dat))

# inspect model
summary(fit)
plot_effects(fit)
```

```
# model predictions
mu_hat <- predict(fit, newdata = dat, alpha = NA) # mean
med_hat <- predict(fit, newdata = dat, alpha = 0.5) # median

# observed vs predicted
plot(cbind(y, mu_hat))

## fixed variable order (no selection)
(fit <- vinereg(y ~ ., dat, order = c("x.2", "x.1", "z.1")))
```

---

vinereg   *D-vine regression models*

Description

Sequential estimation of a regression D-vine for the purpose of quantile prediction as described in Kraus and Czado (2017).

Usage

```
vinereg(
  formula,
  data,
  family_set = "parametric",
  selcrit = "aic",
  order = NA,
  par_1d = list(),
  weights = numeric(),
  cores = 1,
  ...,
  uscale = FALSE
)
```

Arguments

formula	an object of class "formula"; same as [lm()]().
data	data frame (or object coercible by [as.data.frame()]()) containing the variables in the model.
family_set	see family_set argument of [rvinecopulib::bicop()]().
selcrit	selection criterion based on conditional log-likelihood. "loglik" (default) imposes no correction; other choices are "aic" and "bic".
order	the order of covariates in the D-vine, provided as vector of variable names (after calling vinereg:::expand_factors(model.frame(formula, data))); selected automatically if order = NA (default).
par_1d	list of options passed to [kde1d::kde1d()](), must be one value for each margin, e.g. list(xmin = c(0, 0, NaN)) if the response and first covariate have non-negative support.

weights	optional vector of weights for each observation.
cores	integer; the number of cores to use for computations.
...	further arguments passed to rvinecopulib::bicop().
uscale	if TRUE, vinereg assumes that marginal distributions have been taken care of in a preliminary step.

Details

If discrete variables are declared as ordered() or factor(), they are handled as described in Panagiotelis et al. (2012). This is different from previous version where the data was jittered before fitting.

Value

An object of class vinereg. It is a list containing the elements

formula the formula used for the fit.

selcrit criterion used for variable selection.

model_frame the data used to fit the regression model.

margins list of marginal models fitted by [kde1d::kde1d()](kde1d::kde1d()).

vine an rvinecopulib::vinecop_dist() object containing the fitted D-vine.

stats fit statistics such as conditional log-likelihood/AIC/BIC and p-values for each variable's contribution.

order order of the covariates chosen by the variable selection algorithm.

selected_vars indices of selected variables.

Use predict.vinereg() to predict conditional quantiles. summary.vinereg() shows the contribution of each selected variable with the associated p-value derived from a likelihood ratio test.

References

Kraus and Czado (2017), D-vine copula based quantile regression, Computational Statistics and Data Analysis, 110, 1-18

Panagiotelis, A., Czado, C., & Joe, H. (2012). Pair copula constructions for multivariate discrete data. Journal of the American Statistical Association, 107(499), 1063-1072.

See Also

predict.vinereg

Examples

```
# simulate data
x <- matrix(rnorm(200), 100, 2)
y <- x %*% c(1, -2)
dat <- data.frame(y = y, x = x, z = as.factor(rbinom(100, 2, 0.5)))
```

```
# fit vine regression model
(fit <- vinereg(y ~ ., dat))

# inspect model
summary(fit)
plot_effects(fit)

# model predictions
mu_hat <- predict(fit, newdata = dat, alpha = NA) # mean
med_hat <- predict(fit, newdata = dat, alpha = 0.5) # median

# observed vs predicted
plot(cbind(y, mu_hat))

## fixed variable order (no selection)
(fit <- vinereg(y ~ ., dat, order = c("x.2", "x.1", "z.1")))
```

Index