Assignment 10 - Source Code

20 files

q1_landing.css

```
/* Q1 - only the extras Bootstrap doesn't give us */
.hero {
  background: linear-gradient(rgba(13, 32, 80, .75), rgba(13, 32, 80, .75)),
    url("https://picsum.photos/id/1048/1600/700") center/cover;
}
```

q1_landing.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <!-- viewport meta tag is needed for Bootstrap to be responsive on phones -->
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>NovaTech - Launch Faster</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="q1_landing.css" rel="stylesheet">
</head>
<body>
  <header class="bg-dark">
    <!-- navbar-expand-lg: collapses into a hamburger menu below the lg breakpoint -->
    <nav class="navbar navbar-expand-lg navbar-dark container">
      <a class="navbar-brand fw-bold" href="#">NovaTech</a>
      <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#menu" aria-
          label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="menu">
        <ul class="navbar-nav ms-auto">
          <li class="nav-item"><a class="nav-link active" href="#">Home</a></li>
          <li class="nav-item"><a class="nav-link" href="#features">Features</a></li>
          <li class="nav-item"><a class="nav-link" href="#contact">Contact</a></li>
        </ul>
      </div>
    </nav>
  </header>

  <main>
    <!-- hero: py-5 = vertical padding, text-center = centered text -->
    <section class="hero text-center text-white py-5">
      <div class="container py-5">
        <h1 class="display-3 fw-bold">Build products people love</h1>
        <p class="lead mb-4">NovaTech helps startups ship faster with simple, powerful cloud tools.</p>
        <a href="#features" class="btn btn-primary btn-lg">Get Started</a>
      </div>
    </section>

    <section id="features" class="py-5">
      <div class="container">
        <!-- row + col-md-4: 3 equal columns on tablets and up, stacked on mobile -->
        <div class="row g-4 text-center">
          <div class="col-md-4"><h3>Fast Setup</h3><p>Get your project live in minutes, not
              weeks.</p></div>
          <div class="col-md-4"><h3>Secure</h3><p>Built-in encryption and daily backups come
              standard.</p></div>
          <div class="col-md-4"><h3>Scalable</h3><p>From 10 users to 10 million without changing a
              thing.</p></div>
        </div>
      </div>
    </section>
  </main>

  <footer id="contact" class="bg-dark text-white-50 text-center py-3">
    <small>&copy; 2026 NovaTech Pvt. Ltd. | hello@novatech.example</small>
  </footer>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
</body>
```

```
</html>
```

q2_portfolio.css

```
/* Q2 - fixed size so the circle crop looks right */
.profile-img { width: 160px; height: 160px; object-fit: cover; border: 4px solid #fff; box-shadow: 0 2px
    8px rgba(0,0,0,.2); }
```

q2_portfolio.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Vikas | Web Developer</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="q2_portfolio.css" rel="stylesheet">
</head>
<body>
  <!-- bg-light + text-dark = light grey background with dark text; p-5 = big padding -->
  <header class="bg-light text-dark text-center p-5">
    <div class="container">
      <img src="https://i.pravatar.cc/200?img=12" class="img-fluid rounded-circle mb-3 profile-img"
          alt="Profile photo">
      <h1 class="fw-bold">Vikas Kumar</h1>
      <p class="text-muted">Front-end developer who loves clean, responsive interfaces.</p>
      <a href="#contact" class="btn btn-primary me-2">Hire Me</a>
      <a href="#" class="btn btn-outline-dark">Download CV</a>
    </div>
  </header>

  <main class="container text-center">
    <section class="mt-4 mb-3">
      <h2 class="fw-bold">About Me</h2>
      <p>I build websites with HTML, CSS, JavaScript and Bootstrap. Currently training to become a full-
          stack developer.</p>
    </section>

    <section id="contact" class="mt-4 mb-5 col-md-6 mx-auto">
      <h2 class="fw-bold mb-3">Contact Me</h2>
      <form>
        <input type="text" class="form-control mb-3" placeholder="Your name">
        <input type="email" class="form-control mb-3" placeholder="Your email">
        <textarea class="form-control mb-3" rows="3" placeholder="Message"></textarea>
        <button type="button" class="btn btn-success">Send</button>
      </form>
    </section>
  </main>

  <footer class="bg-dark text-white text-center p-3"><small>&copy; 2026 Vikas Kumar</small></footer>
</body>
</html>
```

q3_catalog.css

```
/* Q3 - hover effect: card lifts up and gets a bigger shadow */
.product { transition: transform .25s ease, box-shadow .25s ease; }
.product:hover { transform: translateY(-6px); box-shadow: 0 .75rem 1.5rem rgba(0,0,0,.2) !important; }
.product img { height: 180px; object-fit: cover; }
```

q3_catalog.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>ShopEasy - Products</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="q3_catalog.css" rel="stylesheet">
</head>
<body class="bg-light">
  <header class="bg-dark text-white text-center py-4"><h1 class="h3 m-0">ShopEasy Catalog</h1></header>
  <main class="container py-4">
    <!-- col-12 = 1 column on mobile, col-sm-6 = 2 on tablets, col-md-3 = 4 on desktop -->
    <div class="row g-4">
      <div class="col-12 col-sm-6 col-md-3">
        <article class="card h-100 product shadow-sm">
          <img src="https://picsum.photos/id/1/400/300" class="card-img-top" alt="Laptop">
          <div class="card-body d-flex flex-column"><h5 class="card-title">Slim Laptop</h5><p class="fw-
              bold">Rs. 52,999</p><button class="btn btn-primary mt-auto">Add to Cart</button></div>
        </article>
      </div>
      <div class="col-12 col-sm-6 col-md-3">
        <article class="card h-100 product shadow-sm">
          <img src="https://picsum.photos/id/3/400/300" class="card-img-top" alt="Desk setup">
          <div class="card-body d-flex flex-column"><h5 class="card-title">Wireless Keyboard</h5><p
              class="fw-bold">Rs. 1,899</p><button class="btn btn-primary mt-auto">Add to
              Cart</button></div>
        </article>
      </div>
      <div class="col-12 col-sm-6 col-md-3">
        <article class="card h-100 product shadow-sm">
          <img src="https://picsum.photos/id/119/400/300" class="card-img-top" alt="Camera">
          <div class="card-body d-flex flex-column"><h5 class="card-title">Mirrorless Camera</h5><p
              class="fw-bold">Rs. 38,500</p><button class="btn btn-primary mt-auto">Add to
              Cart</button></div>
        </article>
      </div>
      <div class="col-12 col-sm-6 col-md-3">
        <article class="card h-100 product shadow-sm">
          <img src="https://picsum.photos/id/96/400/300" class="card-img-top" alt="Headphones">
          <div class="card-body d-flex flex-column"><h5 class="card-title">Studio Headphones</h5><p
              class="fw-bold">Rs. 4,299</p><button class="btn btn-primary mt-auto">Add to
              Cart</button></div>
        </article>
      </div>
      <div class="col-12 col-sm-6 col-md-3">
        <article class="card h-100 product shadow-sm">
          <img src="https://picsum.photos/id/160/400/300" class="card-img-top" alt="Watch">
          <div class="card-body d-flex flex-column"><h5 class="card-title">Smart Watch</h5><p class="fw-
              bold">Rs. 6,999</p><button class="btn btn-primary mt-auto">Add to Cart</button></div>
        </article>
      </div>
      <div class="col-12 col-sm-6 col-md-3">
        <article class="card h-100 product shadow-sm">
          <img src="https://picsum.photos/id/250/400/300" class="card-img-top" alt="Lens">
          <div class="card-body d-flex flex-column"><h5 class="card-title">Camera Lens</h5><p class="fw-
              bold">Rs. 12,450</p><button class="btn btn-primary mt-auto">Add to Cart</button></div>
        </article>
      </div>
      <div class="col-12 col-sm-6 col-md-3">
        <article class="card h-100 product shadow-sm">
          <img src="https://picsum.photos/id/180/400/300" class="card-img-top" alt="Notebook">
          <div class="card-body d-flex flex-column"><h5 class="card-title">Pro Notebook</h5><p class="fw-
              bold">Rs. 249</p><button class="btn btn-primary mt-auto">Add to Cart</button></div>
        </article>
      </div>
      <div class="col-12 col-sm-6 col-md-3">
        <article class="card h-100 product shadow-sm">
          <img src="https://picsum.photos/id/20/400/300" class="card-img-top" alt="Backpack">
          <div class="card-body d-flex flex-column"><h5 class="card-title">Travel Backpack</h5><p
              class="fw-bold">Rs. 1,599</p><button class="btn btn-primary mt-auto">Add to
              Cart</button></div>
        </article>
      </div>
```

```
    </div>
  </main>
</body>
</html>
```

q4_menu.css

```
/* Q4 - small touches */
h1 { font-family: Georgia, serif; letter-spacing: 1px; }
.figure-img { max-height: 260px; object-fit: cover; width: 100%; }
```

q4_menu.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Spice Garden - Today's Menu</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="q4_menu.css" rel="stylesheet">
</head>
<body>
  <header class="text-center py-4 bg-dark text-white">
    <h1>Spice Garden</h1>
    <p class="lead mb-0">Today's Menu</p>
  </header>

  <main class="container py-4">
    <div class="row g-4">
      <section class="col-lg-8">
        <h2 class="text-center mb-3">Menu</h2>
        <!-- table-responsive lets the table scroll sideways on tiny screens -->
        <div class="table-responsive">
          <table class="table table-striped table-hover align-middle">
            <thead class="table-dark"><tr><th>Item</th><th>Category</th><th>Price</th></tr></thead>
            <tbody>
              <tr><td>Paneer Tikka</td><td>Starter</td><td>Rs. 220</td></tr>
              <tr><td>Veg Spring Rolls</td><td>Starter</td><td>Rs. 180</td></tr>
              <tr><td>Butter Chicken</td><td>Main Course</td><td>Rs. 340</td></tr>
              <tr><td>Dal Makhani</td><td>Main Course</td><td>Rs. 240</td></tr>
              <tr><td>Gulab Jamun</td><td>Dessert</td><td>Rs. 90</td></tr>
              <tr><td>Masala Chai</td><td>Beverage</td><td>Rs. 40</td></tr>
            </tbody>
          </table>
        </div>
      </section>

      <aside class="col-lg-4">
        <h2 class="text-center mb-3">Chef's Specials</h2>
        <ul class="list-group mb-4">
          <li class="list-group-item d-flex justify-content-between">Smoked Biryani <span class="badge
              bg-danger">Rs. 380</span></li>
          <li class="list-group-item d-flex justify-content-between">Lamb Rogan Josh <span class="badge
              bg-danger">Rs. 420</span></li>
          <li class="list-group-item d-flex justify-content-between">Kesar Kulfi <span class="badge bg-
              danger">Rs. 110</span></li>
        </ul>
        <figure class="figure text-center">
          <img src="https://picsum.photos/id/292/600/400" class="figure-img img-fluid rounded"
              alt="Plated dish">
          <figcaption class="figure-caption">Our signature thali, served fresh every
              evening.</figcaption>
        </figure>
      </aside>
    </div>
  </main>
  <footer class="text-center py-3 bg-dark text-white-50"><small>Open daily 12 PM - 11 PM</small></footer>
</body>
</html>
```

q5_blog.css

```
/* Q5 - override Bootstrap's CSS variables to make our own theme */
:root {
  --bs-primary: #7b3fe4;          /* purple theme colour */
  --bs-primary-rgb: 123, 63, 228; /* bg-primary uses the RGB version */
  --bs-font-sans-serif: "Poppins", system-ui, sans-serif;
  --bs-body-font-family: var(--bs-font-sans-serif);
}
/* buttons don't read --bs-primary directly, so set their variables too */
.btn-primary {
  --bs-btn-bg: #7b3fe4;
  --bs-btn-border-color: #7b3fe4;
  --bs-btn-hover-bg: #6228c4;
  --bs-btn-hover-border-color: #6228c4;
}
h1, h2 { font-weight: 700; }
.card-title { color: var(--bs-primary); }
.card { border: 0; border-top: 4px solid var(--bs-primary); box-shadow: 0 2px 10px rgba(0,0,0,.08); }
```

q5_blog.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>The Code Diary</title>
  <!-- Google Font used for the theme -->
  <link href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;600;700&display=swap"
      rel="stylesheet">
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <!-- theme file comes AFTER bootstrap so our variables override the defaults -->
  <link href="q5_blog.css" rel="stylesheet">
</head>
<body>
  <header class="bg-primary text-white text-center py-5">
    <h1 class="display-5">The Code Diary</h1>
    <p class="mb-0">Notes from a developer learning in public</p>
  </header>

  <main class="container py-5">
    <div class="row g-4">
      <div class="col-md-6">
        <article class="card h-100">
          <img src="https://picsum.photos/id/0/700/350" class="card-img-top" alt="Laptop on desk">
          <div class="card-body">
            <h2 class="card-title h4">Why I Started With Bootstrap</h2>
            <p class="card-text">Bootstrap's grid took my layouts from messy to clean in one afternoon.
                Here's what clicked for me.</p>
            <a href="#" class="btn btn-primary">Read more</a>
          </div>
        </article>
      </div>
      <div class="col-md-6">
        <article class="card h-100">
          <img src="https://picsum.photos/id/180/700/350" class="card-img-top" alt="Notebook">
          <div class="card-body">
            <h2 class="card-title h4">5 Habits of Consistent Learners</h2>
            <p class="card-text">Small daily practice beats weekend marathons. These five habits kept me
                on track.</p>
            <a href="#" class="btn btn-primary">Read more</a>
          </div>
        </article>
      </div>
    </div>
  </main>

  <footer class="bg-dark text-white-50 text-center py-3"><small>&copy; 2026 The Code
      Diary</small></footer>
</body>
</html>
```

q6_notifications.css

```
/* Q6 */
.summary { border-left: 5px solid #0d6efd !important; }
```

q6_notifications.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Notifications Dashboard</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="q6_notifications.css" rel="stylesheet">
</head>
<body class="bg-light">
  <header class="bg-dark text-white py-3"><div class="container"><h1 class="h4
      m-0">Dashboard</h1></div></header>

  <main class="container py-4">
    <!-- summary "well": Bootstrap 5 removed .well, so bg-light + border + p-3 does the same job -->
    <section class="bg-light border rounded p-3 mb-4 summary">
      <strong>Summary:</strong> You have 3 new notifications and 1 dismissible reminder today.
    </section>

    <section class="card shadow-sm">
      <div class="card-header fw-bold">Notifications</div>
      <div class="card-body">
        <div class="alert alert-success" role="alert"><strong>New message:</strong> Priya sent you a
            file.</div>
        <div class="alert alert-info" role="alert"><strong>Tip:</strong> Press Ctrl + K to search
            anything quickly.</div>
        <div class="alert alert-danger" role="alert"><strong>Warning:</strong> Your storage is almost
            full (95%).</div>

        <!-- alert-dismissible + btn-close = alert with a close (x) button; needs bootstrap JS -->
        <div class="alert alert-warning alert-dismissible fade show" role="alert">
          <strong>Reminder:</strong> Team meeting at 4:00 PM.
          <button type="button" class="btn-close" data-bs-dismiss="alert" aria-label="Close"></button>
        </div>
      </div>
    </section>
  </main>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

q7_tasks.css

```
/* Q7 */
.list-group-item { padding: 1rem; }
.badge { min-width: 62px; }
```

q7_tasks.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Task Tracker</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="q7_tasks.css" rel="stylesheet">
</head>
<body class="bg-light">
  <header class="bg-dark text-white py-3">
    <div class="container d-flex justify-content-between align-items-center">
      <h1 class="h4 m-0">Task Tracker</h1>
      <!-- badge counter: pending tasks -->
      <span>Pending <span class="badge bg-warning text-dark rounded-pill">4</span></span>
    </div>
  </header>
  <main class="container py-4 col-lg-7">
```

```
    <ul class="list-group shadow-sm mb-3">
      <li class="list-group-item d-flex justify-content-between align-items-center">Fix login page bug
          <span class="badge bg-danger">High</span></li>
      <li class="list-group-item d-flex justify-content-between align-items-center">Write unit tests
          <span class="badge bg-warning text-dark">Medium</span></li>
      <li class="list-group-item d-flex justify-content-between align-items-center">Update README <span
          class="badge bg-success">Low</span></li>
      <li class="list-group-item d-flex justify-content-between align-items-center">Deploy to staging
          <span class="badge bg-danger">High</span></li>
    </ul>
    <!-- button with an embedded badge -->
    <button type="button" class="btn btn-outline-success">Completed <span class="badge bg-
        success">12</span></button>
  </main>
</body>
</html>
```

q8_pricing.css

```
/* Q8 - hover: bigger shadow (shadow-lg look) and slight lift */
.plan { transition: transform .3s ease, box-shadow .3s ease; }
.plan:hover { transform: translateY(-8px); box-shadow: 0 1rem 3rem rgba(0,0,0,.25) !important; }
```

q8_pricing.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Choose Your Plan</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="q8_pricing.css" rel="stylesheet">
</head>
<body class="bg-light">
  <header class="text-center py-5">
    <h1 class="fw-bold">Choose Your Plan</h1>
    <p class="lead">Simple pricing for teams of every size.</p>
  </header>

  <main class="container pb-5">
    <div class="row g-4 text-center">
      <div class="col-md-4">
        <section class="card h-100 plan border-0 shadow-sm">
          <div class="card-body p-4">
            <h2 class="h4">Basic</h2>
            <p class="display-6 fw-bold">$9<small class="fs-6 text-muted">/mo</small></p>
            <ul class="list-unstyled mb-4"><li>1 project</li><li>1 GB storage</li><li>Email
                support</li></ul>
            <a href="#" class="btn btn-outline-primary w-100">Choose Basic</a>
          </div>
        </section>
      </div>
      <div class="col-md-4">
        <!-- Pro plan highlighted with bg-primary + text-white -->
        <section class="card h-100 plan bg-primary text-white border-0 shadow-sm">
          <div class="card-body p-4">
            <span class="badge bg-warning text-dark mb-2">Most Popular</span>
            <h2 class="h4">Pro</h2>
            <p class="display-6 fw-bold">$29<small class="fs-6">/mo</small></p>
            <ul class="list-unstyled mb-4"><li>10 projects</li><li>50 GB storage</li><li>Priority
                support</li></ul>
            <a href="#" class="btn btn-light w-100">Choose Pro</a>
          </div>
        </section>
      </div>
      <div class="col-md-4">
        <section class="card h-100 plan border-0 shadow-sm">
          <div class="card-body p-4">
            <h2 class="h4">Enterprise</h2>
            <p class="display-6 fw-bold">$99<small class="fs-6 text-muted">/mo</small></p>
            <ul class="list-unstyled mb-4"><li>Unlimited projects</li><li>1 TB storage</li><li>24/7 phone
                support</li></ul>
            <a href="#" class="btn btn-outline-primary w-100">Choose Enterprise</a>
          </div>
```

```
        </section>
      </div>
    </div>
  </main>
</body>
</html>
```

q9_pagination.css

```
/* Q9 */
article { border-bottom: 1px solid #e5e5e5; padding-bottom: 1rem; }
```

q9_pagination.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Blog - Page 1</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="q9_pagination.css" rel="stylesheet">
</head>
<body>
  <header class="bg-dark text-white text-center py-4"><h1 class="h3 m-0">Dev Blog</h1></header>

  <main class="container py-4">
    <article class="mb-4"><h2 class="h5">Getting Started with Flexbox</h2><p class="text-muted">Flexbox
        makes one-dimensional layouts easy...</p></article>
    <article class="mb-4"><h2 class="h5">CSS Grid vs Flexbox</h2><p class="text-muted">When should you
        use each one? Here's a quick guide...</p></article>
    <article class="mb-4"><h2 class="h5">Responsive Images Done Right</h2><p class="text-muted">Use img-
        fluid and srcset to keep pages fast...</p></article>

    <!-- justify-content-center centers the page numbers -->
    <nav aria-label="Blog pages">
      <ul class="pagination justify-content-center">
        <li class="page-item disabled"><a class="page-link" href="#">Previous</a></li>
        <li class="page-item active"><a class="page-link" href="#">1</a></li>
        <li class="page-item"><a class="page-link" href="#">2</a></li>
        <li class="page-item"><a class="page-link" href="#">Next</a></li>
      </ul>
    </nav>

    <!-- simple pager -->
    <div class="d-flex justify-content-between mt-3">
      <a href="#" class="btn btn-outline-secondary">&larr; Older Posts</a>
      <a href="#" class="btn btn-outline-secondary">Newer Posts &rarr;</a>
    </div>
  </main>
</body>
</html>
```

q10_travel.css

```
/* Q10 - keep carousel images a fixed height so they don't jump */
.carousel-item img { height: 420px; object-fit: cover; }
.carousel-caption { background: rgba(0,0,0,.45); border-radius: 8px; }
```

q10_travel.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>WanderWorld Travels</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="q10_travel.css" rel="stylesheet">
</head>
<body>
  <header class="bg-dark text-white text-center py-3"><h1 class="h3 m-0">WanderWorld
      Travels</h1></header>
```

```
  <main>
    <!-- carousel: data-bs-ride starts auto-sliding; data-bs-interval on each slide sets its own time
        (ms) -->
    <section id="destinations" class="carousel slide" data-bs-ride="carousel">
      <div class="carousel-indicators">
        <button type="button" data-bs-target="#destinations" data-bs-slide-to="0" class="active" aria-
            label="Slide 1"></button>
        <button type="button" data-bs-target="#destinations" data-bs-slide-to="1" aria-label="Slide
            2"></button>
        <button type="button" data-bs-target="#destinations" data-bs-slide-to="2" aria-label="Slide
            3"></button>
      </div>
      <div class="carousel-inner">
        <div class="carousel-item active" data-bs-interval="2000">
          <img src="https://picsum.photos/id/1015/1400/550" class="d-block w-100" alt="River valley">
          <div class="carousel-caption"><h2>Swiss Alps</h2><p>Snow peaks and scenic train
              rides.</p></div>
        </div>
        <div class="carousel-item" data-bs-interval="4000">
          <img src="https://picsum.photos/id/1016/1400/550" class="d-block w-100" alt="Canyon">
          <div class="carousel-caption"><h2>Grand Canyon</h2><p>Sunrise views you will never
              forget.</p></div>
        </div>
        <div class="carousel-item" data-bs-interval="3000">
          <img src="https://picsum.photos/id/1018/1400/550" class="d-block w-100" alt="Mountains">
          <div class="carousel-caption"><h2>Himalayan Trek</h2><p>Adventure above the clouds.</p></div>
        </div>
      </div>
      <button class="carousel-control-prev" type="button" data-bs-target="#destinations" data-bs-
          slide="prev"><span class="carousel-control-prev-icon"></span><span class="visually-
          hidden">Previous</span></button>
      <button class="carousel-control-next" type="button" data-bs-target="#destinations" data-bs-
          slide="next"><span class="carousel-control-next-icon"></span><span class="visually-
          hidden">Next</span></button>
    </section>

    <section class="container py-4">
      <h2 class="h5">Your Booking Progress</h2>
      <div class="progress" style="height: 24px;" role="progressbar" aria-valuenow="70" aria-valuemin="0"
          aria-valuemax="100">
        <!-- striped + animated = moving stripes; width sets the percentage -->
        <div class="progress-bar progress-bar-striped progress-bar-animated" style="width: 70%">70%</div>
      </div>
    </section>
  </main>

  <footer class="bg-dark text-white-50 py-4">
    <div class="container text-center">
      <p class="mb-1">WanderWorld Travels, 12 Park Street, Mathura, UP</p>
      <p class="mb-0">Phone: +91 98765 43210 | Email: trips@wanderworld.example</p>
    </div>
  </footer>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```