
One collection of tables, seen at every level of the tower

Study 26's data. Each signal keeps its colour at every level. Panels 1 and 7 are drawn; the others are computed.


honest · coalition · history ({M,R,Y} table) · decision threshold · twist

1 tables and their sheaf

contexts as hyperedges; supports form the sheaf (drawn from the design)



{M,C,Y} carries the coalition




holdout cycle; (E,A) coded differently: the twist

supports: all 16 cells positive


2 data: the polytope of margins

each table's reading of P(M = 1); coherent data lie on the diagonal




3 the fibre: laws matching the tables

2-D section of the 9-dim. polytope through the honest law; in the Fisher kernel




4 contextuality: the noncontextual polytope

cycle correlations, two coordinates; grey: local data, green: global law



5 toric layer: the coupling M x light


moment polygon, log-linear grid (the torus chart), maximum entropy



P(M = 0, dim) (dashed: P(M=1, bright) = 0.10; ellipses: torus fibres)

6 tropical layer: the potential and its limit


soft-min of cells, L = 12; critical points as T → 0 (Prop 149(ii))



P(M = 0, dim) (leximin sits 0.0006 from the threshold)

7 braids: the revision history

schematic: strands are reporting groups over revision time (not computed in Study 26; numbers are the study's)



what each signal becomes up the tower

coalition: a coherent move inside the data polytope (2); a full twist (7)

history: a point off the honest law (3); a strand that enters and leaves (7)

twist: data across a facet (4); invisible to supports (1)