
(a) Margin space: two kinds of wall, and they are different
one count moved
(column 3 to 2)
the example
g_2 (with $g_1 = 0.3, g_3 = 0.7 - g_2$)
f_1
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.0
0.2
0.4
0.6
0.8
1.0
Kähler-chamber walls $f_i = g_j$ (blow-ups)
row 1 binds: leading cells 11,12,13
row 2 binds: 21,22,23
column 1 binds: 11,21
column 2 binds: 12,22
column 3 binds: 13,23
leximin walls: two ratios $f_i/3$, $g_j/2$ tie (the leading set jumps)
(b) Zoom at $f_1 = 0.4$: the leximin wall is a third of
a count away, the blow-up wall three counts
blow-up wall
$f_1 = g_2$
example
$g_2 = 0.43$
one count
$g_2 = 0.44$
leximin
wall
13/30
ratio
0.12
0.13
0.14
0.15
0.16
0.17
0.36
0.38
0.40
0.42
0.44
0.46
0.48
g_2 (at $f_1 = 0.4, g_1 = 0.3$)
row 1: $f_1/3$
column 1: $g_1/2$
column 3: $g_3/2$
h^* = the smallest